



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification: C07H 21/04, C07K 14/46, C07K 16/28, C12P 19/34, C12Q 1/68	A1	(11) International Publication Number: WO 00/18787 (43) International Publication Date: 06 April 2000 (06.04.2000)
(21) International Application Number: PCT/US99/22429		Published
(22) International Filing Date: 28 September 1999 (28.09.1999)		
(30) Priority Data: 60/102,031 28 September 1998 (28.09.1998) US		

(60) Parent Application or Grant

WASHINGTON UNIVERSITY [/]; O. PERMUTT, M., Alan [/]; O. INOUE, Hiroshi [/]; O. MUECKLER, Mike [/]; O. PERMUTT, M., Alan [/]; O. INOUE, Hiroshi [/]; O. MUECKLER, Mike [/]; O. REED, Janet, E. ; O.

(54) Title: GENE MUTATED IN WOLFRAM SYNDROME

(54) Titre: MUTATION DE GENE ASSOCIEE AU SYNDROME DE WOLFRAM

(57) Abstract

This invention provides a novel gene, WFS1, isolated from human chromosome 4p. Mutation of the WFS1 gene is associated with the development of Wolfram Syndrome. The WFS1 gene, along with cDNAs, encoded protein and antibodies immunologically specific for the protein, provide a biological marker for early diagnosis of the syndrome, and for predicting predisposition of an individual for the syndrome. The gene also will be useful in gene replacement therapy, or for development of new methods and agents for treating Wolfram Syndrome.

(57) Abrégé

L'invention se rapporte à un nouveau gène, WFS1, que l'on a isolé sur le chromosome humain 4p. La mutation de ce gène WFS1 est associée au développement du syndrome de Wolfram. La protéine codée par ce gène WFS1, associé à des séquences d'ADNc, ainsi que des anticorps spécifiques de ladite protéine d'un point de vue immunologique fournissent un marqueur biologique permettant un diagnostic précoce du syndrome ainsi qu'un diagnostic de la prédisposition d'un sujet à développer ce syndrome. Ce gène peut également être utilisé en thérapie génique de remplacement ou pour le développement de nouvelles méthodes et de nouveaux agents permettant de traiter le syndrome de Wolfram.

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7 : C07H 21/04, C07K 14/46, 16/28, C12Q 1/68, C12P 19/34		A1	(11) International Publication Number: WO 00/18787 (43) International Publication Date: 6 April 2000 (06.04.00)
(21) International Application Number: PCT/US99/22429 (22) International Filing Date: 28 September 1999 (28.09.99) (30) Priority Data: 60/102,031 28 September 1998 (28.09.98) US		(81) Designated States: AU, JP, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published <i>With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>	
(71) Applicant: WASHINGTON UNIVERSITY [US/US]; Campus Box 8013, 600 South Euclid Avenue, St. Louis, MO 63110 (US). (71)(72) Applicants and Inventors: PERMUTT, M., Alan [US/US]; 6341 Washington Avenue, St. Louis, MO 63130 (US). INOUE, Hiroshi [JP/JP]; Yamaguchi University School of Medicine, Third Dept. of Internal Medicine, Ube Yamaguchi (JP). MUECKLER, Mike [US/US]; Washington University School of Medicine, Dept. of Cell Biology and Dept. of Surgery, Division of Human Molecular Genetics, St. Louis, MO 63110 (US). (74) Agents: REED, Janet, E. et al.; Dann, Dorfman, Herrell and Skillman, 1601 Market Street, Suite 720, Philadelphia, PA 19103 (US).			
(54) Title: GENE MUTATED IN WOLFRAM SYNDROME			
(57) Abstract			
<p>This invention provides a novel gene, <i>WFS1</i>, isolated from human chromosome 4p. Mutation of the <i>WFS1</i> gene is associated with the development of Wolfram Syndrome. The <i>WFS1</i> gene, along with cDNAs, encoded protein and antibodies immunologically specific for the protein, provide a biological marker for early diagnosis of the syndrome, and for predicting predisposition of an individual for the syndrome. The gene also will be useful in gene replacement therapy, or for development of new methods and agents for treating Wolfram Syndrome.</p>			

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GII	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

Description

5

10

15

20

25

30

35

40

45

50

55

5

- 1 -

GENE MUTATED IN WOLFRAM SYNDROME

10

15

5

20

10

FIELD OF THE INVENTION

25 This invention relates to the field of diagnosis and treatment of certain forms of diabetes. In particular, this invention provides a novel gene, the 15 disruption of which is associated with Wolfram Syndrome, and methods of using the gene and specific mutants 30 thereof as diagnostic tool for prediction and early detection of the syndrome.

35 20 BACKGROUND OF THE INVENTION

40 Various scientific and scholarly articles are 45 referred to in brackets throughout the specification. These articles are incorporated by reference herein to 50 describe the state of the art to which this invention pertains.

55 Wolfram syndrome (WFS) (OMIM 222300) was first described in 1938 as a combination of familial juvenile-onset diabetes mellitus and optic atrophy. Other clinical features subsequently emerged and accordingly, WFS is also referred to as the DIDMOAD (diabetes insipidus, diabetes mellitus, optic atrophy, and deafness) syndrome. Most patients with this

55

5

10

15

20

25

30

35

40

45

50

55

-2-

progressive disorder eventually develop all four cardinal manifestations, and die prematurely with widespread atrophic changes throughout the brain. Insulin-requiring diabetes mellitus occurs with mean age of onset at 6-8 years. When examined, pancreatic islets display atrophic and insulin-producing β -cells selectively absent. The disease is believed to account for 1/150 patients with young-onset insulin-requiring diabetes mellitus.

The pathogenesis of Wolfram syndrome is unknown. Diagnosis is usually made in offspring of unaffected often-related parents, suggesting autosomal recessive inheritance. Linkage of the gene to markers on chromosome 4p (Polymeropoulos et al., Nature Genetics 8: 95-97, 1994) was reported, and later confirmed (Collier et al., Am J Hum Genet 59: 855-863, 1996). Recombinants placed the gene in an interval between markers 5.5 cM apart.

Isolation and characterization of the gene or genes associated with Wolfram Syndrome is vital for the prediction, diagnosis and, ultimately, treatment of the disease. Currently there is no way of knowing for sure if an individual is predisposed to Wolfram Syndrome, particularly children too young to have developed the characteristic symptoms. Early diagnosis may lead to effective methods of treatment. Identification and isolation of the gene or genes associated with Wolfram Syndrome would further enable the development of screening procedures to assist in genetic counseling, as well as enabling detailed study of its function and subsequent development of therapeutic methods or agents.

SUMMARY OF THE INVENTION

In accordance with the present invention, a gene is provided, whose mutation is highly correlated with Wolfram Syndrome in humans. The symptoms of Wolfram

5

10

15

20

25

30

35

40

45

50

55

-3-

Syndrome consist of diabetes insipidus, diabetes mellitus, optic atrophy and deafness. This gene is found in human genome between markers *D4S500* and *D4S431* on chromosome 4p, and is referred to herein as *WFS1*. One variant of *WFS1* is found in SEQ ID NO:1.

Another aspect of the invention comprises several isolated nucleic acids from the human and mouse *WFS1* genes. In a preferred embodiment, these nucleic acids are the genomic sequence of the *WFS1* gene from human (SEQ ID NO:1), a cDNA sequence from the human *WFS1* gene (SEQ ID NO:2), and a cDNA from the mouse *WFS1* gene (SEQ ID NO:4). In another preferred embodiment, the isolated nucleic acids are substantially the same or 60% homologous to SEQ ID NO:1, SEQ ID NO:2, and SEQ ID NO:4. In yet another preferred embodiment, the nucleic acids encode SEQ ID NO:3 and SEQ ID NO:5, substantially the same variants of SEQ ID NO:3 and SEQ ID NO:5, variants with at least 60% homology to SEQ ID NO:3 and SEQ ID NO:5, and variants of SEQ ID NO:3 with the mutations and polymorphisms listed in Table 1. In a final preferred embodiment, the isolated nucleic acids are oligonucleotides (SEQ ID Nos:6-41) that have been designed based on SEQ ID NO:1.

In accordance with another aspect of the invention, a selection of isolated polypeptides is provided, which result from the expression of part or all of the human and mouse *WFS1* genes. In one preferred embodiment, the polypeptides are encoded by SEQ ID NO:3 and SEQ ID NO:5. In another preferred embodiment, the polypeptides are substantially the same as SEQ ID NO:3 and SEQ ID NO:5, or at least 60% homologous to SEQ ID NO:3 and SEQ ID NO:5.

In accordance with another aspect of the invention, a selection of antibodies that are immunologically specific to the aforementioned

5

- 4 -

polypeptides is provided.

In accordance with another aspect of the invention, a series of methods is provided, which use the *WFS1* gene to genetically characterize mammalian subjects.

10 5 In a preferred embodiment, the *WFS1* gene is used to make labeled probes which are used to detect *WFS1* nucleic acids. In another preferred embodiment, variant forms of *WFS1* are sequenced, compared to the sequence of *WFS1*, and mutations and polymorphisms determined. In a

15 10 particularly preferred embodiment, human genomic DNA is sequenced and compared to SEQ ID NO:1. In a very particularly preferred embodiment, the primers in Table 2 are used to sequence the variant human gene. In yet another preferred embodiment, restriction enzymes are

20 15 selected that differentially digest the wild type and variant gene. *WFS1* nucleic acids are digested and separated by size, and the *WFS1* nucleic acids are detected. In a particularly preferred embodiment, the human DNA is digested, and the primers in Table 2 are

25 30 20 used to amplify the DNA before digestion.

Other features and advantages of the present invention will be better understood by reference to the drawings, detailed descriptions and examples that follow.

35

25 BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1. Pedigrees of Wolfram syndrome families, with individuals designated by disease status (bold-lined symbols affected, thin-lined symbols unaffected), and with derived haplotypes of chromosome 4p markers. Bold, underlined numbers represent disease-associated chromosomes. Italicized, underlined numbers refer to disease-associated chromosomes with historical recombinants. Consanguineous Japanese families: Fig. 1a, WS-1; Fig. 1b, WS-2; Fig. 1c,

50

5

10

15

20

25

30

35

40

50

55

-5-

WS-3 (an affected daughter, not shown, was deceased before initiation of the study). Caucasian families: Fig. 1D, WS-4; and Fig. 1E, WS-5. Markers were ordered from telomeric to centromeric as described in Example 1.

5 **Figure 2.** Physical map of the Wolfram syndrome critical region. Fig. 2A: The horizontal line at the top of the figure represents a portion of chromosome 4p, with the centromere to the right and pter to the left. The dashed line represents the interval of D4S500-D4S431, the 10 critical region of the Wolfram syndrome gene. P1 and BAC clones are represented as lines. Their length reflects the number of STSs and not the actual size. The name of each clone is given to the right of the line. Marker names are noted above the line and correspond to the 15 symbols on the line. Fig. 2B: An expanded schematic of the genomic structure of the Wolfram gene, *WFS1*, with exons indicated by boxes. The entire gene is encompassed within a 33.4 kb region.

30 **Figure 3.** Expression of *WFS1* mRNA in adult 20 tissues. Fig. 3A: Northern analysis with human adult polyA+ RNA (5 μ g) derived from various tissues was 35 hybridized with a 32 P-labeled 854-bp genomic fragment of the *WFS1* gene. Fig. 3B: Re-hybridization of the blot with 32 P-labeled β -actin cDNA as a loading control. Fig. 25 3C: Northern analysis with human adult total RNA (20 μ g) 40 hybridized with 32 P-labeled *WFS1* cDNA. Fig. 3D: Re-hybridization of the blot in c. with 32 P-labeled ribosomal cDNA as a loading control.

45 **Figure 4.** Hydrophobicity analysis was 30 conducted by the method of Kyte and Doolittle (J Molec Biol 157: 105-132, 1982) using a window size of 9 amino 35 acid residues. Average hydrophobicity values are plotted 40 as a function of position along the polypeptide chain.

50 **Figure 5.** Comparison of human and mouse *WFS1*

5

- 6 -

10

protein sequences. Plain text indicate identical residues. Amino acid gaps between human and mouse proteins are shown by dashes. The locations of the mutations found in Wolfram syndrome patients, 3 missense, the premature stop codon (X), 2 deletions, and the 7 bp repeat insertion, are indicated below the sequences. A predicted prenyltransferase α -subunit repeat structure (A493 to L502) is underlined.

15

20

25

30

35

40

45

50

55

Figure 6. Co-segregation of *WFS1* mutations with the disease phenotype in Wolfram syndrome families. Fig. 6a: The 1685del(N) in family WS-2, showing that each affected child (III-1, -2, -3, and -4) is homozygous for the mutation. Fig. 6b: Sequence chromatograms of the region of exon 8 showing the 15 bp deletion in a patient homozygous for the mutation, along with a normal control. Fig. 6c: Segregation of the 1681C to T and the microscopic deletion in family WS-5. The 1681C to T mutation destroys a BsmF1 site in a 766 bp PCR (polymerase chain reaction) fragment. The hemizygous T(-) affected children (II-1, -2, and -4) have only a 766 bp uncut fragment, while the hemizygous C(-) mother (I-4) and unaffected daughter (II-3) have 686 bp and 80 bp bands, and the heterozygous CT father (I-3) has 766 bp, 686 bp and 80 bp bands. The symbols "--" and "+" refer to the absence or presence of enzyme.

DETAILED DESCRIPTION OF THE INVENTION

I. Definitions

Various terms relating to the biological molecules of the present invention are used hereinabove and also throughout the specification and claims.

With reference to nucleic acids molecules, the term "isolated nucleic acid" is sometimes used. This term, when applied to DNA, refers to a DNA molecule that

5

- 7 -

10

is separated from sequences with which it is immediately contiguous (in the 5' and 3' directions) in the naturally occurring genome of the organism from which it was derived. For example, the "isolated nucleic acid" may 5 comprise a DNA molecule inserted into a vector, such as a plasmid or virus vector, or integrated into the genomic 15 DNA of a procaryote or eucaryote. An "isolated nucleic acid molecule" may also comprise a cDNA molecule.

15

With respect to RNA molecules, the term 20 "isolated nucleic acid" primarily refers to an RNA molecule encoded by an isolated DNA molecule as defined above. Alternatively, the term may refer to an RNA molecule that has been sufficiently separated from RNA 25 molecules with which it would be associated in its natural state (i.e., in cells or tissues), such that it 15 exists in a "substantially pure" form (the term "substantially pure" is defined below).

30

With respect to proteins or peptides, the term 20 "isolated protein (or peptide)" or "isolated and purified protein (or peptide)" is sometimes used herein. This term refers primarily to a protein produced by expression 35 of an isolated nucleic acid molecule of the invention. Alternatively, this term may refer to a protein which has been sufficiently separated from other proteins with 40 which it would naturally be associated, so as to exist in 25 "substantially pure" form.

40

The term "substantially pure" refers to a 45 preparation comprising at least 50-60% by weight the compound of interest (e.g., nucleic acid, 30 oligonucleotide, protein, etc.). More preferably, the preparation comprises at least 75% by weight, and most 50 preferably 90-99% by weight, the compound of interest. Purity is measured by methods appropriate for the

55

5

compound of interest (e.g. chromatographic methods, agarose or polyacrylamide gel electrophoresis, HPLC analysis, and the like).

10

Nucleic acid sequences and amino acid sequences

15

5 can be compared using computer programs that align the similar sequences of the nucleic or amino acids thus define the differences. In the comparisons made in the present invention, the BLAST programs (NCBI) and parameters used therein were employed, and the DNAsstar 10 system (Madison, WI) was used to align sequence fragments 20 of genomic DNA sequences. However, equivalent alignments and similarity/identity assessments can be obtained through the use of any standard alignment software. For 25 instance, the GCG Wisconsin Package version 9.1, 30 available from the Genetics Computer Group in Madison, Wisconsin, and the default parameters used (gap creation penalty=12, gap extension penalty=4) by that program may also be used to compare sequence identity and similarity.

25

The term "substantially the same" refers to 35 nucleic acid or amino acid sequences having sequence variation that do not materially affect the nature of the protein (i.e. the structure, stability characteristics, substrate specificity and/or biological activity of the 40 protein). With particular reference to nucleic acid 45 sequences, the term "substantially the same" is intended to refer to the coding region and to conserved sequences governing expression, and refers primarily to degenerate codons encoding the same amino acid, or alternate codons 50 encoding conservative substitute amino acids in the encoded polypeptide. With reference to amino acid sequences, the term "substantially the same" refers generally to conservative substitutions and/or variations in regions of the polypeptide not involved in

55

5

-9-

determination of structure or function.

10

The terms "percent identical" and "percent similar" are also used herein in comparisons among amino acid and nucleic acid sequences. When referring to amino acid sequences, "percent identical" refers to the percent of the amino acids of the subject amino acid sequence that have been matched to identical amino acids in the compared amino acid sequence by a sequence analysis program. "Percent similar" refers to the percent of the amino acids of the subject amino acid sequence that have been matched to identical or conserved amino acids.

15

Conerved amino acids are those which differ in structure but are similar in physical properties such that the exchange of one for another would not appreciably change the tertiary structure of the resulting protein.

20

Conservative substitutions are defined in Taylor (1986, J. Theor. Biol. 119:205). When referring to nucleic acid molecules, "percent identical" refers to the percent of the nucleotides of the subject nucleic acid sequence that have been matched to identical nucleotides by a sequence analysis program.

25

With respect to antibodies, the term "immunologically specific" refers to antibodies that bind to one or more epitopes of a protein of interest, but which do not substantially recognize and bind other molecules in a sample containing a mixed population of antigenic biological molecules.

30

With respect to oligonucleotides or other single-stranded nucleic acid molecules, the term "specifically hybridizing" refers to the association between two single-stranded nucleic acid molecules of sufficiently complementary sequence to permit such hybridization under pre-determined conditions generally

35

40

45

50

55

5

-10-

10

used in the art (sometimes termed "substantially complementary"). In particular, the term refers to hybridization of an oligonucleotide with a substantially complementary sequence contained within a single-stranded DNA or RNA molecule, to the substantial exclusion of hybridization of the oligonucleotide with single-stranded nucleic acids of non-complementary sequence.

15

5 A "coding sequence" or "coding region" refers to a nucleic acid molecule having sequence information necessary to produce a gene product, when the sequence is expressed.

20

10 The term "operably linked" or "operably inserted" means that the regulatory sequences necessary for expression of the coding sequence are placed in a 15 nucleic acid molecule in the appropriate positions relative to the coding sequence so as to enable expression of the coding sequence. This same definition is sometimes applied to the arrangement other 20 transcription control elements (e.g. enhancers) in an expression vector.

25

30 Transcriptional and translational control 35 sequences are DNA regulatory sequences, such as promoters, enhancers, polyadenylation signals, terminators, and the like, that provide for the 40 expression of a coding sequence in a host cell.

40

45 The terms "promoter", "promoter region" or "promoter sequence" refer generally to transcriptional regulatory regions of a gene, which may be found at the 5' or 3' side of the coding region, or within the coding 50 region, or within introns. Typically, a promoter is a DNA regulatory region capable of binding RNA polymerase in a cell and initiating transcription of a downstream (3' direction) coding sequence. The typical 5' promoter sequence is bounded at its 3' terminus by the

55

5

-11-

10

transcription initiation site and extends upstream (5' direction) to include the minimum number of bases or elements necessary to initiate transcription at levels detectable above background. Within the promoter sequence is a transcription initiation site (conveniently defined by mapping with nuclease S1), as well as protein binding domains (consensus sequences) responsible for the binding of RNA polymerase.

15

5 sequence is a transcription initiation site (conveniently defined by mapping with nuclease S1), as well as protein binding domains (consensus sequences) responsible for the binding of RNA polymerase.

A "vector" is a replicon, such as plasmid, phage, cosmid, or virus to which another nucleic acid segment may be operably inserted so as to bring about the replication or expression of the segment.

20

10 The term "nucleic acid construct" or "DNA construct" is sometimes used to refer to a coding sequence or sequences operably linked to appropriate regulatory sequences and inserted into a vector for transforming a cell. This term may be used interchangeably with the term "transforming DNA". Such a nucleic acid construct may contain a coding sequence for 25 a gene product of interest, along with a selectable marker gene and/or a reporter gene.

25

15 The term "selectable marker gene" refers to a gene encoding a product that, when expressed, confers a selectable phenotype such as antibiotic resistance on a 30 transformed cell.

30

20 The term "reporter gene" refers to a gene that encodes a product which is easily detectable by standard methods, either directly or indirectly.

35

25 A "heterologous" region of a nucleic acid 40 construct is an identifiable segment (or segments) of the 30 nucleic acid molecule within a larger molecule that is not found in association with the larger molecule in 45 nature. Thus, when the heterologous region encodes a 50 mammalian gene, the gene will usually be flanked by DNA

55

5

-12-

10

that does not flank the mammalian genomic DNA in the genome of the source organism. In another example, a heterologous region is a construct where the coding sequence itself is not found in nature (e.g., a cDNA where the genomic coding sequence contains introns, or synthetic sequences having codons different than the native gene). Allelic variations or naturally-occurring mutational events do not give rise to a heterologous region of DNA as defined herein. The term "DNA construct", as defined above, is also used to refer to a heterologous region, particularly one constructed for use in transformation of a cell.

15

20

25

30

35

40

45

A cell has been "transformed" or "transfected" by exogenous or heterologous DNA when such DNA has been introduced inside the cell. The transforming DNA may or may not be integrated (covalently linked) into the genome of the cell. In prokaryotes, yeast, and mammalian cells for example, the transforming DNA may be maintained on an episomal element such as a plasmid. With respect to eukaryotic cells, a stably transformed cell is one in which the transforming DNA has become integrated into a chromosome so that it is inherited by daughter cells through chromosome replication. This stability is demonstrated by the ability of the eukaryotic cell to establish cell lines or clones comprised of a population of daughter cells containing the transforming DNA. A "clone" is a population of cells derived from a single cell or common ancestor by mitosis. A "cell line" is a clone of a primary cell that is capable of stable growth *in vitro* for many generations.

Description

50

In accordance with the present invention, a novel human gene, *WFS1*, has been isolated. The inheritance of a mutated *WFS1* gene is highly correlated

55

5

10

15

20

25

30

35

40

45

50

-13-

with the development of Wolfram Syndrome in the human population. Normal function of *WFS1* appears to be essential for survival of pancreatic islet β -cells and neurons. Included in the invention is the method for 5 using the gene sequence to genetically screen for presence of the potentially mutated forms of the gene for diagnosis and prognosis of the disease in patients.

The *WFS1* gene in humans spans 33.4 kb on chromosome 4p and is composed of 8 exons (Fig. 2B; SEQ ID 10 NO:1). The ~5kb of sequence upstream of the start of *WFS1* open reading frame is expected to contain one or 15 more transcriptional or translational regulatory elements. The *WFS1* human cDNA is 3.688 kb long (SEQ ID NO:2) and encodes a predicted protein 890 residues long 20 with a predicted molecular mass of 100.29 kDa (SEQ ID NO:3). Comparison of the *WFS1* cDNA sequence with those 25 in public databases found no related genes. A mouse cDNA of *WFS1* has also been isolated. The mouse cDNA (SEQ ID NO:4) is 3511 nucleotides long and has 83.9% nucleotide 30 identity to the human gene. The predicted protein 35 sequence encoded by the mouse cDNA (SEQ ID NO:5) has a 86.1% amino acid similarity to the predicted human *WFS1* protein.

The inventors have isolated the *WFS1* gene 25 represented by SEQ ID NO:1 from the human genome by positional cloning. Previous work had isolated the 40 Wolfram gene between markers *D4S432* and *D4S431* on chromosome 4p, 5.5 cM (~5500 kb) apart. In the development of this invention, five families with 45 individuals having typical Wolfram syndrome phenotypes were genotyped with genetic markers shown to locate 50 between *D4S432* and *D4S431* by physical and/or radiation hybrid mapping (see Example 1). The region containing the Wolfram gene was thus narrowed further to a region

55

5

-14-

10

between *D4S500* and *D4S431*. The critical region between *D4S500* and *D4S431* was estimated to be <250 kb as determined by contig mapping of BAC and P1 genomic clones. Three clones were sequenced and the sequence of much of the contig region was determined.

15

Exon trapping of two BAC clones was employed to generate expressed sequence tags (ESTs) of the region and then to determine areas with open reading frames that would be likely to contain a gene. Among a number of ESTs isolated was one predicted to be the 3' end 1.8 kb exon of a gene. A genomic fragment of this region hybridized to a 3.7 kb RNA on a Northern blot. The gene was determined to be expressed in all tissues, but surprisingly was most abundant in pancreatic islets compared to that in the exocrine pancreas. The abundance of *WFS1* RNA in pancreatic islets was particularly revealing because one of the outcomes Wolfram Syndrome is atrophy of pancreatic islets.

20

A full length cDNA clone of *WFS1* was obtained by screening a human infant brain cDNA library (SEQ ID NO:2). This clone was 3,688 nucleotides long and contained an appropriate start methionine, open reading frame, and polyadenylation signal. Comparison of the cDNA sequence of *WFS1* with those in public databases revealed no related genes. Translation of the cDNA sequence predicts a polypeptide of 890 amino acid residues with a molecular mass of 100.29 kDa. The protein is distinguished grossly by the presence of 3 structural domains, a hydrophilic N-terminal region of ~300 residues, a hydrophilic C-terminal region of ~240 residues, and a central hydrophobic core of ~350 residues. Inspection of the hydrophobicity curve suggests the presence of ~10 transmembrane segments.

25

When patients with Wolfram Syndrome were checked for mutagenesis in the *WFS1* gene, seven mutations

30

35

40

45

50

55

5

-15-

10

were found in the full-length clones derived from the original EST. PCR (polymerase chain reaction) was used to amplify exons of *WFS1* from subjects with Wolfram Syndrome, and the products were sequenced. Comparison of these sequences with the wild type gene revealed probable loss of function mutations in all cases, as described in greater detail below.

15

The following description set forth the general procedures involved in practicing the present invention.

20

10 To the extent that specific materials are mentioned, it is merely for purposes of illustration and is not intended to limit the invention. Unless otherwise specified, general cloning procedures, such as those set forth in Sambrook et al., Molecular Cloning, Cold Spring

25 15 Harbor Laboratory (1989) (herein "Sambrook et al.") or Ausubel et al. (eds) Current Protocols in Molecular Biology, John Wiley & Sons (1999) (herein "Ausubel et al.") are used. Unless otherwise specified, general genome analysis procedures were used, such as set forth

30 20 in Genome Analysis: A Laboratory Manual, Cold Spring Harbor Laboratory Press (1997).

30

35 I. Preparation of *WFS1* nucleic acid molecules, encoded proteins and immunologically specific antibodies

40

25 A. Nucleic Acid Molecules

45

Nucleic acid molecules comprising part or all of the *WFS1* gene of the invention may be prepared by two general methods: (1) they may be synthesized from appropriate nucleotide triphosphates, or (2) they may be isolated from biological sources. Both methods utilize protocols well known in the art.

50

The availability of nucleotide sequence information, such as Sequence I.D. Nos. 1, 2 and 4, enables preparation of an isolated nucleic acid molecule

55

5

-16-

10

of the invention by oligonucleotide synthesis. Synthetic oligonucleotides may be prepared by the phosphoramidite method employed in the Applied Biosystems 38A DNA Synthesizer or similar devices. The resultant construct 5 may be purified by high performance liquid chromatography (HPLC). Long, double-stranded polynucleotides, such as a DNA molecule of the present invention, must be synthesized in stages, due to the size limitations 15 inherent in current oligonucleotide synthetic methods.

10 Thus, for example, a double-stranded DNA molecule several kilobases in length may be synthesized as multiple 20 smaller segments of appropriate complementarity. Complementary segments thus produced may be annealed such that each segment possesses appropriate cohesive termini 25 for attachment of an adjacent segment. Adjacent segments may be ligated by annealing cohesive termini in the presence of DNA ligase to construct an entire double-stranded molecule. A synthetic DNA molecule so 30 constructed may then be cloned and amplified in an appropriate vector.

25

30

35

40

45

50

WFS1 nucleic acid sequences may be isolated 35 from appropriate biological sources using methods known in the art. In a preferred embodiment, a human genomic clone is isolated from a human genomic P1 library. In 40 another preferred embodiment, a cDNA clone is isolated from the Marathon-Ready human fetal brain λ gt10 cDNA library (Clontech). In yet another preferred embodiment, a mouse cDNA is isolated from a mouse pancreatic β-cell line (MIN6) cDNA library. The isolation of human and 45 mouse clones is not limited to the aforementioned libraries, and other commercially available human and mouse libraries may be used. Alternatively, cDNA or genomic clones from other species may be obtained.

55 In accordance with the present invention, 35 nucleic acids having the appropriate sequence homology

55

5

-17-

10

with part or all of Sequence I.D. Nos. 1, 2 or 4 may be identified by using hybridization and washing condition of appropriate stringency. For example, hybridizations may be performed, according to the method of Sambrook et al., using a hybridization solution comprising: 5 x SSC, 5 x Denhardt's reagent, 1.0% SDS, 100 µg/ml denatured, fragmented salmon sperm DNA, 0.05% sodium pyrophosphate and up to 50% formamide. Hybridization is carried out at 37-42°C for at least six hour. Following hybridization, filters are washed as follows: (1) 5 minutes at room temperature in 2 x SSC and 1% SDS; (2) 15 minutes at room temperature in 2 x SSC and 0.1% SDS; (3) 30 minutes-1 hour at 37°C in 1 x SSC and 1% SDS; (4) 2 hours at 42-65° in 1 X SSC and 1% SDS, changing the solution every 30 minutes. In a preferred embodiment, hybridizations are performed in hybridization solution comprising 0.5 M NaPO₄, 2 mM EDTA, 7% SDS and 0.1% sodium pyrophosphate (pH 7.1) at about 65°C for 20 hours. For high-stringency conditions, membranes are subsequently washed sequentially for 1 hour each in: (1) 2X SSC, 0.5X SET, 0.1% sodium pyrophosphate; and (2) 0.1X SSC, 0.5X SET, 0.1% sodium pyrophosphate. For low-stringency conditions, membranes are washed at 50°C for 30 minutes in 2X SSC, 0.5X SET, 0.1% sodium pyrophosphate.

20

25

30

35

40

45

50

25 One common formula for calculating the stringency conditions required to achieve hybridization between nucleic acid molecules of a specified sequence homology (Sambrook et al., 1989):

30 $T_m = 81.5^{\circ}\text{C} + 16.6\log [\text{Na}^+] + 0.41(\% \text{G}+\text{C}) - 0.63 (\% \text{formamide}) - 600/\# \text{bp in duplex}$

45 As an illustration of the above formula, using $[\text{Na}^+] = [0.368]$ and 50% formamide, with GC content of 42% and an average probe size of 200 bases, the T_m is 57°C. The T_m 50 of a DNA duplex decreases by 1 - 1.5°C with every 1% 35

-18-

5

decrease in homology. Thus, targets with greater than about 75% sequence identity would be observed using a hybridization temperature of 42°C.

10

The stringency of the hybridization and wash 5 depend primarily on the salt concentration and temperature of the solutions. In general, to maximize the rate of annealing of the probe with its target, the hybridization is usually carried out at salt and temperature conditions that are 20-25°C below the 10 calculated T_m of the hybrid. Wash conditions should be as stringent as possible for the degree of 20 identity of the probe for the target. In general, wash conditions are selected to be approximately 12-20°C below the T_m of the hybrid. In regards to the nucleic acids of 25 the current invention, a moderate stringency 15 hybridization is defined as hybridization in 6X SSC, 5X Denhardt's solution, 0.5% SDS and 100 μ g/ml denatured salmon sperm DNA at 42°C, and wash in 2X SSC and 0.5% SDS 30 at 55°C for 15 minutes. A high stringency hybridization 20 is defined as hybridization in 6X SSC, 5X Denhardt's solution, 0.5% SDS and 100 μ g/ml denatured salmon sperm 35 DNA at 42°C, and wash in 1X SSC and 0.5% SDS at 65°C for 15 minutes. A very high stringency hybridization is 40 defined as hybridization in 6X SSC, 5X Denhardt's solution, 0.5% SDS and 100 μ g/ml denatured salmon sperm DNA at 42°C, and wash in 0.1X SSC and 0.5% SDS at 65°C for 15 minutes.

40

45

50

Nucleic acids of the present invention may be maintained as DNA in any convenient cloning vector. In a 30 preferred embodiment, genomic clones are maintained in a COS-7 cells in the vector pSPL3 (Life Technologies, Inc.). In another preferred embodiment, PCR products are subcloned into pAMP10 using the UDG cloning kit (GIBCO

55

5

10

15

20

25

30

35

40

45

50

-19-

BRL), and propagated in a suitable *E. coli* host cell. In another preferred embodiment, clones are maintained in plasmid cloning/expression vector, such as pGEMT (PROMEGA), and propagated in *E. coli*.

5 *WFS1* nucleic acid molecules of the invention (including those containing known polymorphisms and mutations) include cDNA, genomic DNA, RNA, and fragments thereof which may be single- or double-stranded. Thus, this invention provides oligonucleotides (sense or 10 antisense strands of DNA or RNA) having sequences capable of hybridizing with at least one sequence of a nucleic acid molecule of the present invention, such as selected segments of Sequence I.D. Nos. 1, 2 and 4. Such 15 oligonucleotides are useful as probes for detecting *WFS1* genes (and specific mutations) in test samples, e.g. by PCR amplification, or as potential regulators of gene expression.

30 B. Proteins and Antibodies

20 A full-length *WFS1*-encoded protein of the present invention may be prepared in a variety of ways, according to known methods. The protein may be purified 35 from appropriate sources, e.g., human or animal cultured cells or tissues, by immunoaffinity purification. 40 However, due to the limited amount of such a protein that may be present in a sample at any given time, particularly in tumors or tumor cell lines, conventional purification techniques are not preferred in the present invention.

45 The availability of the isolated *WFS1* coding sequence enables production of protein using *in vitro* 50 expression methods known in the art. For example, a cDNA or gene may be cloned into an appropriate *in vitro* transcription vector, such a pSP64 or pSP65 for *in vitro*

55

5

10

15

20

25

30

35

40

45

50

-20-

transcription, followed by cell-free translation in a suitable cell-free translation system, such as wheat germ or rabbit reticulocytes. *In vitro* transcription and translation systems are commercially available, e.g., 5 from Promega Biotech, Madison, Wisconsin or BRL, Rockville, Maryland.

Alternatively, the recombinant protein may be produced by expression in a suitable prokaryotic or eukaryotic system. For example, part or all of a DNA 10 molecule, such as the cDNA having SEQ ID NO:2 or No. 4, may be inserted into a plasmid vector adapted for expression in a bacterial cell, such as *E. coli*, or into a baculovirus vector for expression in an insect cell. Such vectors comprise the regulatory elements necessary 15 for expression of the DNA in the bacterial host cell, positioned in such a manner as to permit expression of the DNA in the host cell. Such regulatory elements required for expression include promoter sequences, 20 transcription initiation sequences and, optionally, enhancer sequences.

The protein produced by *WFS1* gene expression in a recombinant prokaryotic or eukaryotic system may be purified according to methods known in the art. A 25 commercially available expression/secretion system can be used, whereby the recombinant protein is expressed and thereafter secreted from the host cell, to be easily purified from the surrounding medium. If expression/secretion vectors are not used, an alternative approach involves purifying the recombinant protein by 30 affinity separation, such as by immunological interaction with antibodies that bind specifically to the recombinant protein. Such methods are commonly used by skilled practitioners.

55 Proteins prepared by the aforementioned methods 35 may be analyzed according to standard procedures. For

5

-21-

example, such proteins may be subjected to amino acid sequence analysis, according to known methods.

10

Included in the present invention are antibodies capable of immunospecifically binding to proteins of the invention. Polyclonal antibodies directed toward *WFS1*-encoded proteins may be prepared according to standard methods. Monoclonal antibodies may be prepared, which react immunospecifically with various epitopes of the proteins. Monoclonal antibodies may be prepared according to general methods of Köhler and Milstein, following standard protocols. Polyclonal or monoclonal antibodies that immunospecifically interact with *WFS1*-encoded proteins can be utilized for identifying and purifying such proteins. For example, antibodies may be utilized for affinity separation of proteins with which they immunospecifically interact. Antibodies may also be used to immunoprecipitate proteins from a sample containing a mixture of proteins and other biological molecules. Other uses of antibodies are described below.

15

20

25

30

35

II. Uses of *WFS1* Nucleic Acids, Encoded Proteins and Immunologically Specific Antibodies

40

A. *WFS1* Nucleic Acids

Nucleic acids comprising part or all of the *WFS1* gene may be used for a variety of purposes in accordance with the present invention. As illustrated in Example 1, selected *WFS1* sequences (DNA, RNA or fragments thereof) may be used as probes to identify mutations or rearrangements in a patient's DNA, and/or monitor the level of *WFS1* transcripts in tissues. As discussed earlier, *WFS1* mutations are associated with the occurrence of Wolfram Syndrome, a disease of autosomal recessive inheritance. Early identification of patients

45

50

55

5

10

15

20

25

30

35

40

45

50

55

-22-

destined to develop Wolfram Syndrome may lead to preventive therapies. Identification of heterozygous individuals that are at risk of having a child with Wolfram Syndrome will be very useful in genetic counseling.

WFS1 sequences may be utilized as probes in a variety of assays known in the art, including but not limited to: (1) *in situ* hybridization; (2) Southern hybridization; (3) northern hybridization; and (4) assorted amplification reactions, such as polymerase chain reaction (PCR). In a preferred embodiment, large deletion and premature termination mutations are detected by separation on acrylamide or agarose gel electrophoresis and Southern blotting with probes made from WFS1 gene sequences. Knowledge of the wildtype sequence allows the identification of point mutations in non-functional WFS1 genes. In another preferred embodiment, mutated genes are differentiated from wildtype genes by using restriction enzyme sites that appear or disappear as the result of the mutation. WFS1 nucleic acids are digested and the fragments are then separated and probed as described above.

Both of the above-mentioned preferred embodiments are illustrated in Example 1. The human genomic WFS1 sequence was used to design screening procedures to quickly screen all the individuals in a Wolfram Syndrome patient's extended family. In the case of large deletion mutations, the screen entailed amplifying the region of the gene encompassing the deletion, then separating the products by agarose gel electrophoresis and performing Southern blot hybridization using a labelled wild type PCR fragment. In the case of point mutations, the PCR primers were designed as above, the mutant and wildtype products were digested with a restriction enzyme that was specific to

5

-23-

10

either the sequence at the point mutation or the corresponding wildtype sequence. The products of the digestion, along with undigested control nucleic acids, were separated and detected as above. In all of the six extended families studied, inheritance of a homozygous complement of a mutated *WFS1* gene was consistent with the development of the disease and the pedigree of the family. Of particular interest are the three mis-sense mutations in the human *WFS1* predicted polypeptide, whose wild type sequence is found to be conserved in the predicted mouse polypeptide. This sequence conservation, together with the mutational effect of non-conservative amino acid substitutions at these sites, suggests that these amino acids are critical for gene function. A primary screen of these sequences is a useful way to expedite the identification of mutations. Other critical mis-sense mutations may also be useful in connection with this invention. These other mutations can be found using procedures detailed in Example 1 and others well known in the art.

15

20

25

30

35

40

45

50

The *WFS1* nucleic acids of the invention may also be utilized as probes to identify related genes either from humans or from other species. In a preferred embodiment, a cDNA has been isolated from mouse insulinoma cDNA library by standard screening methods and RACE PCR. The mouse cDNA was 3,511 nucleotides long with 83.9% nucleotide identity to the coding sequence of the human gene and 86.1% predicted amino acid similarity. While the cloning of the mouse cDNA is illustrated in Example 1, those skilled in the art will appreciate that the isolation of *WFS1* from other species is by no means limited to mouse. Other mammalian species of interest include, but are not limited to, cow, cat, dog, horse, pig and rat. As is well known in the art, hybridization stringency may be adjusted so as to allow hybridization

55

5

-24-

of nucleic acid probes with complementary sequencing of varying degrees of homology.

10

The cDNA from the mouse *wfs1* gene is very useful because it allows further study of the gene and Wolfram Syndrome in system more conducive to research than human. The mouse clone may be used to create a targeting construct, which can be used for the targeted mutagenesis of the endogenous mouse gene. By creating both null and site-directed mutants, a mouse model system for Wolfram Syndrome can be generated. This mouse system can subsequently be used to elucidate the cellular function of the Wolfram gene product, as well as assist in developing therapies for the syndrome. Systems other than mouse can also be used to advantage. These systems include, but are not limited to animal models developed in mouse, various cultured human and mammalian cell systems (e.g., mouse and rat insulinoma cells) and frog oocyte expression systems.

15

20

25

30

35

As described above, the coding region of *WFS1* may also used to advantage to produce substantially pure *WFS1* encoded proteins or selected portions thereof. As described below, these proteins may also be used in diagnosis and therapy of Wolfram Syndrome.

25 **B. Proteins and Antibodies**

40

45

50

The *WFS1*-encoded protein, or fragments thereof, may be used to produce polyclonal or monoclonal antibodies, which also may serve as sensitive detection reagents for the presence and accumulation of the *WFS1*-encoded polypeptide in cultured cells or tissues from living patients (the term "patient" refers to both humans and animals). Because the *WFS1*-encoded protein has not yet been isolated from natural sources, such antibodies will greatly accelerate the identification, isolation and characterization of this protein in mammalian cells and

55

5

-25-

10

tissues. Recombinant techniques enable expression of fusion proteins containing part or all of the *WFS1*-encoded protein. The full-length protein or fragments of the protein may be used to advantage to generate an array 5 of monoclonal antibodies specific for various epitopes of the protein, thereby potentially providing even greater sensitivity for detection of the protein in cells or tissues. Monoclonal antibodies specific to variant portions of the *WFS1* polypeptide may also be used to 10 advantage in diagnosing presence of a variant form of the gene.

20

Polyclonal or monoclonal antibodies immunologically specific for the *WFS1*-encoded protein may be used in a variety of assays designed to localized 25 and/or quantitate the protein. Such assays include, but are not limited to: (1) flow cytometric analysis; (2) immunochemical localization of the protein in cultured cells or tissues; and (3) immunoblot analysis (e.g., dot blot, Western blot) of extracts from cells and tissues. 30 Additionally, as described above, such antibodies can be used for the purification of *WFS1*-encoded proteins (e.g., affinity column purification, immunoprecipitation).

35

The following example is provided to describe 25 the invention in greater detail. It is intended to 40 illustrate, not to limit, the invention.

45

EXAMPLE 1
30 Isolation and Identification of
Wolfram Gene and Mutants

50

METHODS

55 Patients and families. Three families originated from Japan: WS-1 (Nanko et al., Brit J Psychiatry 161: 282, 1992), WS-2 (Higashi, Am J Otology

55

-26-

12: 57-60, 1991, and WS-3 (Maruta et al., Clin Neurol 27: 725, 732, 1987). Cell lines for the Caucasian family WS-4 were obtained from the NIGMS Human Genetic Mutant Cell Repository, Camden, NJ.. (family #1157). Family WS-5 is Caucasian Australian and WS-6 Saudi Arabian. Minimum criteria for diagnosis were young-onset insulin-dependent diabetes mellitus and progressive optic atrophy.

Microsatellite analysis. Initial genotyping was carried out as described previously (Nestorowicz et al., Hum Molec Genet 7: 1119-1128, 1998; Inoue et al., Diabetes 45: 789-794, 1996) with markers reported in the 1996 Genethon Microsatellite Map (*D4S127*, *Hox7*, *D4S412*, *D4S3023*, *D4S2925*, *D4S431*, *D4S2935*, *D4S3007*, *D4S394*, *D4S2983*, *D4S2923*). Second genotyping was performed with markers (*D4S2957*, *D4S2375*, *A348XA5*, *D4S827*, *D4S500*, and *D4S2366*), shown to locate in the interval of *D4S3023*-*D4S431* by physical and radiation hybrid mapping projects of chromosome 4. The STANFORD CHR 4 YAC MAP project and the CHROMOSOME 4 SUMMARY MAP were viewed at WEB sites (<http://shgc.stanford.edu/>, <http://cedar.genetics.soton.ac.uk/>). Primer sequences were obtained from the Genome Database (GDB - <http://www.hgmp.mrc.ac.uk/gdb/gdbtop.html>).

25 P1/BAC library screening. A human genomic P1
library (HD-K) was screened for clones containing *D4S500*
and *D4S431* by PCR, using primers developed to
specifically hybridize with those markers. Sequence-
tagged sites (STSs) (SP6 and T7) from P1s 102C5, 89C1 and
77B6, as well as *D4S500* and *D4S431*, were used for BAC
30 library screening by either PCR or by direct
hybridization of library grid blots (Research Genetics,
Inc., Huntsville, Alabama).

Exon-trapping, sample and shotgun megabase genomic sequencing. Restriction fragments from BAC 460K9 and 33H22 were cloned into the BamHI site of pSPL3,

-27-

5 transfected into COS-7 cells and spliced products obtained by RT-PCR were subcloned into pAMP10 using the UDG cloning kit (GIBCO BRL) and sequenced.

10 10 Sample and shotgun sequencing of BAC460K9 and 5 33H22 was accomplished as described (Wilson and Mardis, in *Genome Analysis: A Laboratory Manual*, Cold Spring Harbor Laboratory Press, New York, NY, 1997). Similarity 15 searches with known genes and ESTs were performed using BLAST programs (NCBI). The sequencing project was 20 compiled using LaserGene software (DNAStar, Madison, WI). Sequencing was performed on an ABI 373 with Prism dye terminator kits.

25 15 Northern blot analysis, cDNA screening, and 5' RACE analysis. A multiple adult human tissue polyA+ RNA 20 Northern blot (Clontech- MTN human I) was probed with an 854-bp fragment (nt 2133-2986 *WFS1* cDNA) as described by the manufacturer. Total cellular RNA was isolated 30 (Chomczynski and Sacchi, *Anal Biochem* 162: 156-159, 1987) and Northern analysis performed with 20 µg of RNA by 35 25 hybridization with *WFS1* cDNA labeled with [α -³²P]dCTP as previously described (Ferrer et al., *Diabetes* 46: 386-392, 1997). RNA quality and loading was checked by staining the gel for ribosomal RNA and by hybridization with either β -actin or ribosomal RNA.

40 25 The same 854-bp fragment was used for screening an infant brain λ gt10 cDNA library. Six overlapping 30 clones containing the *WFS1* gene were isolated. 5' RACE analysis was performed using Marathon-Ready human fetal brain cDNA (Clontech, Palo Alto, CA). The RACE products 45 35 were subcloned into pGEMT vector (Promega Biotech, Madison WI) and sequenced. A mouse pancreatic β -cell line (MIN6) cDNA library was screened with human *WFS1* cDNA using standard reduced stringency conditions, and a 50 3.0 kb clone was isolated. A primer corresponding to the

-28-

5 predicted 5'-untranslated region, based on the mouse EST
sequence (GenBank AA021827 and AA692227) that was
homologous to the human cDNA, was synthesized and used
10 for RT-PCR with MIN6 RNA (5'-CGGTTTCGGAGCAACTTCGC-3',
5 SEQ ID NO:42 and 5'- CACCTCAGCCTCGTTCTCAG -3', SEQ ID
NO:43).

15 Mutation detection. M13 universal primer
sequence was incorporated into the 5' terminus of primers
for direct sequence analysis using an ABI automated DNA
10 sequencer Model 373 (Chadwick et al., Biotechniques 20:
20 676-683, 1996). Primers used for exon amplification,
genomic sequencing and mutation detection are as in Table
2.

25 The 2812del(TC) was detected with a labeled PCR
15 fragment on a denaturing Long Ranger polyacrylamide gel
(FMC Bioproducts). The 1685del(N₁₅) was detected by
electrophoresis of PCR fragments on 4% agarose gels. The
30 2341C to T was detected by PCR, digestion with EcoNI (New
England Biolabs (NEB)) and polyacrylamide-gel
20 electrophoresis. The mutated allele was observed as 209
bp and 35 bp fragments.

35 The 2254G to T mutation was detected by PCR,
digestion with AvaII (NEB) and agarose gel
electrophoresis, with two bands (240 bp, 137 bp) in the
40 wild allele, and three (240 bp, 120 bp, 17 bp) in the
mutant. The 2114G to A mutation was detected by PCR,
digestion with Tfi I (NEB) and agarose gel
electrophoresis. The wild allele has one band of 528 bp,
45 and the mutated allele has two bands (396 bp, 132 bp).
30 The 1681C to T mutation destroys a BsmF1 restriction
site, and primers are set 8a (Table 2), with resulting
fragments described in Fig. 6c.

50 GenBank Accession Numbers. The human WFS1 and

-29-

5 mouse *wfs1* cDNA sequences are deposited in GenBank:
#AF084481 and #AF084482.

10 **RESULTS**

5 **Linkage Analysis.** Linkage studies were
conducted on three Japanese families (WS-1, -2, and -3)
15 and two Caucasian families (WS-4, -5) (Figs. 1A-1E), each
with at least two individuals having typical Wolfram
20 syndrome phenotypes. When genotyping with chromosome 4p
markers used previously (Polymeropoulos et al., *Nature
Genetics* **8**: 95-97, 1994; Collier et al., *Am J Hum Genet*
25 **59**: 855-863, 1996), estimates for recombination fractions
(θ) between WFS and the markers confirmed close linkage
(*lod* =3.99 for *D4S431* at θ =0.05). Multipoint analysis
15 with GENEHUNTER (version 1.1) (Kruglyak et al., *Am J Hum
Genet* **59**: 1347-1363, 1996) gave a *lod* >6.0 for the region
encompassed by markers *D4S827* and *D4S394*.

30 **Haplotype Analysis and Mapping by
Recombination.**

35 Haplotypes were constructed by
20 inspection. The boundaries for the WFS gene had been
defined by a telomeric recombinant at *D4S432* (Collier et
al., 1996), and centromeric recombinants at *D4S431*
(Polymeropoulos et al., 1994; Collier et al., 1996).
35 Recombinants in families WS-1 - WS-6 were identified by
25 genotyping with genetic markers shown to locate between
D4S432 and *D4S431* by physical and/or radiation hybrid
mapping. In family WS-1, subject III-2, recombination of
40 the telomeric region from *D4S827* was observed (Fig. 1A).
In the Japanese family WS-2 (Fig. 1B), all affected
45 subjects (III-1, -2, -3, and -4) were haploidentical
centromeric to *D4S500*, suggesting the presence of a
historical recombinant in the unrelated father (II-5).
50 The centromeric boundary was confirmed as *D4S431* by a
recombinant in WS-5, subject III-2 (Fig. 1E). We
55 concluded that the WFS gene likely lies within the

-30-

Identification of candidate genes within the
25 WFS region, and cloning the *WFS1* gene. By exon trapping
of BACs 33H22 and 460K9, an expressed sequence tag (EST)
was found that resulted in the cloning of the γ -isoform
30 of the B regulatory subunit of the human protein
phosphatase 2A (PP2ABR γ). The genomic structure of
20 PP2ABR γ was determined, and direct sequence analysis of
probands excluded this gene. In parallel, we initiated
35 large-scale genomic sequencing from BACs 460K9 and 33H22,
and P1 102C5. A total of ~180 kb of sequence was
analyzed. Among a number of EST matches, one was
25 predicted to be the 3'-end exon containing a 1.8 kb open
reading frame (exon 8, Fig. 2B). This EST was further
40 evaluated as it was unambiguously within the critical
region.

-31-

5 expressed in pancreatic islets compared to that in
10 exocrine pancreas (Fig. 3C).
15 A full-length clone was obtained by screening a
20 human infant brain cDNA library. Six clones were
25 isolated and subsequently 5' RACE analysis was performed.
30 These analyses yielded a composite cDNA sequence of 3.688
35 kb. The longest open reading frame extended from nt 171
40 to 2843. The methionine at position 171 was chosen as
45 the translation initiation codon primarily because it
50 conforms to Kozak's rule (Kozak, *Mamm Genome* 7: 563-574,
55 1996). A consensus polyadenylation site (aataaa) was
60 located at position 3615-20, 19 bases upstream from the
65 polyA tail. The gene was named *WFS1*.

70 **Predicted characteristics of the *WFS1* protein,
75 and cloning of the mouse cDNA.** Comparison of the cDNA
80 sequence of *WFS1* with those in public databases revealed
85 no related genes. Translation of the cDNA sequence
90 predicts a polypeptide of 890 amino acid residues with a
95 molecular mass of 100.29 kDa. Hydrophobicity analysis of
100 the deduced amino acid sequence is presented in Figure 4.
105 The protein is distinguished grossly by the presence of 3
110 structural domains, a hydrophilic N-terminal region of
115 ~300 residues, a hydrophilic C-terminal region of ~240
120 residues, and a central hydrophobic core of ~350
125 residues. Inspection of the hydrophobicity curve
130 suggests the presence of ~10 transmembrane segments, if
135 it is assumed that this region of the protein consists of
140 α -helical segments. Comparison of the predicted amino
145 acid sequence with entries in the Prosite database
150 produced a single match to the prenyltransferase α -
155 subunit repeat structure.

160 A mouse *wfs1* cDNA was isolated from a mouse
165 insulinoma (MIN6) (Ishihara et al., *Diabetologia* 36:
170 1139-1145) cDNA library, and completed by RT-PCR. The
175 mouse *wfs1* cDNA was 3511 nucleotides with 83.9%

5
-32-

5 nucleotide identity to the coding sequence of the human gene, and 86.1% amino acid similarity (Figure 5).

10 10 Genomic structure of the *WFS1* gene and mutations in *WFS* patients. The genomic structure of *WFS1* was determined by comparison of cDNA and genomic sequences obtained by shotgun sequencing of BAC460K9 and 33H22 and sequences in the Stanford Human Genome Center 15 database (<http://www.shgc.stanford.edu>). The gene was found to be composed of eight exons (Fig. 2B) in 33.4 kb 10 of genomic DNA.

20 20 For mutation screening, exons were amplified and sequenced from patients' genomic DNA. A TC deletion at position 2812 for subject WS-1 III-2 predicted a frameshift at codon 882, designated del882fs/ter937 25 15 (Table 1), with absence of the normal stop codon at 891 and the introduction of a new downstream termination codon. The predicted *WFS1* protein contains 937 amino acids, 47 more than the normal protein. All 3 affected sibs (WS-1 III-1, -2, and -4) were homozygous for this 30 20 mutation, while the unaffected sib and the parents were heterozygous, indicating a disease-specific mutation. The 2812delTC mutation was not found in 80 healthy 35 control Japanese subjects (160 chromosomes, see Table 1).

40 40 In other *WFS* families, six additional mutations 25 25 were found in exon 8 (Table 1). In family WS-2, affected offspring (III-1, -2, -3, and -4) inherited a 15 bp 45 30 deletion resulting in del508YVYLL, homozygous by descent from related heterozygous parents. Co-segregation of this deletion with the *WFS* phenotype is shown in Fig 6A. 45 35 A sequence chromatogram from an affected child homozygous for the 15 bp deletion is shown in Fig. 6B. In family WS-3, both affected offspring (II-1 and -2) were 50 35 homozygous for a 2341 C to T transversion resulting in a P724L mutation. In the Caucasian family WS-4, all affected offspring (II-1, -3, and -4) were found to be compound heterozygotes for a 2254 G to T transition

-33-

5 resulting in a G695V (paternal) mutation, and a 2114 G to
10 A transversion resulting in a W648X (maternal) mutation.
15 The W648X mutation predicts a premature termination, and
lack of 242 amino acids of the C- terminus. In each of
20 these 4 families the mutations were shown to co-segregate
with the disease phenotype, both by sequencing and by
either size change, or alteration of a restriction
25 endonuclease site. None of the mutations were found in
Japanese or Caucasian control subjects. No other coding
variants were found on sequencing the entire gene in each
30 proband.

35 In the Australian family WS-5, a 1681C to T
transversion (P504L) was observed. This mutation
destroys a BsmF1 restriction site. In Fig. 6C, the
40 father (I-3) is shown to be heterozygous for 1681C to T,
and the mother (I-4) is homozygous 1681C. Yet
surprisingly all affected offspring (II-1, -2, and -4)
45 appeared to be homozygous 1681T. The unaffected child
(II-3) appeared to be homozygous for 1681C. The most
likely explanation for these findings is that the
50 mother's chromosome, inherited by each child (see
haplotypes in Fig. 1E), harbored a microscopic deletion
for the WFS1 gene, and that the affected offspring were
hemizygous for the P504L mutation.

55 A sixth family (WS-6) with one 10 year old
affected child and two apparently unaffected younger
sisters became available for analysis. The parents were
Saudi Arabian first cousins. The affected child was
60 homozygous for a 7bp repeat insertion at 1610 (CTGAAGG),
resulting in a predicted frame shift and premature
65 termination of the protein at codon 544. The parents
were heterozygous, while the unaffected sisters were
heterozygous and homozygous normal respectively.
70 Sequence analysis also revealed a number of silent and
75 intronic variants (polymorphisms) in various families
(see Table 1).

5

-34-

Table 1. Mutations and polymorphisms in WFS1

10

15

20

25

30

35

40

45

50

Mutation	Amino acid	Exon/intron	Family	Control chromosomes
2812del(TC)	del1882fs/ter937	Exon 8	WS-1	160 ^a
1685del(CCTGCT CTATGTCTA)	del508YVYLL	Exon 8	WS-2	160 ^a
2341C to T	P724L	Exon 8	WS-3	160 ^a
2254G to T	G695V	Exon 8	WS-4	160 ^b
2114G to A	W648X	Exon 8	WS-4	160 ^b
1681 C to T	P504L	Exon 8	WS-5	160 ^b
delWFS1 ^c	---	---	WS-5	ND
1610insCTGAAGG	ins483fs/ter544	Exon 8	WS-6	160 ^d
Changes of uncertain effect				
1167G to A	I333V	Exon 8	WS-4 (same chr. as W648X)	ND
Polymorphisms				
854G to C	D268D	Exon 6	WS-4	ND
1355T to C	V395V	Exon 8	WS-4	ND
1457C to T	C429C	Exon 8	WS-3	ND
1537A to G	R456H	Exon 8	WS-1,-2,-3,-4, normals	ND
1545C to T	L459L	Exon 8	WS-3	ND
1570T to C	L507L	Exon 8	WS-4	ND
1815C to T	L549L	Exon 8	WS-4	ND
1925C to T	F585F	Exon 8	WS-4	ND
2002G to A	H611R	Exon 8	WS-1,-2,-3, normals	ND
2603A to G	K811K	Exon 8	WS-4	ND
2735G to A	S855S	Exon 8	WS-4	ND
1032-5C to G		Intron 7	WS-1,-2,-3,-4	ND

a-Japanese

b-Caucasian

c-Not confirmed

d-Palestinian Arabs

55

Table 2. Primers for amplification, sequencing and mutation detection (SEQ ID NOS: 6-41, consecutively).

10

15

20

25

30

35

40

45

50

DNA Fragment	Primers	Product Size
Exon 1*	5' TGTAAAACGACGCCAGTCTGTGAGAAGGCCGCGCT3' 5' CAGGAACAGCTATGCCACAGCGCCAC3'	247 bp
Exon 2	5' TGTAAAACGACGCCAGTCTGTCTCCAGCAGACACTAA3' 5' CAGGAACAGCTATGCCACAAATGCTGAGAG3'	276 bp
Exon 3	5' TGTAAAACGACGCCAGTCTGAAGACCCATGCGCTTG3' 5' CAGGAACAGCTATGCCACACTCTGTGGCTGTG3'	276 bp
Exon 4	5' TGTAAAACGACGCCAGTCTGGAGAATCTGGAGGCTGA3' 5' CAGGAACAGCTATGCCATTACAAGCTGCTAACCC3'	253 bp
Exon 5	5' TGTAAAACGACGCCAGTCGAAAGCCTCCAGGCCAG3' 5' CAGGAACAGCTATGCCCTATGGAAAGTCTGCTG3'	353 bp
Exon 6	5' TGTAAAACGACGCCAGTCTAGAACAGTGCCTCGT3' 5' CAGGAACAGCTATGCCATGGAGTCGCACAGGAAGGA3'	268 bp
Exon 7	5' TGTAAAACGACGCCAGTCTGGCCATGCTGTTTCTCTCA3' 5' CAGGAACAGCTATGCCCGAGGACACATCCTTATGA3'	371 bp
Exon 8a	5' TGTAAAACGACGCCAGTCTCGTCCACGTACCATC3' 5' CAGGAACAGCTATGCCATAGAACCGCAGAACAGC3'	766 bp
Exon 8b	5' TGTAAAACGACGCCAGTCTGGTCGTCTCAATGTC3' 5' CAGGAACAGCTATGCCATAGAACCGCAGAACAGC3'	503 bp
Exon 8c	5' TGTAAAACGACGCCAGTTGGTCACGTCTCTGGAGCT3' 5' CAGGAACAGCTATGCCAGTGGAGTTGAGCCTTCATGCC3'	240 bp
Exon 8d*	5' TGTAAAACGACGCCAGTGGCATGAAGGTCTACAACT3' 5' CAGGAACAGCTATGCCAACCTTGTGTCGGAGG3'	362 bp
Exon 8e	5' TGTAAAACGACGCCAGTCTGGATGCCCTCGCTCTACG3' 5' CAGGAACAGCTATGCCAACGGCCGAGGAAATG3'	523 bp
Exon 8f	5' TGTAAAACGACGCCAGTCGCCTCGACTCTTTTC3' 5' CAGGAACAGCTATGCCAACAAATAAGAAATGCT3'	499 bp
2812del(TC)	5' GCC CAG CTC TCG CCC ACC AG 3' 5' TCA GGC CGC CGA CAG GAA TG 3'	120 bp
1685del(N)15	5' CCT GGT CGT CCT CAA TGT CA 3' 5' GGT AGG GCA CAA GGT AGC AG 3'	119 bp
2341C to T	EcoNI-F: 5' GGGCATGAAGGTCTACAACTCCA 3' EcoNI-R: 5' CCGTAGAGGCAGCGCATCCAGTCGCCG <u>AGAAC3</u> ***	244 bp
2254G to T	5' -GAGGGCATGAAGGTCTACAA-3' 5' - CCCACGGTAATCTCAAACCTT-3'	377 bp
2114G to A	5' -TAGTGTGCCCTGCTTGC-3' 5' - CCCACGGTAATCTCAAACCTT-3'	528 bp

* Due to the inability to directly sequence these PCR products, the fragments were subcloned into pGEM-T Easy Vector (Promega) as described by the manufacturer and several colonies sequenced for each individual.

** Because originally there was no appropriate restriction enzyme site to distinguish mutated alleles, the EcoNI-R primer was modified (3-base change, tga to cct, underlined in primer sequence) and a new EcoNI site was introduced to the mutated allele (CC2341(C/T)NNNNNAGG).

5

-36-

DISCUSSION

Consanguineous families from isolated regions of Japan provided the genetic material that led to the discovery of mutations in *WFS1* in WFS patients of diverse genetic backgrounds. We believe that mutant alleles at *WFS1* are responsible for the disease for several reasons, beyond the fact that the gene maps to the critical region. In each of the six pedigrees, mutant alleles of *WFS1* co-segregated with the disease phenotype. *WFS1* was shown to be expressed in brain, pancreatic islets, and in a β -cell insulinoma cell line, consistent with the disease phenotype. Seven different mutations were found, as well as a presumed microscopic deletion. The three missense mutations were evolutionarily conserved between the mouse and human (Figure 5), further suggesting their biological significance. None of the mutations were observed in normal chromosomes.

The Australian Caucasian family WS-5 was particularly interesting, as each affected child appeared to be homozygous for a P504L mutant allele inherited from the heterozygous father (Fig. 6C). Repeat sampling and analysis confirmed these results. Analysis of the mother's DNA with new markers between *D4S500* and *D4S431* suggested that the deletion was confined to a region of <170 kb. Recently a patient with another autosomal recessive disorder was observed to be heterozygous for a missense mutation in combination with a partial deletion of a gene (Ries et al., *Human Mutation* 12: 44-51, 1998).

The expression pattern of *WFS1* appeared ubiquitous by Northern analysis of polyA⁺ RNA (Fig. 3A). Yet interestingly, the most prominent mRNA observed in total RNA was that in pancreatic islets (Fig. 3C). This high level of expression of *WFS1* in islets might explain why the earliest manifestation of WFS is insulin-deficient diabetes mellitus (Barrett and Bundey, *J Med Genet* 34: 838-841, 1997). Further analysis of the cell biology of *WFS1* will be accomplished through generation

5

-37-

of specific antibodies, monitoring expression in cultured cells, and gene targeting to define genotype/phenotype relationships.

10

Swift et al. hypothesized that heterozygous carriers of the gene for WFS were 26-fold more likely to require psychiatric hospitalization than non-carriers (Swift et al., *Molecular Psychiatry* 3: 86-91, 1998).

15

Blackwood et al (Blackwood et al., *Nature Genetics* 12:427-430, 1996) reported highest lod scores with markers mapping to the region *D4S431-D4S403* in a genome scan of a large family with bipolar affective disorder. These findings suggest that mutations in *WFS1* might be implicated in patients with psychiatric diseases.

20

Mutations in *WFS1* appear to result in premature death of pancreatic islet β -cells leading to juvenile onset insulin-requiring diabetes mellitus (Karasik et al., *Diabetes Care* 12: 135-138, 1989). The β -cell damage in autoimmune Type I diabetes likely results from the interaction of the HLA locus as a major susceptibility gene, along with multiple minor gene defects. In contrast, islet β -cell loss in WFS is monogenic in origin. Importantly, the *WFS1* gene appears to play a major role in maintaining normal islet β -cell function, as mutations in this gene alone can result in loss of islet β -cells. Genome scans for both Type I and Type II diabetes mellitus have not implicated major genes in the 4p region. Yet since these are complex diseases, mutations in *WFS1* might play a minor role in these more common forms of diabetes. In addition, *WFS1* may represent a new therapeutic target for treatment and prevention of diabetes mellitus and for neurodegenerative disorders.

30

35

40

45

50

The present invention is not limited to the embodiments described and exemplified above, but is capable of variation and modification without departure from the scope of the appended claims.

55

Claims

5

10

15

20

25

30

35

40

45

50

55

5

-38-

What is claimed:

10 1. A recombinant DNA molecule comprising a vector into which is inserted a heterologous DNA segment
5 from human chromosome 4p, the segment being located between markers *D4S500* and *D4S431*, the segment comprising a gene, mutations of which are associated with Wolfram
15 Syndrome.

10

10 2. The recombinant DNA molecule of claim 1, wherein the gene is composed of exons that form an open
20 reading frame having a sequence that encodes a polypeptide about 880 to 900 amino acids in length.

20

15 3. The recombinant DNA molecule of claim 2, wherein the open reading frame encodes an amino acid having greater than 60% identity with SEQ ID NO: 3 or SEQ
25 ID NO:5.

25

30 4. The recombinant DNA molecule of claim 4, wherein said open reading frame comprises a sequence having greater than 60% homology with SEQ ID NO:2 or SEQ
35 ID NO: 4.

35

25 5. The recombinant DNA molecule of claim 1, wherein the gene is composed of exons having sequences greater than 60% homologous with the sequences of the
40 corresponding exons in SEQ ID NO:1.

40

30 6. An oligonucleotide between about 10 and 100 nucleotides in length, which specifically hybridizes with
45 a portion of the recombinant DNA molecule of claim 1.

45

35 7. An isolated nucleic acid molecule having a sequence that is part or all of a sequence selected from
50 the group consisting of:
a) SEQ ID NO:1;

55

5

-39-

10

b) a variant of SEQ ID NO:1 that is substantially the same as SEQ ID NO:1 within the exons of SEQ ID NO:1;

15

5 c) a sequence having at least homology 60% to SEQ ID NO:1 within the exons of SEQ ID NO:1;

15

d) SEQ ID NO:2;

20

e) a variant of SEQ ID NO:2 that is substantially the same as SEQ ID NO:2;

25

f) a sequence having at least homology 60% to SEQ ID NO:2;

30

g) a sequence encoding a polypeptide substantially the same as SEQ ID NO:3;

35

h) a sequence encoding a polypeptide at least 60% homologous to SEQ ID NO:3;

40

i) a sequence encoding a polypeptide substantially the same as SEQ ID NO:3, that additionally comprises one or more of the sequence variants set forth in Table 1.

45

j) SEQ ID NO:4;

50

k) a variant of SEQ ID NO:4 that is substantially the same as SEQ ID NO:4;

55

l) a sequence having at least homology 60% to SEQ ID NO:4;

60

m) a sequence encoding a polypeptide substantially the same as SEQ ID NO:5; and

65

n) a sequence encoding a polypeptide at least 60% homologous to SEQ ID NO:5.

70

8. An oligonucleotide between 10 and 100 bases in length, that specifically hybridizes with a portion of the nucleic acid molecule of claim 7.

75

9. A polypeptide, which is produced by the expression of the nucleic acid molecule of claim 7.

80

10. Antibodies immunologically specific for the polypeptide of claim 9.

85

5

-40-

10

11. A polypeptide produced by expression of an isolated nucleic acid molecule comprising part or all of an open reading frame of a gene located on human chromosome 4p between markers D4S500 and D4S431, mutations of which are associated with Wolfram Syndrome.

15

12. The polypeptide of claim 11, which comprises a hydrophilic N-terminal region of about 300 amino acid residues, a hydrophilic C-terminal region of about 240 residues, and a central hydrophobic core of about 350 residues.

20

13. The polypeptide of claim 12, having an amino acid sequence substantially the same as part or all of SEQ ID NO: 3 or SEQ ID NO:5.

25

14. Antibodies immunologically specific for part or all of the polypeptide of claim 11.

30

15. A method for determining the predisposition of an individual to develop Wolfram Syndrome, which comprises examining a *WFS1* gene sequence of the individual for mutations resulting in expression of no gene product or a non-functional gene product, the mutations being indicative of the predisposition of the individual to develop Wolfram syndrome.

40


16. The method of claim 15, wherein the mutations comprises sequences selected from the group consisting of 2812del(TC), 1685del(CCTGCTCTATGTCTA), 2341C to T, 2254 G to T, 2114 G to A, 1681 C to T, and 1610ins(CTGAAGG).

45

17. The method of claim 16, wherein the mutations are detected by PCR amplification using primers selected from the group consisting of SEQ ID NOS: 32, 33, 34, 35, 36, 37, 38, 39, 40 and 41.

55


1/10



D4S127	3 4	1 4	3 4	3 3	3 4	4 4	3 3	3 4	3 4	1 4
D4S412	4 3	1 3	4 3	4 4	4 1	3 1	4 4	4 1	4 1	2 1
D4S3023	9 5	3 4	9 4	9 9	9 7	4 9	9 9	9 7	9 7	7 7
D4S2925	2 2	1 1	2 1	2 2	2 3	1 2	2 2	2 3	2 3	2 3
Hox7	3 3	3 1	3 1	3 3	3 1	1 3	3 3	3 1	3 1	3 1
D4S2957	1 1	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
D4S2375	1 2	2 4	1 4	1 1	1 3	4 1	1 1	1 3	1 3	2 3
A348XA5	6 2	6 1	6 1	6 6	6 6	1 6	6 6	6 6	6 6	3 6
D4S827	6 2	1 3	6 3	6 6	6 3	3 6	6 6	8 3	6 3	1 3
D4S500	1 5	2 6	1 6	1 1	1 1	6 1	1 1	1 1	1 1	1 1
D4S431	3 6	4 6	3 6	3 3	3 3	6 0	3 3	3 6	3 6	4 6
D4S2360	2 3	2 5	2 5	2 2	2 2	5 2	2 2	2 3	2 3	5 3
D4S2935	4 2	4 4	4 4	4 4	4 4	4 4	4 4	4 3	4 3	4 3
D4S3007	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 3	1 3	1 3
D4S394	3 1	1 1	3 1	3 3	3 3	1 3	3 3	3 3	3 3	1 3
D4S2983	1 3	2 1	1 1	1 3	1 3	1 3	1 3	3 5	3 5	1 5
D4S2923	1 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1

Figure 1a


SUBSTITUTE SHEET (RULE 26)



D4S127	1	4	1	1	1	1	1	4	1	4	1	4	3	1	1	1	1	1	1	5	1	
D4S412	2	1	2	3	2	2	2	3	2	3	2	1	4	2	2	2	1	2	1	2	1	
D4S3023	3	8	3	9	3	3	3	3	3	7	3	7	9	3	9	3	3	7	3	7	9	
D4S2925	1	2	1	3	1	1	1	1	1	1	1	1	2	1	1	1	1	3	1	1	3	
hox7	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	1	3	1	3	
D4S2957	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
D4S2375	4	2	4	5	4	4	4	4	4	4	4	2	1	4	4	4	4	4	4	1	4	
A348XA5	2	2	2	2	2	2	2	2	2	2	2	6	2	6	2	2	3	2	3	2	3	
D4S827	4	4	4	4	4	4	4	4	6	4	5	6	4	6	4	6	4	6	4	6	4	
D4S500	2	9	2	2	2	2	2	2	2	4	2	3	1	2	2	2	2	11	2	11	A	11
D4S431	6	4	6	6	6	6	6	6	6	6	6	3	6	4	6	6	6	6	6	6	4	
D4S2360	4	2	4	5	4	4	4	4	5	4	5	2	4	5	4	4	4	4	4	1	4	
D4S2935	2	4	2	4	2	2	2	2	3	2	3	4	2	4	2	2	2	2	2	2	2	
D4S3007	3	1	3	3	3	3	3	3	3	3	3	1	3	1	3	3	3	3	1	3	3	
D4S394	1	3	1	5	1	1	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	
D4S2983	1	1	1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	1	
D4S2923	3	2	3	1	3	3	3	3	3	1	3	1	1	3	1	3	3	3	3	3	1	

Figure 1b

SUBSTITUTE SHEET (RULE 26)



D4S127	4 1	1 1	1 1	3 1
D4S412	2 2	2 2	2 2	4 2
D4S3023	5 6	6 6	6 6	9 6
D4S2925	3 1	1 1	1 1	2 1
Hox7	3 3	3 3	3 3	3 3
D4S2957	1 1	1 1	1 1	1 1
D4S2375	2 4	4 4	4 4	1 4
A348XA5	4 2	2 2	2 2	6 2
D4S827	4 6	6 6	6 6	6 6
D4S500	6 6	6 6	6 6	1 6
D4S431	1 4	4 4	4 4	3 4
D4S2360	5 3	3 3	3 3	2 3
D4S2935	4 4	4 4	4 4	4 4
D4S3007	3 3	3 3	3 3	1 3
D4S394	4 1	1 1	1 1	3 1
D4S2983	1 5	5 5	5 1	1 5
D4S2923	1 1	1 1	1 1	1 1

Figure 1c

4/10





Figure 1d

5/10



D4S2375	2 2	2 3	2 3	2 3	2 3	1 3
D4S500	1 1	1 2	1 2	1 2	1 2	2 2
D4S1054	1 2	1 1	1 1	2 1	1 1	1 1
JW3	1 4	1 2	1 2	4 2	1 2	3 2
D4S431	1 2	1 4	1 3	2 4	1 4	3 4
D4S3007	2 1	2 2	2 2	1 2	2 2	2 2

Figure 1e

6/10







Figure 2a**Figure 2b**

Figure 3a**Figure 3b****Figure 3c****Figure 3d**

8/10



Residue Number

Figure 4

9/10

1 MNSGTPPPSPSGPPPPAPQPQARARLNATASLEQDKIEPPRAPPQADPSAGRSAGEAA Mouse
 1 MDSNTAPLGPSCPQPPPAPQPQARSLNATASLEQERSERPRAPGPQAGPGVRDAAAP Human
 61 APEPRAPOQTSREETDRAGPMKADVEIPFEEVLEKAKAGDPKAQTEVGKHYLRLANDADE Mouse
 61 A-EPQAEHTRSRERADGTGPTKGDMEIPFEEVLERAKAGDPKAQTEVGKHYLQLAGDTDE Human
 121 ELNSCSAVAWLILAKQGRREAVKLLRRCLADRKGITSENNEAEVKQLSSETDLERAVRKA Mouse
 120 ELNSCTAVDWLVLAAKQGRREAVKLLRRCLADRKGITSENNEREVROLSETDLERAVRKA Human
 181 ALVMYWKLNPKKKKQAVASSELLENVGQVNEQDGGV0PGPVPKSLOKARRMLERLVSSESK Mouse
 180 ALVMYWKLNPKKKKVAVAEELLENVGGOVNEHDGGACPGPVPKSLOKGRMLERLVSSESK Human
 241 NYIALDDFVELTKYAKGIPTNLFLODEDEDEDELAGKSPEDLPLRQKVVKYPLHAIME Mouse
 240 NYIALDDFVEITKYYAKGVIPSSLFLOD-DEDDDELAGKSPEDLPLRQKVVKYPLHAIME Human
 301 IKEYLIDVASKAGMWLSTIVPTHHINALIFFFIISNLNTIDFFAFFIPLVVFYLSFVSMV Mouse
 299 IKEYLIDMASRAGMWLSTIIPTHHINALIFFFIVSNLNTIDFFAFFIPLVVFYLSFVSMV Human
 361 ICTLKVFQDSKAWENFRTLTDLRFEPLNLDVEGAEVNFGWNHLEPYIHFLLSVVFVIFS Mouse
 359 ICTLKVFQDSKAWENFRTLTDLRFEPLNLDVECAEVNFGWNHLEPYAHFLLSVVFVIFS Human
 421 FPLASKDCIPCSLAVISTFFTPTSYMSLSSAEPYTRRALVTEVAAGLLSLLPTVVPVDW Mouse
 419 FPIASKDCIPCSLAVITGFFPTSYLSLSTHAEPYTHRALATEVTAGLLSLLPSMPLNW Human
 481 RFLKVLGQTTFTVPGHETIILNVSILPCLLVYVYLFYLFRRMACLRFKGTTCYLVFYLVCF Mouse
 479 PYLKVLGQTFITPVGHLVVLNVSPCCLLYVYLLYLFYLFRRMACLRFKGTTCYLVFYLVCF Human
 1ins483fs/ter544 L504 A508
 541 MWCELSVILLQSTGLGLVRASIGYFLFLPALPILVAGLALMGTVQPARWFLSLDTKIM Mouse
 539 MWCELSVILLESTGLGLVRASIGYFLFLPALPILVAGLALGVQLQFARWFTSLELTKIA Human
 601 VTTVICGVPLLFRWWTKANPSVGMVKSLTKSSMVKLILVWLTAIILFCWFYVYRSEGK Mouse
 599 VTVAVCSVPLLLHWWTKASFSVVGVMVKSLTRSSMVKLILVWLTAIVLFCWFYVYRSEGK Human
 X648
 661 VYNSTLTWQQYGFCLGPRAWKETNMARTQILCSHLEGHRVWTGFRKYVRVTEIDNSAES Mouse
 659 VYNSTLTWQQYGALCGPRAWKETNMARTQILCSHLLGGHRVWTGFRKYVRVTDIDNSAES Human
 V695
 721 AINMLPFFLGDWMRCLYGEAYP8C5SGNTSTAEEELCRLKQLAKHPCHIKKFDYKFEIT Mouse
 719 AINMLPFFIJDWMRCLYGEAYPACSPGNTSTAEEELCRLKLLAKHPCHIKKFDYKFEIT Human
 L724
 781 VGMPF--GTNGNRGHEEDDITKDIVLRSSEFKDVLNLNRQGSLIEFSTILEGRLGSKWP Mouse
 779 VGMPFSSGADGSR8REEDDVTKDIVLRSSEFKSVLLSLRQGSLIEFSTILEGRLGSKWP Human
 839 VFELKAISCLNCMTQLSPARRHVKIEQDWRSTVHGALKFAFDFFFFPFLSAA Mouse
 839 VFELKAISCLNCMAQLSPTRRHVKIEHDWRSTVHGAVKFAFDFFFFPFLSAA Human
 A682fs/ter937

Figure 5

10/10

Figure 6a




Figure 6b





Figure 6c



SUBSTITUTE SHEET (RULE 26)

SEQUENCE LISTING

<110> Permutt, M. Alan
 Inoue, Hiroshi
 Muekler, Mike

<120> Gene Mutated in Wolfram Syndrome

<130> WashU CI-0277

<150> US 60/102,031
 <151> 1998-09-28

<160> 43

<170> FastSEQ for Windows Version 3.0

<210> 1
 <211> 67212
 <212> DNA
 <213> Homo sapiens

<400> 1

aagcttgcata	cactgcattt	gattctggc	actgatagca	gtacttggct	gcagacactc	60
gttccaaaca	ggccccattt	ttccatctct	gctgctgtta	ttaggggagc	ccttagactc	120
tcttcagcg	ccggaaatagg	cggtcaagac	gtgtgttaat	attgcaacag	caaataataat	180
gaatctgcag	ttggggacgc	tgaggccgga	gtgtggatg	aaagggtggcc	ggagcccttt	240
ccacgggtcc	aaaccacctg	ttacagggaga	aggcagccgg	cctcgotaag	caactggacg	300
ttcccgccgc	ggggcggggc	cgggggccga	gtccgctcg	aaactttcgc	tgtggcgag	360
ccggaccgc	cttctggccc	ctcgcccca	accacgcagg	gttagtgcgg	ggccgcagct	420
aggcgaggcg	cacccgtatt	ggcgagatg	tggagtatt	ggcgctaca	ccggccactc	480
agcaggccga	gctggccgcg	catccgggg	ggcggctcg	gatgtggagg	aggccgaagg	540
ccccggccct	gccccccccc	ctcggtcaga	aggccggct	agccggctct	ttagcagccg	600
gtcagatgtt	ctcccccccg	gcccgcagtc	tcccttttgc	gcccggttca	gtgtctcccg	660
aacaactttt	ctgcccggcc	agaggcccca	gggcgtcgca	gcgcgcgcgt	cgccccactc	720
acggggccgt	gagtaacttcg	gctgtgggc	agtggcgcgg	tggctgtggg	cagcgcgcag	780
gaggcgccgc	agagccctga	ggcactgttc	tccctggacc	tcaatccccc	cttcccgagct	840
gatgggtggc	tggggccaaa	gttccggcaa	gttggagggc	cgggggtccc	900	
gccccgtctg	caacgcgaa	ggcgaccct	gttccgggc	ccgaacgggt	cacccgggg	960
gcgcgcgcgc	gtcccccccg	cgctgtctgc	atggagcccc	gccgcggggc	ggacagcagg	1020
cccgagaggc	ggagtggccg	ggggcaggcc	ccccccccc	cgccccggcc	cacccccc	1080
gagttggccc	gtcatggccc	tcccccccg	tccctggacc	acggccggcc	ttaggtgccc	1140
gccaggccgt	tggaggccct	ggggccccc	gagggtgtgt	ggggggaaagg	gggggttca	1200
cccccagggg	gacccggccc	gccccgggg	caggcttaggg	gtcatttcga	atccccacag	1260
cccacttagg	agcgctgtgg	cagtccctt	ccctctcg	gcccctcagt	agagagtgt	1320
ggggtttctt	gtggcagcac	ctggacccct	cctcttatga	actccacccct	ctggatcatt	1380
agctttttgt	ttgatcaacg	aaaacttct	ggagaatccct	acccagccct	tttggatgt	1440
atggcgcctt	ggccttcac	ccacttagca	gtatgttta	tgaattccaa	ggaatcgat	1500
ttgtcaacc	cccaccaccc	agatttaacc	ctctcagtag	ccttagggcgg	agaagtata	1560
gtccccgttt	gacacccca	gaagctgagg	ctcagcagg	tttggtgcca	gcccaggacc	1620
acgaagctga	tggggcagag	ctgggtttag	gcctctggcc	tatcttccca	gaagcagccc	1680
gtctcttc	accttggaca	atgaccctg	gtatggcc	caggcttgc	agtttgtaaa	1740
ggctttctt	tatgcccaca	tccatca	caggagctgt	gccctgggt	ccccatgtgc	1800
ttgtatccaa	ccagggattt	ggagggaggc	tttccacat	ttcagccct	tttccctacc	1860
						1920
						1980

tgctggtttgc	ccatctcacc	2040
ttctttccatggatggaa	ctggagacc	2100
ccggaccaatgtggacagg	ccatctcacc	2160
cttctggggctgttcacaga	ggggaccta	2220
aaccccccagaatgtctgca	gatgtctgca	2280
tgccagaca	gacccgaaac	2340
accatcttttgatgtcttgc	tgctacacgg	2400
cttctggggctgttcacacac	gttccctccctt	2460
cttctggggctgttcacacac	cttccatgttgc	2520
ggatggatggggcttgc	ttccctggggctgttcacacac	2580
acccggccatgttcacacac	ttccctggggctgttcacacac	2640
ttccctggggctgttcacacac	ttccctggggctgttcacacac	2700
ttccctggggctgttcacacac	ttccctggggctgttcacacac	2760
ttccctggggctgttcacacac	ttccctggggctgttcacacac	2820
ttccctggggctgttcacacac	ttccctggggctgttcacacac	2880
ttccctggggctgttcacacac	ttccctggggctgttcacacac	2940
ttccctggggctgttcacacac	ttccctggggctgttcacacac	3000
ttccctggggctgttcacacac	ttccctggggctgttcacacac	3060
ttccctggggctgttcacacac	ttccctggggctgttcacacac	3120
ttccctggggctgttcacacac	ttccctggggctgttcacacac	3180
ttccctggggctgttcacacac	ttccctggggctgttcacacac	3240
ttccctggggctgttcacacac	ttccctggggctgttcacacac	3300
ttccctggggctgttcacacac	ttccctggggctgttcacacac	3360
ttccctggggctgttcacacac	ttccctggggctgttcacacac	3420
ttccctggggctgttcacacac	ttccctggggctgttcacacac	3480
ttccctggggctgttcacacac	ttccctggggctgttcacacac	3540
ttccctggggctgttcacacac	ttccctggggctgttcacacac	3600
ttccctggggctgttcacacac	ttccctggggctgttcacacac	3660
ttccctggggctgttcacacac	ttccctggggctgttcacacac	3720
ttccctggggctgttcacacac	ttccctggggctgttcacacac	3780
ttccctggggctgttcacacac	ttccctggggctgttcacacac	3840
ttccctggggctgttcacacac	ttccctggggctgttcacacac	3900
ttccctggggctgttcacacac	ttccctggggctgttcacacac	3960
ttccctggggctgttcacacac	ttccctggggctgttcacacac	4020
ttccctggggctgttcacacac	ttccctggggctgttcacacac	4080
ttccctggggctgttcacacac	ttccctggggctgttcacacac	4140
ttccctggggctgttcacacac	ttccctggggctgttcacacac	4200
ttccctggggctgttcacacac	ttccctggggctgttcacacac	4260
ttccctggggctgttcacacac	ttccctggggctgttcacacac	4320
ttccctggggctgttcacacac	ttccctggggctgttcacacac	4380
ttccctggggctgttcacacac	ttccctggggctgttcacacac	4440
ttccctggggctgttcacacac	ttccctggggctgttcacacac	4500
ttccctggggctgttcacacac	ttccctggggctgttcacacac	4560
ttccctggggctgttcacacac	ttccctggggctgttcacacac	4620
ttccctggggctgttcacacac	ttccctggggctgttcacacac	4680
ttccctggggctgttcacacac	ttccctggggctgttcacacac	4740
ttccctggggctgttcacacac	ttccctggggctgttcacacac	4800
ttccctggggctgttcacacac	ttccctggggctgttcacacac	4860
ttccctggggctgttcacacac	ttccctggggctgttcacacac	4920
ttccctggggctgttcacacac	ttccctggggctgttcacacac	4980
ttccctggggctgttcacacac	ttccctggggctgttcacacac	5040
ttccctggggctgttcacacac	ttccctggggctgttcacacac	5100
ttccctggggctgttcacacac	ttccctggggctgttcacacac	5160
ttccctggggctgttcacacac	ttccctggggctgttcacacac	5220
ttccctggggctgttcacacac	ttccctggggctgttcacacac	5280
ttccctggggctgttcacacac	ttccctggggctgttcacacac	5340
ttccctggggctgttcacacac	ttccctggggctgttcacacac	5400
ttccctggggctgttcacacac	ttccctggggctgttcacacac	5460
ttccctggggctgttcacacac	ttccctggggctgttcacacac	5520

agagagggtg	cagtggcagt	ctgattcaa	agtcatctt	ttcagaaatg	agcttgcaga	5580
agcattagaa	ttgggcaggt	ctggattga	atttcaaggtc	tggtacctgg	agctgttga	5640
ccttgagcag	gtccctcccc	tccctgcacc	tgggttctg	tctgtgaagt	ggggtaggt	5700
tgaaggataa	aacattccc	cattataac	tctgggatga	caataggatc	taccccccag	5760
gtccatgcga	ggaactcacg	acaataggac	ctaccccca	ggccatatacg	agaaaactcat	5820
gagaaaagac	aagtacagag	aacagagccg	ttggtcttga	tggcagagat	gcccggcgt	5880
aggtcagccc	tcaaaaaagg	tgcctctct	ctctgtctga	gaaatggaca	cctgacttcg	5940
gggcgtggg	aaccatggga	gagaaggtag	acaaggccac	gtgtcatttg	aagactgac	6000
ttttccat	ctcagggtgt	ccggtgccct	gcaggaccgt	gttctgttt	gcccacagecg	6060
tgtgggttct	acgtgcgatc	ctgtatttct	ctggccacagc	tgactaaggg	gacacttagg	6120
tctgcacgtg	cagttaaatg	gtgtctttt	tggaaagggtgc	cagttcccg	gagctgggaa	6180
cttggaaaaa	ggatggagca	ggctccca	cttgaccatg	catgggttgc	acctggggga	6240
tgcacccggg	ggtgcgttgc	catgcatgg	ttgcacccgt	gggatgttt	actacaaggg	6300
ctcagtcct	ctgaggagg	aacgtgttga	ttgaatctg	caagttttt	gagcgcaccc	6360
agtctgtatct	tttaggactca	tttgcagccg	aatggagca	aaaattgtt	tgtgtggagc	6420
ctggggccac	tcctgactct	tccagtcaca	gtgtccccca	aaagtgcac	ctgggcaccc	6480
actcagac	ggtgtctca	tgccaaagc	tgggttca	gagggtggca	ggggactccc	6540
tcgtgtcgcc	catgggttgc	gtgtctca	gtccctacag	ttggccggc	cccatttca	6600
gatggaggagg	ctgagggtca	gagggatgt	tggctgtctc	aggaccacac	agctgggtgg	6660
cacagagcc	ggagttacage	gtgcggcag	cttggggctg	ggagcggagac	tctctgttac	6720
cagectctcc	ctgtctgt	cctcagagga	tggctgtggc	cctgagctt	ggagggcat	6780
ttgggaaatct	gagggaaaat	ttccacagcc	tcacacagc	cgagggttca	gggtccagcag	6840
tgccagggggt	ttgcattccca	ccccataccgc	cgctcatcca	ggggccatcc	gggtccgggg	6900
ctcgggatcc	tgca	tcagctctgt	gtctgtggcc	gttgggtgtc	tttcattaca	6960
gggatgggtgg	tggttttcca	tggtgtcaag	cagcatgtga	gggcctctgt	tgaataaaat	7020
aaagcccttg	ctccggcgt	acacgggtc	cgggatctt	gtctacttca	gtctttctg	7080
atgc	ccactc	cgactgttt	gtcttagtt	ctctgtgtt	atttctgggg	7140
catcgtct	ctgacttgc	tggtggct	tgggttggg	gtgggggtgt	ttggacggca	7200
gatctgggtt	tgaatccag	ctccacccat	ttggcttccct	ctttcttctc	ccctgccttc	7260
ttctccctc	ccca	cttccatctc	atatttactt	aacttactt	agtaccagcg	7320
tatttagttt	ctagggttctc	cgtaaagaaac	tactggaaac	ttgggtggctt	aaaacaacag	7380
agggttggttc	tctgtgttgc	ttggggcag	aagtcaag	ttcaagggtg	ggcagggtgg	7440
gtccctctcg	gagggtctga	ggggaggctca	gttctctggc	tctgttccag	ttctggcagt	7500
ggccaggtgt	cctcctgtc	cttggccact	gtca	cccg	tctgttacac	7560
ttctcttct	ataggccatc	agcttggta	gcccagggtt	ccctacttca	ggctgtatctc	7620
atttcaagat	cctttaaaatc	atcttcaaaag	acctgtttt	ccaaataagg	gcacattcac	7680
agacattgg	gggcacat	tgtggggccc	aatttca	gttgcggca	ggctccacat	7740
gggtggggctc	tgggttgc	tatcatc	cccc	ttttt	ggatgaggga	7800
tgtgtggctc	atgcccagtg	aggcaggggac	ttcaggc	ccgtatgtca	ggtctgagat	7860
tgtaaatgtcc	atgcccattc	tagatgttca	tgggtgatgt	ttcttccat	gtttccccc	7920
tggaaagggt	gttggccat	ggggactgt	ctgtgttca	ggcggatctt	gtatggatgt	7980
tctggcaggt	ccccat	ccccat	ttttt	ttttt	ttttt	8040
agcgggctct	ggcggtgt	gtatgttct	ttttt	ttttt	ttttt	8100
tccaaacactg	ctccgttgg	ccccat	ccacagcccc	ccggcggc	ccggcggc	8160
gcggcggtcc	gactcaatgc	ccccat	tttggggc	agaggaggca	aaaggccccca	8220
gcacccggac	ccccat	ccccat	tttggggc	ccccat	ccccat	8280
ccccaggccc	agcat	ccccat	tttggggc	tttggggc	tttggggc	8340
tgggaagccc	agggtgggg	tgttca	tttggggc	tttggggc	tttggggc	8400
ctggagggtc	ccccat	gttca	tttggggc	tttggggc	tttggggc	8460
acaggcgtcc	atccatgtt	gttca	tttggggc	tttggggc	tttggggc	8520
ggcaccat	cgagggttgc	tttggggc	tttggggc	tttggggc	tttggggc	8580
cctctgcagc	acttca	tttggggc	tttggggc	tttggggc	tttggggc	8640
cgggccctct	gttca	tttggggc	tttggggc	tttggggc	tttggggc	8700
gaggccacat	gttca	tttggggc	tttggggc	tttggggc	tttggggc	8760
tgaggggacgg	gtgttca	tttggggc	tttggggc	tttggggc	tttggggc	8820
caggcagac	tgacttgc	tttggggc	tttggggc	tttggggc	tttggggc	8880
ttcaaagcag	agcttgc	tttggggc	tttggggc	tttggggc	tttggggc	8940
tgggtgggtga	tgttgc	tttggggc	tttggggc	tttggggc	tttggggc	9000
tccagctgac	tcaggcctc	gttca	tttggggc	tttggggc	tttggggc	9060

cccaactgtgg	gtgatgtcta	cagtcaccta	cacagccccca	acttcatgg	gtggacgtgc	12660
tgtttcttgc	ctggcccagg	gcagggcgtg	gtgagcttag	gggtccctgcc	tgtcagtttg	12720
gtgccttcgg	ctacgcaggg	cctgttagaa	gggtcccttc	cctgcctcagg	cctccagcca	12780
ctgtctgtcc	tgttcccggc	tcagaggta	gcccgcata	aaagagaggg	ctgaggacca	12840
ttcagccctgt	ccattcacga	gaatcattgt	cagtgcaca	gaggctgtat	ggatgcctgt	12900
ggtgcagggt	gaccccagct	tcccccattgt	ggggatgcgc	cggtgggtgc	aggccaccac	12960
cctgtgcctt	gtctctggca	cagggtatgt	gacacgcac	agcacatcct	cttttctttc	13020
taccccttccc	tatggcacag	cccccttgg	tgggcgtcac	gagaggcga	gagagatcgt	13080
ggaggtcaag	ggcttgcaca	ggaccagtga	ggggaggagg	gagagggcag	cagcaccctt	13140
ggagacggga	ggattacate	atatttattt	accacatgcc	taagatcga	ctcttaagag	13200
catttgacat	acatccaaa	atttttaaa	actatggaa	atgtgtcgga	tgcattcaga	13260
atatggaaat	ggaagccagg	tgcccgtc	ccagccca	tttggaaaat	tttgcgtat	13320
tttgagcca	gtgttgg	aaggaggccc	ccagccactg	cccccttgg	gggttgcgt	13380
ttcattgtgt	gggaagaagc	cttccctcca	tcctttteta	tttgcaga	atatctgc	13440
aatcaggggag	ttgagcttgg	cagttcagct	gctcagccag	ggagggtgc	tgtccctggac	13500
tatgtcttagg	tttgcagaagg	agagaggcga	gctgcaggcc	ctatttgcag	tggcttcc	13560
cttggaaatccc	cgtctgtcc	ctgtgtactg	tccagcgtcg	tagtggaa	tgtggcgcag	13620
acgggtgaga	ccccacggaca	tagatggcat	ccacgaaggc	ttggggagcc	tgtatagac	13680
gatggacgat	gacccagggt	ccagcaagat	atggcgttgg	gtgtgcggg	gaaggggcgc	13740
atccctggagg	atggccctagg	tagtgcgtga	gaaatgtgagg	gtcattgtact	gattccacgt	13800
ggcatccatg	aatctctcaa	atccatagg	cccggtcgat	aaaaatattt	aaaaagatgt	13860
agggtgttct	ccatggaa	tcacaggggg	aaggagac	gcccattgtt	tccagctctg	13920
attcacactgc	tattttgtga	tttgcattgg	gacttccaa	aatgtgatgtt	gattcaggac	13980
ccttttagtt	gtaaatgtaca	aaatctcaat	ataaatttgc	acaagccaaa	aaatgttgg	14040
ggcaagggtat	tgatgatccc	atagatctgt	agacccatgt	gtatgttgc	tcaggcacgg	14100
ctggatccag	ggggctcagat	gtatgtatca	ggaatgttgc	cccccccccc	atccactt	14160
gtttttctgt	gttgcgttgc	tatcggttgc	tctggccaca	gggtgcattt	ccacagttca	14220
agctggcatc	caatgtccaa	gtatgtatca	aggtaaaagc	ccatccatcc	gcagttctag	14280
cacaaactcc	gttgggtctgt	gtccatccct	gaaccagggt	ctgtatgtat	ggagatgacc	14340
tggcaactct	gatggccag	gttgggtgtc	ggggcttgc	tgcagccag	gggggggggc	14400
agtgccaccc	agatccatgt	gactgttgc	gggggggttc	ccccccatgg	acatcaagg	14460
gcagtcatca	aaaaaaagca	ggaacggagg	tcgacccac	agaaaaacacg	tgtgttgc	14520
gtttttgtgt	ggttccacact	gtatgtatca	gttgcgttgc	gttgcatttt	tggactgag	14580
cagttagcat	gttgggattt	gcctttgtat	ccacgtatgt	ttctgttca	tggactgag	14640
taactgttct	gcaggacgg	ccccacactc	ccatatggaa	gttgcatttt	tgaagatgtt	14700
gtgttgcatac	cttcaaaag	tttgcgttgc	gggcgttgc	ttcagaccc	taatccacgt	14760
actttggag	gttgcgttgc	cagatccat	gagggttgc	tttgcgttgc	agcctggcca	14820
acatgttgc	accctgttct	tactaaaaat	acaaaaaaac	tttgcgttgc	atgggtggcc	14880
ccgcctgtat	tcccaatgtac	tcaggaggct	gaggcagaag	atccgttgc	acccgagagg	14940
cagagggtgt	ggcggacccg	gatgttgc	tttgcatttca	gccttggcc	tgagagcga	15000
actctgttctc	aaaaaaaat	aaaaaaaat	agagagatgt	tgttatatc	ggggatgt	15060
cttgaaatgt	caggctgtat	ataatctgt	tgaaaaat	attatgtact	ggaagaaat	15120
tttttagacca	ccatata	tttgcatttgc	catgttttgc	ttttttttaa	aaagggaa	15180
ataatatgtac	tttgcatttgc	aggtaatgt	aggatgttgc	aatttactat	aggtgttgc	15240
gttgcgttgc	gaatgtatgc	aaacacccgt	gggttgcgttgc	ggggatgttgc	ggggatgttgc	15300
gaaaggcttcc	tctttgtat	agcaatgttgc	gaccactac	tacaaaatgc	ctctttat	15360
cataaaaaat	cctatcat	tgatgttgc	gatcgttgc	aaatgttgc	ggagcgttgc	15420
tgtggcctgc	accagggttgc	acagcaccc	actgtgggc	atggatccac	acgtgcgtt	15480
gtgttgcattgt	gtatgtatca	gttgcgttgc	ggggccatgg	ccttgcgttgc	tgcaggctt	15540
gtgttgcgttgc	tcccttgcatt	gatgttgc	tttgcgttgc	gcccgcaccc	agaaaaccacg	15600
ctggggggct	ggcagggttgc	cgccgtatgt	tttgcgttgc	tttgcgttgc	ggattcagg	15660
agcacaagg	tctgggggtc	cttggggatgg	tttgcgttgc	aaatgttgc	ccttgcggac	15720
ctgtatgtat	ctctgtatgt	cggttgcgttgc	gaccggcgt	aggaatgttgc	ccccggaaact	15780
ctgtgtatgt	gttgcgttgc	ggggatgttgc	catccaggaa	gatgttgc	cagggttgc	15840
ggcgttccagg	aaggatggggca	tttgcgttgc	ggggatgttgc	ggggatgttgc	tttgcgttgc	15900
ggggacatcc	agggatgggg	gggttgcgttgc	agaggatgttgc	cttggggatgg	gtacatccat	15960
ggaggtggcc	tgtcaggatgg	gggttgcgttgc	aggaaaatgt	gatgttgc	agagggatgt	16020
ccaggatgg	gggcattccat	ggggatggggc	tttgcgttgc	ggggatgttgc	tttgcgttgc	16080
gttgcattatc	cacagggttgc	gatgttgcgttgc	ggctgaccac	gagatgttgc	gaagaatcca	16140

tctgattctt	tccttctcca	aacacatgcc	tcacccacac	agccttacct	gtgaggggcct	16200
cacccgtccac	ctgcgacttt	tgagttgtcc	cagccctccct	ctgcctctc	caaactgggt	16260
gtgacccttc	ctctctgcct	ttgcacctgg	ccacateccca	tggctctccca	ctggagtct	16320
gtctctgtt	cacctgggtc	atctgaaggc	agtggccagg	cagcacttgg	tgtgcagag	16380
cgggttcaga	gcccggcactg	gtatggttc	ggaaagccc	tgggtgagtt	ggaccagaaa	16440
ggctggctt	cagtgtggt	ttactggaa	ccatgcagcc	tgtccctgtt	tcagccagcc	16500
ttgggtgaaa	ttgggtaaagac	tgcatgtgc	ttttgttaat	tcaacttact	tcttaggaag	16560
taaaatgcag	cacaaactgt	agttgtatgtt	ttgacccttg	gtctataat	tcaactggag	16620
aacctgtgt	aggaaaatga	cttcccaaaa	gaaaagaaac	ggtcataatggc	accaccgtag	16680
aaaacaaagag	gttatttggaa	gcaacactaca	gaccgtatgg	agaggagggg	agggtcagta	16740
acctgactt	gtctcttgc	tggatctagg	agccacacaa	atggtagggg	gactgcagcg	16800
catcgtggga	agccagagaa	caatccactg	ctgtgcactg	aaagtttggt	tctcccccag	16860
attcatttgc	tgaggtcttc	acccccagtc	ccatgggttt	aggaggtggg	gcctttggag	16920
gtgatgaatc	atgagcgatg	gtcttacgg	ggatagttgt	cccttataaaa	agaaacctca	16980
ggggactccc	ttggcccttc	caccctgtga	ggacacagcc	agaagacactg	aaacaaaaaaag	17040
caggccctca	gtagacacgg	agtcgcacac	actatgtat	tggactttcc	agttttccaga	17100
atcgaaagaa	atacattttc	gtatgttgc	agccacccggc	ttggttctatg	gtatataat	17160
ttttgttata	acagctcgaa	cagactaagg	cattcaactct	taagaaggaa	aaggtaat	17220
caagatgtat	atacaactgt	tataatatacc	aaaaatgtg	ttttttgttgc	gtacaatcat	17280
ggaaaacatg	aacttggat	gttgggggtt	tggcttcgg	gtcaggtgc	tttgcattat	17340
ttaggtcatt	ggctgtcaaa	tttgatctt	tggatcttgc	tagggccca	gctagagcag	17400
gcctaggcca	aggggtgtga	tgggtggact	ttggctctgt	tcgccttcct	tccatgcct	17460
cccaaaaaa	gegctttgag	ttgtgttgc	accacccac	ccgcatagag	tttgcctatc	17520
ttgtcttggc	gtctgttgc	acccggaaaggc	aaacactggc	ttcttggca	tcttccctgt	17580
ctgtgtctgt	gtctctctgt	actccctggc	tggatgttgc	agtgcacaaggc	agcagcagat	17640
ctgaagaccc	tcatgcctt	tccctccat	cctgacaatg	gacaaggact	ggctttgtga	17700
catgtgtgtt	tgttttttct	gtgttaaagg	gcctacaaag	ggagacatgg	aaatccccctt	17760
tgaagaagtc	ctggagaggg	ccaaggccgg	ggaccccaag	gcacagactg	aggtgaggac	17820
tgcgtgtccg	gcaggggactt	cggggccgg	ccccggcaca	acaggcctgg	ccacgagctc	17880
cacacccac	agagaatgt	cgggtgcctg	gatcggggtc	aggagccaggc	gtggtgccacc	17940
ctaccccaact	ttagggccat	ttgggttaggg	tgccatgtt	cactgtgc	ttttttccctc	18000
tggcaactt	ctggggagca	gctgcatacc	cccttttgc	caactcacac	ctcatcttgg	18060
gcacccatc	ctccaggatg	accccttgc	ttctgc	gc	gtgcacccccc	18120
tcaacatata	ctgtgtatgc	tgccttactt	tgctccctg	actggccctt	cacccggctg	18180
ttagtgcgt	gcacggggcc	ctcagacgg	tgaccatttc	tttggccatc	agccaaaggc	18240
tggctttgt	ggcagggtgc	gggacatgt	gtggccctt	tttgcattttgc	gacaggtag	18300
tggagaagc	agacccaaaa	aaaaaccaagta	gacaagacac	agaaataacag	tgatttgaa	18360
ttctgtgt	gggagaagcc	agcagaacgc	tgagacggg	gttggcaggg	gttccctgt	18420
cctctgtgg	ggcaagttt	caccaccc	ctctgtcccc	tttgcacagg	ctcaagcaag	18480
tgaccacatg	tatccgtgac	agtttctgc	cccttcttct	ccctaaagag	gagaaaaagct	18540
tccacccgaa	accataaaa	aagaatttt	ggctggggc	ggggcgtac	gcctgtatc	18600
ccagcaactt	ggggaggctg	ggcggttgg	tcacctgagg	tcaggagg	gtgaccagcc	18660
tggcaacat	gatgaaaccc	tgtcttccact	acaaatagaa	aaatttagca	gacatgggg	18720
tgcgtgtct	taatccca	tacttgggg	gctggagac	gaaaatact	tgaacccagg	18780
aagtggaggt	tgcaatgc	cgatgc	ccaccaatgc	cccaactgag	caacagagca	18840
agactgtgtc	tcaaaaaaaaaa	aaaaaaaattt	tttcc	tgacccatcaca	gccatattgt	18900
acttttttttt	tcctccacaa	tccttttgc	caggcatttgc	gaggcgggggg	gagcatagta	18960
agcccttttta	tgggtctct	gtgccttgg	ccttactttt	ttccatgttgc	gaatgagaag	19020
actggccat	ttcagcagg	atttttttgc	caaaggccca	gatagtgtat	attctggact	19080
ctgcgtcaatc	tctgcgtgt	tgctcgttgc	tgcgttgggg	cacgttggaa	cagcatggac	19140
aacatgtaaa	tgaatggta	ttgtgttatt	tcaataaaac	tttatttgca	aaaacaggca	19200
gtggccact	gctaaaccc	gtttagctgg	cgttcttcc	gcccctgg	tctatggcc	19260
cctgactgtt	ttgaggggt	taaaggaccc	agtcatgg	ctgatcc	tgcatttgat	19320
gtgagccctt	gcaggccg	gcaactca	gaagagaacc	tgttccat	ccagtcggag	19380
ccctgttctc	cctcggccgt	ttggatgggg	ggccacaccc	ttctca	ttttggagga	19440
gcgagtgcc	ggaggctc	tagggccat	cctgtgc	atgcctgg	tgacccatt	19500
tctggccctt	ccttcttgc	ctgggtgaca	aaggaaatgt	gttggaaagga	gttgggttgc	19560
cagggagcat	ggggggggag	agggtcg	aatctggagg	ctgactgt	tctggcttgc	19620
aggtggggaa	gcaactaccc	cagtggcc	gcaacacgg	tgaagaactc	aacagctgca	19680

ccgctgtgga	ctggctggc	ctcgccgca	agcagggccg	tcgcgaggct	gtgaagctc	19740
ttcggccgtg	cttggeggac	agaagaggcg	ggtctgtgt	aggcttagaa	cagcctctgg	19800
agggtttagc	agctttaat	gctgcttgc	aactgaacaa	ctaaaatctt	accaaaccta	19860
acgctgtgta	tgctgtggg	aaatttcagt	ttctgttttgc	ctgggtggct	tctcatttta	19920
gacactgttt	ctggacttaa	catggatata	ttaacagacc	aagccatttt	cattctcttt	19980
ggctgtgtt	ggtatcttca	agtggtaact	atacatctcg	cttccctgtct	gggttctgtat	20040
ccaaacttag	acatcgatcc	tggttcagc	tgagaggcg	tttccctgag	gcaaagctgg	20100
agactttaat	gtggcctgca	gtcagatgg	cccatgcccc	ttagctgtat	tccgtcgagt	20160
ctggggagac	cagctgaggg	gctgtggcc	cacacagacc	tgacaaagca	tgttcacttt	20220
gggaggaggc	aggctgaccc	ttcatagata	atctcttca	aacagagagg	caggggagga	20280
aagggacgca	gctcaggcca	gggggtgtga	gttaggcgt	tgccctggc	aagggaagtg	20340
gctgtccctg	tgccctgtgg	gcagttgtcg	tcctgaagg	ttcacgcctc	agggaaaagat	20400
gaaaatgggt	gtcacaagg	ttttttttct	aatgatactt	ttttttttcg	attgtaaagag	20460
tattttatgc	ttatcataga	aaacttggac	tatgttagaa	acataaaagat	acaaattact	20520
cataaccttgc	aagcccagaa	gcaactcccc	atattttgtt	gtatccctt	ctgtgtttgt	20580
tgttgtgtt	ttgagatgg	gtctcactt	gtcccccagg	ctagagtgca	gggggtgcgt	20640
ctcaagtca	tgtacaccc	acetcctgg	ttaaagcaat	tcttcgtct	cagcccttttgc	20700
agtagcttag	attacaggcg	tgcattacca	caccatgtat	attttttgc	tttttagcaga	20760
gacagggttt	catcagggtt	gccaggctgg	tcacaaactc	ctgacccctag	gggatccacc	20820
ctccctggcc	tcccaaagtgc	atgagagttac	aggcgtgagc	caccatgccc	agcttgcata	20880
atattttaaag	agttacattt	attatcaga	gtcttcctt	tgaaaattaa	actgtatgtt	20940
ttgaaaact	aacagtggca	ttgttagcca	gaatttctca	ccaacccagg	ctgctgttgc	21000
cagagcatt	ggaatgaccc	ggagggggct	caggccggcc	acacggctca	ttgttgggtg	21060
ccagggatag	cccagaggt	gtggggcag	agctgtcaag	ggaggaggcc	gttggccccc	21120
gtgttccccc	agctgcacac	accttctgtat	gtcagttgt	gttttctgtat	ttgaaaagaa	21180
atacatgtcc	atgtggaaaa	tttgaaatgg	gttcaaaagg	agaaaaaaat	ccagaccccc	21240
gtgcctgtcc	tcctgccc	tgctttgttgc	tgccagtgctc	ccaggccgtt	gggggttaaag	21300
ggaggaaggc	agctgtgtac	cagcgtaaa	acctgctctc	cttctccccc	ctgtcccaagc	21360
cttcctttaga	aagggtgtgg	ctgtgtgt	gacagaggaa	agctctgtat	acacaggggt	21420
ggccctgcca	gtgcacccag	gtgtgtact	gcagtgtatc	caccctgggt	tcaagacagc	21480
tctgccttct	tctgactgt	tgacccctgg	tgagccaga	ccacggcttg	tgccctccgg	21540
tctgcaccc	tgagagaggg	ggggacagg	aaagggctgc	tttctccccc	ccagcatgt	21600
ggggggactt	ggggggctt	gggtggagac	cagtctggcc	ttccagctgg	agagtggcg	21660
tggcgcgat	tccttcttgc	tcaatgtcc	atgcaccc	ccctggtaac	caagtcctga	21720
cacccctat	gagtctcgct	cgaaaggcc	ccaggccag	ttggcagggt	cagagtggca	21780
ccgaaaggcc	aggcaggggca	cacaaggctt	ttgaccatcc	cctatccctc	aggcatacag	21840
tccgagaacg	aacggggagg	gaggcagtc	tcctccgaga	ccgacccctg	gagggccgtg	21900
cgcaaggcag	ccctggat	gtacttgg	ctcaacccca	agaagaagaa	gcaggtggcc	21960
gtggcggagc	tgctggagaa	tgctggcc	gtcaacgagc	acgggtgcgc	gattcaccc	22020
gggcaccagg	cttccctggg	cgccaccc	cccacaggag	ccaggaccc	cccatagggg	22080
ctgggaccc	ccctcagggg	ctgggttcc	ccacaggagc	ccggaccc	cctgtgagga	22140
cagggccctt	ccttgggggg	accaggggac	cagaaccc	ctgttagagac	ctgtccctag	22200
ttgtgagggt	ttgtgggtgc	attttgcac	cattctccct	ggctcaagtg	ctcaactt	22260
gaataaaacca	gagggtattt	tgcccagtgc	tctgtgacca	cgcttacca	ttggacggac	22320
tgtgtccatc	accaaatgggg	agcacgttac	gttgcgtgt	gtccacccca	gctactgtgg	22380
gtacagagggt	gtggcccttgc	cttcgttgc	cctggggggcc	atgtatccc	cagaacgtag	22440
gatggccctg	gaacttggcg	gcccctgg	cagtgcgc	gtttctgggt	ggctgcagg	22500
cacgaggaga	tagtcaactt	gtctgtact	taatccaccc	tgccccctgc	agatgggg	22560
ggcgagccag	gccccgtgc	caagttcc	cagaaggcaga	ggccggatgc	ggagcgcctg	22620
gtcagcagcg	agtgtgtat	cagccctgc	ccctgtctcac	ccatgcctcc	cagcctgcac	22680
ctgcaggggc	accccttcc	cctgtgc	ccatccctgg	cctggccctat	ctcaccctgt	22740
cctcccccgg	tgccctgtc	gggcgaccc	tccttcctgt	ccgacccat	ctggccctg	22800
ctaggatctc	aggcggtcc	tttgggtct	agttttctgg	acgctgggg	tagaccctgc	22860
ccacccctgg	cgcacgcact	ggagggagg	cagaacccagg	acagaaacca	tgatgtgcca	22920
gtcccttcttgc	gacaaggaaa	tactgggggt	ggggactggc	gggggggtcc	tgagtggg	22980
aggatggaga	gggcatttgg	ggaagggct	ccggccagag	ggaacacgt	gagcaaaggc	23040
ccaggagacc	cagcagggttgc	tggaaggggc	tctgccccag	ctgaggccct	ttttaggtag	23100
gcagggaaaca	gagtggcc	agccttagtt	ggggataga	gtctctgggg	cacactgagc	23160
tgggggtgc	tctggatgt	ttgtgttca	agactgagaa	gagacgtac	atccctccac	23220

tcgcgtggc cagcctcaact gtcttccatc cacgtgggggt agactctgca gtctgaggca 23280
ctggggatctc ctgtccctgg aagatagac aggcaggagg cttgggggtc cagtatcaat 23340
ggggggatgg gccaagaccc aggttgcac cagacttcc ttgtgcacatg ggcaggcttc 23400
atttttctt ctgggtgtca gtttccctt ctgaacagtg agatgatcag acaaggggac 23460
tgaaggaccc cggccatctt aagaaggctt gtggcatgt aggcagatg cagggtggag 23520
cacagatccc accttccac tggggccgtg agggaaaccgt ccatagggt tggtcagagc 23580
cctcgccctt gctggggcg acatgggtc ttgcgtgtc gttttccctc tccatttggg 23640
ggagacaaga aacaccctca catggaaatg ggaaggaaatc tgtgactcta ggaaggccga 23700
ggccaggaga ggtgtgtaca gtgtctgtc accggagggtt catgggtct gctgtctga 23760
agtgggtgc ctgtggcgag gagcggccca gcttgggtct cccatcttggg gggcactgca 23820
ggcagagttt ggacccaaac ctcaacttcc agtcccacag gggtttgtg tgagccgggc 23880
acacctgtg ctgggctgt cgctgtgtc gggggcgagt taggagtca gctgtccagc 23940
ctgtgtccccc tcccgccaggc cctcaggac gggggcccccag cccccccattt gttacccttc 24000
tatacagaacg tttccatcag gcatcatctg ttgttctgtc agctttcca acagaacttc 24060
cagaagggg cgatgtcatc ccccttctt ctgttccctgt ccttgcgtt caggcttctg 24120
ccacgttatt ccaccaaaggc ggctgttca ggcacatagt gacccctt gtcagtcaact 24180
tcttgcctt gtctgactt atctgtcagc agcgtggca gagatgactg ctctttctt 24240
tagagccctc tccccccacca gggccggggc ccttgcgtcc acactggctg ctcccttctt 24300
gggtcccttag actgtatgtc tggttctgtc gagaggacat cctgccaagg gtattatcc 24360
ctatggaggc agggcccttc ctgtgggggca ccagggtttt cccgttgggat ctgtgttt 24420
gtagggagat gtgtgggtgg cattgtgac cactctgtg tgcagacgc cgttctgaac 24480
ccgcgaaggcc ccagccggcc caggctgtat ccagccctgtg ctcccttccatcttctgt 24540
cctggctgtc ccatgtgtcact ctcacagtc agtcttacatg gagetactga ggcctgtgt 24600
acctggccat tttgtggggc ccccccaaggc tgcctcatct ttttgcgtca gctacgttgc 24660
gggtgtccgg cggacttctt ccttgcac acacatgtg tccatttgggat ggtctgtca 24720
cgccccactat cacgggtgtcc atcttggatg cggctgtt ccttcccttgg gtttctgcag 24780
caccctggct tgcttccctc tgccttgcac cggcatgtt ctttctttccatcccttcc 24840
ctggaggggcc tccctgtcact cttccatccca cggcaacttgg ggttctttag aggccttatt 24900
cccttcttagg ggtatcatgtt ggatagaggg gtcagtgggg acgtatgttgc cgggttac 24960
gttggatgtca gggatcatgtt ggcacgttgc aggttcttgg tggaaatgt tggatggagg 25020
ggtaagtctgg cccatggcag gacgtatgtt gaatggacgg gttagcagc atgtatgtt 25080
cccacatggcag acacttgggtt gatgggggtg tcgcaggcac atagatgttgc tggggcagat 25140
catgttggat ggatgggtttt agcagggtca cttgggggtt tgggtggatc acgttgaatg 25200
gagggggtttt gggcgcagat catgttgcgtt gggcgggttgc ggggggttgc gcccttacagg 25260
ggccgtgtcc accctgtgtc tgagaaggccc cggctgttgc gaaaggaggat ggttgcacat 25320
gcactggagg tgcgttgcgtt aaggcttggc aggtgtactg ggtgaaaggat gttgggtgt 25380
ggccccccaggc ataaggaggat aggccaggaggg ggcacacttgg ggtggggggac agcacacccca 25440
ggggccggggcc cggcaggatgt gggctgtca cttggggatc ctgcacccctt cctcccttacc 25500
cagccctgtcc ctcaacccctc agggcccccac ggggggggtt tcttccacatc gaaaccactt 25560
agcttcttcc tttagttggc cccacggccac cttcccttgc gcatgttgc gttgtgagggt 25620
ggcagtgggg ctgcagtgtg gggcccccatt gctgttttctt ctcatgttcc agccaagaac 25680
tacatcgccg tggatgtactt tggggatgtt actaaaggat acggccaaaggc cgttccatccc 25740
agcggcttgc tccctgtcaggat cggacggatgt gatgcggac tggggggggaa gagcccttgc 25800
gacccgtccac tggcgtgttgg ggtgtgtac caagaccccg gtcaggccggc agcctgttgc 25860
ccaaaggactc ggcacactca ggcagggtcac tttccaggaa gtcggcagggt gggaggttgc 25920
cgccctaacaa agagtgtttt acaggctgtc cttcccttgc tttgggtcat catctatctgt 25980
cataaaggatg tgcgttccgg agaggggctt ttttttttgc cggccgttgc ctcagaaaacc 26040
agggggccggg tggggccaggat gttgttgcgtt ggcacatgtt gggggccctgg gtttttctgt 26100
ggcgtgttgc gggcgtgtgg gggggctgttgc cggcggatatt catctagat tcatcaactt 26160
gcagatgttcc ccatgtatgg tccagatgtt gggccaggatc ttttcccccgc gtttcccccgc 26220
aaacaaaggatg cctgttccgtt caggccagggg aggacgttgc gggggccatca ctggccctgg 26280
atctgtcaagg gtcggggatc cggccaggatgt gttggggatc ggtgggtgtac actttgtcag 26340
gggtggccatgg ggcacatgtt gggggccaggatc gggatgtttgg cggcaggaggaa aaggccgggg 26400
ggggggggccgg ggaaggccatgtt gggccggcc cttacttccgt ggcgttgcacatc ttgttttctt 26460
ggccatgtgg ccctatggcc ttcacagatgtt gttgttgcacatc ttcaatgttgc gttgttgc 26520
tagatgtgtg cctgttccatc ttcacatgtt gggccaggatc ttccatgttgc gttgttgc 26580
gacccaggat ccccaatgtt gggccaggatc agggggcccccc agcagatgt tgcgttgc 26640
gctgtggggca gtatcatgtca ggcacccctgg gtttgcgttgc ttttgcgttgc gttgttgc 26700
ggggggccaggatc ccatatgtt gggccaggatc gggccgtgttgc gggccaggatc accaggagat 26760

gggtgggcca	ccaaactgtca	ggcaggcagc	aggctgaaag	gtcaccgtcc	tcgagccagg	26820
gagaaggctca	gagtggccc	gcctccgtt	ggggggaaag	agcaggaacc	caggtgtcgc	26880
aggagcagct	tcagccaaa	gagcagcagg	cacagcagcc	ctgctgcagg	gactcggagc	26940
cagacagggtc	tgagtgtgag	ccccccgagt	gcccagagct	gcgagtcctt	tagggtggca	27000
ggtggaaaggc	tctgtccctc	ccacttggga	caggtgtat	gtccagggtt	tgacaccgac	27060
cggtctgcag	aggttctgag	acatgggcca	ggatggccaa	gaacttgaac	caagggagca	27120
catggttttt	actgtggtc	tgctcagagc	tggccctagg	caagcatatt	cacagattgg	27180
gtgcatcat	ctccctacta	atgggagatg	agaagctgg	ggtgctggca	tggttttggc	27240
aaagacactc	ccgaaatgag	agtgggggtc	acaggtgaac	gggttaactt	ggagaagacc	27300
cttgggcccag	gcccgcattgg	cccagggttc	ccagttatg	ccatctggtg	taagtactat	27360
tataataatg	cctccttgc	tatgcgtcct	gttgcggaaa	ttatgttcc	tagttatgga	27420
ttgtgagttc	agtgttgc	agcatctaa	aatcttattt	attatgttcc	cttaatgaca	27480
gggtctcggt	ctgtgcaca	ggctggagtg	cagtggcagc	gtcagacgctc	actgcagcct	27540
caacgtgcca	aactcaagt	atcctccac	ctcagcctcc	caaatacgctg	gactacaggc	27600
atgtgccacc	acacccagct	gattttttg	aaaacatttt	gtagcgatgg	gggttcaact	27660
atgtttatct	acgctggcc	caaactctct	ggtaaagcga	gcctccactt	ttggcctccc	27720
acactgtctt	gattcaggcg	ttagacactg	tatccagctt	aaaatgttcc	tttagaagggg	27780
agagatttaa	gtgttttga	caagaagtaa	acaagactct	gttcccttcc	agttttggat	27840
gtgtcagag	cacttcgatt	ccttgcagt	ttgttcttcc	agaagtctct	tgtgagggag	27900
gcaatgaatc	gtcacaagcg	tctcccaagg	ctgagagctg	tcccacccctt	tagtagccctt	27960
ttgttagaaca	aggagaggc	ttaactcaaa	gtgaaaatga	cagacaccc	tttgtgagcc	28020
acccttactc	ccacaaaa	tgttccagac	tccacacagt	tctttcttgg	agcctggagg	28080
tgcgaagctgt	catcgtagat	agaatctct	aaaaacaaac	ttaatatctt	aaaatcgtaa	28140
catttttaac	attacataat	tggaagatcc	gacacgggaa	catttttgc	cacaggtttg	28200
agcagaatct	cgttcggct	cccttcccca	gcctcccttc	ttaacgggtc	cgctgggcca	28260
tcggtgtgtt	gacgctgttt	cattggcage	gaagggccg	tcaccacagg	28320	
cccagacaga	gagctctgc	gtgttctatt	catagaggca	gactcttcat	agtttttaag	28380
tttcgttctt	ttccatcttc	aggagtggaa	tttgttgg	ccttcttgc	agaaaaaggag	28440
actgaacttt	ttaatcccat	gtcagagggaa	ggtcttgggt	gtacattgca	gggagcagaa	28500
attggggctt	aaaaaagggg	atcgccccct	ggtcatcgag	ttcagggtgg	ggaccagccc	28560
ctccacactg	tccaagcaga	ggctagacgc	catccaaatgt	aatgttctag	aatattccctt	28620
gtcttttaaa	ggccctctca	accagggtt	tgtgtgtt	ctaggaaaa	aatgtgcat	28680
ggctttgagt	aagacaggt	ttcagat	tttttacaa	ggccacccccc	ttgttacccgt	28740
ggcggtctgt	cgtgaaactg	gtggtgagca	gtggcggggc	aggccacccct	tagttgtcct	28800
gctgttgc	aggccccctgt	acggggattt	actgagcagc	ctggccggct	acgcacatgt	28860
tgactcggt	agctgttgc	tttagcggc	tggcctggc	tcataacta	gggggttggc	28920
ccaaacaaac	cctggagtag	tttggtttcc	ataaaatggcc	tctgttcc	tggcaagcgt	28980
tggaaatgcc	ctcaaaaccc	gtatgttcc	gttcccttgc	gcccacatctt	ggcagtgtga	29040
gcgcctctct	gctcatgtag	aagggttgc	accccagaga	gagcttaggg	agctgtttagc	29100
tgttttataatc	gttttttgc	ttgttataaa	acagagata	agtggactgt	cacaataata	29160
catgaagcag	cagactgtt	ccccccacgt	tagactgtca	tgcacacact	cctaaacact	29220
tccgtttctt	ccatgagct	gtcttttca	tctgtggaa	gctcgttgc	tgtagacatg	29280
catgcacaca	ctcataacac	ttcegttcc	tccatgagcc	tgcctccatctc	ctctcatctg	29340
tggaaagactc	agtcttctgg	ttgtttccag	gtgtcttgc	cctccagagc	tgatagccag	29400
gctgttggc	ggtgaggggc	acattcttgc	gttgcaccc	tgcctccatctt	caccttggat	29460
cccttcttgg	cattttgggt	ggcttgggtt	agagaaccc	ccccagggg	tttgggggt	29520
ctgggtcttc	cccgaggccc	ggagctgtat	gggggttccca	gcctggatgt	gtcatgttgc	29580
ccctcagtgg	gccttggaca	tgcagccagg	cttccctacc	ccatgtggg	gcccggccct	29640
aggcgtccac	ttccctgggt	tggtccaggc	ccctggca	tctgaatgt	cacagaaccc	29700
gctttgtatg	ccacggccatg	ctgtgtgagc	actggcacca	tggccacttt	gtccccatcc	29760
cccttcagtc	cattttggct	gcttgcctgt	gttctggcag	ggctcaggcc	ctctgtgtc	29820
tgcacagacc	aggaaggcat	gagggtggc	ccttgggtgg	agcgtgtctt	cacccatcc	29880
tgagggtgt	cccaagatgc	ctccctcage	cctctgttcc	tcttggctgt	ggtgaaggcc	29940
aagagcttt	tctgacat	gcactgtat	cagacggagg	gagcaggacc	cacagggtcg	30000
ggggaggcag	cctttggct	tgactatgg	gaggtagggg	tgcactgttgc	tgtatgttgc	30060
ggtgcacacg	tgttaggggt	gggtgtcat	tgtgaggggt	cacgtgtgg	ggtgggtgt	30120
cacgtgtgt	taggggtgg	ttgcgtgtgt	gtaatgtgt	ataggggtgg	gttgtgtgaa	30180
tgtgtgtgt	taggggtgg	ttgcgtgtgt	gtaatgtgt	gtgttaggggt	gggtgtgtgt	30240
aatgcaggta	ggttgcgtgt	gtgtgtgt	gggtgggtt	cgtgtgtgt	aatgtgtgt	30300

taggggtggg	ttgtttgcgg	gttaggttgcg	tgtgtgtgaa	tgtgtgtgtgaa	gggggtgggtt	30360
gtgtgaatgc	aggtaggttg	cttgcgtgtg	tgttaggggtg	ggttgcgcgtg	tgtgtgaatg	30420
tgtgtgttagg	ggtgggggtg	tttgaatgcg	ggtaggttgc	gtgtgtgtgaa	atgtgtatag	30480
gggtgggttg	tgtgaatgcg	tgtgtgttagg	ggtggggctgc	atgtgtgtgt	gtaggggtgg	30540
gttgtgtgtg	tgtgtatggg	gtgggttgt	gtgaatgcgt	gtgtgttaggg	gtgggttgcg	30600
tgtgtgtgtg	tgcacgtgt	tgtacgggc	gaagggtggcc	tggcagctgc	ttttcagggt	30660
ctccggccat	aggaggggca	gctcacccgg	cagccccgtg	cagctgaacg	gtattttgc	30720
tggagagtg	gtgtggggcc	ctctgcctgt	gtctgcactg	aactcccttt	ccctaattgt	30780
tgtctgcctt	ccccctccgg	gactgcctgc	ggcttcctct	cctcgtaaagg	atcgccattt	30840
cccttcatgg	aggctcaggg	aggtaacatc	tttgcgttag	tgcagagctg	ggtcacaaaa	30900
ccagctccca	gacaggcata	tcagggtctc	gtcatacttt	catgtgggg	acccctgagg	30960
gagggaaatg	ggggccctgt	gggtccctcc	agtgtggag	gtcttgcagg	gagagaagca	31020
cacatgcata	tagtcacgtt	ggtagaaaggt	ggggagccag	gcacggggca	gaggggggct	31080
ccaggccca	aagagggagg	gttcacaggg	actgcgagca	tggggaggggc	cacgtggaga	31140
aggggggagg	gaggaccact	aggatggggc	tgggtatggg	aaaacgcgaag	gttgcgggtt	31200
cccttgcctt	agaggcagg	tggtcagagg	gaggcgttag	atggggcagg	tgggggtctt	31260
gttccacgtt	cgttccca	tccatcttt	ccccccagg	gtcaaggatc	ccctgcacgc	31320
catcatggg	atcaaggatg	acccatgttgc	catggcctcc	agggcaggca	tgcactggct	31380
gttccaccatc	atccccacgc	accacatcaa	cgegctcata	tttttttca	tcatcagcaa	31440
cctcaccatc	gacttcttc	ctttcttcat	ccctgtggc	attttttacc	tgccttcat	31500
ctccatgggt	atctgcaccc	tcaagggttt	ccagacaggc	aggcctgggg	agaacttccg	31560
cacccatccac	gacccatgc	tgegcttcga	gcccacactg	gatgtggaggc	aggccgagg	31620
taacttcggc	tggaaaccacc	tggggcccta	tgcctatttc	ctgtctctgt	tcttcttcgt	31680
catcttctcc	tcccccateg	ccagcaagga	ctgcatacccc	tgctcggagc	tggctgtcat	31740
caccggcttc	tttaccgtg	ccagtcaccc	gagccgtggc	acccatgcag	agccctacac	31800
gcacaggggcc	ctggccaccc	aggtcacccg	cgggctgtca	tegtgtgtcc	cctccatgcc	31860
cttgaattgg	ccttgccttg	aggtccttgg	ccagacccatc	atccacgtgc	ctgtcgccca	31920
cctggctgtc	ctcaatgtca	gctgtccctg	cctgtcttat	gtctacactgc	tctatcttctt	31980
cttccgcatg	gcacagctg	ggaatttcaa	ggcacccatc	tgctacacttgc	tgccttactt	32040
ggtgtgtctt	atgtgtgtg	agtcctccgt	ggtcatctgc	ctggagttcca	ccggccttggg	32100
gtgtgtccgc	gttccatccgt	gtacttcttct	tttcccttttca	gcccccttttca	tcttgggtgg	32160
cgccctggcc	ctggggcc	tgctgcattt	cgccgggtgg	ttaacgttcc	tggagttcac	32220
caagatgcga	gttccacgtt	cggtctgttag	tgtccccctg	ctttgcgtct	ggtggacc	32280
ggccaggttc	tctgtgggtt	ggatgtgtgaa	gtccctgcag	cgaggcttcca	tggtaaagt	32340
catccctgtt	tgggttcaccc	ccatctgtgc	gttctgtgttgc	ttctatgttgc	accgctcaga	32400
gggcatcaag	gttccatcaact	ccacactgac	ctggcagcag	tatgtgtggc	tgtgcggg	32460
acgcgcctgg	aaggagacca	acatggcgcc	cacccagatc	ctctgcagcc	acctggagg	32520
ccacagggtc	acgtggaccc	gcccgttcaa	gtacgtccgc	gtgactgaca	tgcacaacag	32580
cgcccgagtct	gcccataaca	tgctccctt	cttcatggc	gactggatgc	gctgccttca	32640
cggccaggcc	tacccgtgc	cgccgttcc	caacacccatc	acggccgg	aggagctctg	32700
tcgccttaag	ctgtggcc	agcacccttc	ccacatca	aagttcgacc	gttacaagt	32760
tgagattacc	gtgggcatgc	cattcagcag	cgccgtgtac	ggctcgccca	gcccgcgg	32820
ggacgcgtc	accaaggaca	tcgtgtgtc	ggccagcagc	gagttcaaaa	gctgtgtgt	32880
cagccgtgc	caggccagcc	tcategttt	cageaccatc	ctggaggggc	gcctgggg	32940
caagtggcc	gttccatgc	tcaaggccat	cagtcgttcc	aactgtcatgg	cccagctctc	33000
gcccacccagg	cggcacgtg	agatcgac	cgactggcc	agcacccgtc	atggccctgt	33060
gaagttcgcc	ttcgacttct	ttttttttcc	attccgttgc	ggggctgtag	gttggccgc	33120
cacgaggagc	ttccactgtc	tgttgcctat	aggcccttcc	ccagtcgtggc	cccagccca	33180
caggcatgc	ccagtcatcc	ctgtgtccac	gtgtgcac	tgtgtgtgca	gagacc	33240
gactgtgtt	agatgtgc	gaccccgaca	aaggaaaggc	tgtgtgttag	ctctgttccac	33300
tctgaatacc	aagtgtgtt	ggaatttcat	ccatcttca	ccctgtggcc	gaccccttgc	33360
aatgacatgg	gtgtgtccgg	ctggacttgg	aggttccgg	gtctggaaaa	gcactttaca	33420
gatgagattc	ccttccttcc	cccacccatc	ageacccctgt	ttcccttttc	tttctttttgt	33480
gttggatgtt	ttaaaaaacc	aaataaagat	ctgtgttacc	tccacagtag	cattttttat	33540
ttgtttggcc	actgttccatc	cttagcgtt	tttccctttt	cctggggat	gtgcacggca	33600
gcttggcc	gtcaactgtt	caagggccgg	ccccatcaga	ggctgggg	ggccggccat	33660
tggcgtgtt	tcacactgtt	ctgggcacca	caggctgcct	catgaccctc	ctctccagca	33720
gttagtgggt	aatgtgttgc	aggcttgc	tgaatccatc	aggacttggg	aaacagagaa	33780
ccctgtgggg	gtggctgtgg	gggaggccccc	tgccactgtt	tagaagagcc	tgactgtgtt	33840

cagtgccttg	gagcagaaaag	ccagggctct	gagtggctga	aataaaagcc	tctggtgaa	33900
cctgcagcgc	tttccttctt	ttctttacccg	aaaagaagtcc	tttcttgac	gtgcgtgaga	33960
atcagcagag	cctgcaactcc	tgttgaatga	aatgcacgtg	caattttgagt	tataaaagag	34020
caaggttgc	gtttcacagt	tgtatgggttc	ctggccacgc	gagaccctgg	cttcatctcc	34080
agctggaggg	gccccctgggg	catctgcgt	aactgtgggg	tggcctgggc	atgggctgcc	34140
tgtcagagaga	gaccctgtgt	gaagggtgacc	atggagtgtc	agcccaagcc	tcttcagatc	34200
ttactgagcc	gaaagtgcac	ggtcataatt	atcttttgcatt	tccaggatacc	catgaagtgg	34260
agccctacagg	gtgattgtat	ggctggggcc	tgcgtgtccat	gccccgggtgt	gttgcgtggaa	34320
cacccctctgt	gttccctaac	ctgcacgtat	gaccctatgg	gattataatc	agaacttagt	34380
cattttgggg	caccccgagca	gctgcaggcc	cctcagcaaa	cctcaccctt	cttgggcagc	34440
ctgtctgtcc	cagccccctt	ggtcttttgt	gtcttccctg	aggttgagga	cgtggccctgt	34500
acctgtctct	gtccccctgt	ggctgggtgt	ctctgtgt	ggcaccaggc	ctcacctctt	34560
tgcgtgggt	ggggagcgtc	gagtgggtac	acgatctgc	tggccaccc	gttgcgtggca	34620
tgcaggatgt	gggtgtccca	ttttccctgg	acgacactgg	gtgggtggcag	ctacacccga	34680
cactgtcttc	tcatctctgt	ttgtctctgc	tggagggct	gcgtgaaacc	acacgagagg	34740
ctcagggtgt	gtcataactc	cgaggccacgg	gtgggtggaa	ctgcacccccc	acactgtctt	34800
ctgcgtgaaa	ccacacgaga	ggctcaggag	gtcatactc	tccggccac	atgctcgccc	34860
ctgggtttct	ttcccaggca	atggatgtag	gttgggttcc	aggctctatc	ctcttccttca	34920
ttctgtggat	ttgtgaagcc	atggaaaggcc	ctgcctctgt	gactctgtcc	ccaggatccc	34980
cactgactgc	agaggaggg	agtcgcctga	tgcgtttccaa	gtgaacaaag	atgacaacac	35040
agcatctccc	tcacaacacc	tggatggaga	agatgcctca	acatccccca	tctacagaag	35100
acggcaccga	ggttttaggt	ggggccata	gcacatttgc	acgtttatc	atggcacata	35160
gcagagcagg	aaggacagag	ctctgcctgt	ccccctcccc	tggccacca	cactgcctact	35220
cagcatccac	aattagtttc	taaccaacccg	gcagaggcc	aggttggagg	agaagtggtg	35280
ctgtcttttgc	ggcagaggtc	agaatggca	tggcccccgg	ttccactcac	tctgcccacaa	35340
acccctgtgc	cacccggc	catttacac	ctgtccctcg	gcctcagtg	cccaatctgt	35400
aaaacggaaa	gcctgggtt	agtttagtgt	tttcaaaact	tcttagcaac	accgttttgg	35460
tttgggttgtt	ttgttgaat	agggttctca	tttgcaccc	aggctggagt	gtagtgttat	35520
ctcggtctac	tgcagcctcc	acattttgtt	tgggttttac	agagaggctc	cccgccccc	35580
gccgaccacc	ccacccaggaa	aagaacactgc	cgtctgcagg	acagccatcc	atthaacacc	35640
ccgtcccccgc	cacccctgtt	ggtctgtccc	tgcgttccgg	ggagctgtat	gacacccagg	35700
gaggcaggcc	gggcagggtt	tcactttgt	tctacgaatg	agtagcatt	gagagaatga	35760
gtcaggaaag	accgaatttg	gtgggtccat	ctcaagtgc	agagagggt	ttggcgcag	35820
agtttccaag	ccctctggaa	gcccagctcc	ctaggggcat	tcttcaggg	ggccttca	35880
gtccatttttgc	gggttagcggaa	gcccataccat	agacctcttc	gtctccttgc	gacatgtgt	35940
taaagaccgg	tcatcaaaag	ctcaatctt	caagtgctt	tttccctttt	tttgatctta	36000
catcatcgaa	gtacacttcc	aagtggatgt	acaaaaaacgc	acattttctgc	agatgccc	36060
gaaccaggac	ctgtctctca	agtcgtccac	ctgaggacag	aatcctgtaa	ccacccccc	36120
tcccaatcg	caggatgggg	tgtcaaggct	ataaaacaaa	cagccacgt	gccccacacg	36180
tctcatccgg	cagctcgggg	aaagcacact	ttgacagcc	ggaccctatc	cgataaaatgg	36240
tgttcttc	tcatgaaaaa	gaaatggaaac	acttattcac	tccaaatatt	cagcaccc	36300
tgtgtgttc	actttcttc	gcacagggg	tgcagaatga	acagagagcc	cctgcccc	36360
ttggaggggt	gtttgtgggg	agatggacca	ggtaccagtc	agtgaatata	gcacaatggc	36420
aggttagagaa	aagtgttaca	gtcatactacc	gtgagcgctg	tgtatgtctg	cccagttca	36480
ccacattaat	ggagcacacc	ctatatgtc	gacacatacc	atgcattttc	tcatcttgc	36540
ggctgttgc	aaatagacac	gttccattgt	aaagtgcgg	ggggtagaaat	cgccaccc	36600
aaagggttcc	agggttctat	cccccaatcc	tgtttgtgt	tcccttgc	ttggcaggagg	36660
gatgttgcag	atgggatcca	gtttaaaagatc	ttgataccgg	ggagatgatt	ctggacttcc	36720
ctatccagaa	ggggccaaag	taatttcaag	tgccttgc	agagggaggc	tggagggtca	36780
gggtgtgaga	ttggaaatgt	ccacccctgc	agcttcaaga	tggggggaaagg	ggccatgagc	36840
caaggaatgt	gggtgtctt	cacgtggaa	aaagtggagga	gtatgttctc	gcctgcagcc	36900
tccagagaga	cacagctgc	agagtcagac	ttggccactg	acagggctc	agcgtcccg	36960
atccccatgc	ccccacccct	ctgcattggct	cctgagcccc	tctctgagg	gtctcttgc	37020
aaaccccttgg	gttcctgtc	cctgcctgtt	atccctgaat	gttgcgtcc	tttgcagctt	37080
gtctgtccct	ctctgaggct	catgtatgtc	tctgcgtgg	cccccccgct	aattctaaaca	37140
gcacccaggat	aaagataaaag	gtgttttgtt	gtttttctaa	aaaggacttc	gtctgttctt	37200
gagtcaactca	taacttgc	aatttttgg	agctctaaa	gttcccagt	tgcgtaggaaa	37260
ccacaccccttgc	gaggctggca	aaccattgtt	aaagttgttc	ctaaatgtct	gaacttctac	37320
agtacttgc	gaaagtagt	tggggaaacaa	aacaaagca	acaaaacaga	aaagactcgg	37380

gtccccctttt	ctttccgtcc	agaagtgate	aatcagcta	aactcaactgt	ttcaagcttt	37440
cctctaacta	gatgtgtttt	tttctccgt	tagccagaaa	ggccctttcc	ttccatattt	37500
agtcacagaa	taacctgtct	ctttaggaca	gtggggtct	gtgtgaatc	ccaccccaa	37560
agatggaaag	aactcgggtg	ctgctgtttt	ggaagccccg	gctgagatga	gtgtataact	37620
ggggctgaga	gccgagagcc	tggcccgac	agccaggcag	tgagggtac	cggtatccc	37680
ctccccattt	ctgctggagc	tggaaagagcc	ccaaggacac	cagcccccatt	agagggagct	37740
gggccccagag	ctgggtgggg	cagccgacta	ctccctcgag	aacacatcc	gcctgcctga	37800
caactggcgc	tgctttgttg	actgttttt	gaaaacctcg	tgagggtat	tttattgtcc	37860
ccactttatac	caggggtacc	tgggcacgga	gcagggcggt	aactcaccct	ggatgtctgt	37920
ggcagccctcc	aagatggtcc	cagcaatccc	caccacccctc	ctgctgtctcc	ttccatgttag	37980
caggataggt	ctgtgcgacc	agtagataat	ggcagatgtg	acgagatgtg	acttttgagg	38040
tttgcattaca	aaaggctgtg	ttttctagg	ttgtgtctct	ctctcgatc	catcaactcg	38100
ggtgagggaaag	ccatggcccg	agcagccccg	tggggaaagcc	tgacactcaa	ggacctggag	38160
cctcaagcca	actgcccacat	ggtgcacttg	gaaacaggga	tgggtgcac	ggcccacact	38220
cgccctgcggc	tccggggaga	caccacggca	gaacccctcg	gtgaatccac	tcctggattc	38280
cttacccccc	cagagtataa	gtatggat	ggggcttttag	gtgtttaaat	tcgggataa	38340
cgatcagtg	ccaaacactgg	taatgtacga	gggtcaatg	aatcccgat	atccctgtggc	38400
tgcacatctca	cttcgcattgg	ccatccgtta	cttgcgcaggc	cccatcccttta	gcctctttaa	38460
aagtccagga	accttggaaat	gtttttctga	catctcttag	gtctgtggat	ttaccaggaa	38520
aagggacgg	cccacaccc	ttccctgtt	gaatccattt	cattttttcc	agggttttca	38580
atcccttctg	acttcgtttt	ctttatgtaa	gtttggat	agtgcattt	tctggccatcg	38640
gggctgttaac	actgttccaa	gtcatcttgg	agtaaagcta	atggaaaaaa	accatatggc	38700
attgtcgctt	tcttcagcttg	accttgcattt	cacttcacc	ctcatctgtc	atgcctcttg	38760
cttttccacc	tggggggctg	agaagtcgg	ccatcgaaac	cttgggttct	gccagccacg	38820
ggaggtttgg	agctttatca	gatccctgaa	gcctcggtt	ctcatggaa	.cagtgcaggt	38880
gaaagcacct	ttctctgg	acccgggggg	agatgagagg	aaataaaat	gtgtatggc	38940
cccccgcgc	gacttgcgt	cttcattgt	tctggaaattt	gcagggttct	ggtcttactt	39000
acttcaagaa	tgaaccacac	gaccctcg	gtgactgtt	cagttcttta	aggccggctg	39060
tctggagttt	gttcttctg	atattcagat	gttccctcg	ttttctctct	tctgggtggg	39120
tccctctctc	gtctgttc	gagtgaaatc	gcacaccc	acggcggatgt	tcacagctca	39180
taaaacgcgt	acagacccaa	agagtgcac	gcaatttagat	ctatcacaaa	gaacaaaaga	39240
acaaaaccc	cacacccac	aagacacccc	gagggtgtca	acattactgg	ctccagcagc	39300
ctgttttat	tcccttatct	ggccccaccc	acatcttgc	gattggtcca	ttttgcagag	39360
agctgatttg	tctgttttac	agagagctga	tttgcgggtt	ttgcagggt	ctgattgtgt	39420
cgtttacaaat	ccctggatct	gacacaaaag	tttccaaatg	ccccatggat	ttagctagac	39480
acagagcact	gttggatgg	tttacaaaac	tttgcggat	cacagatgc	tgattgggt	39540
atttacagtc	ccttagctg	acacaaagg	tctccaaatc	cccaactagac	tcaggagccc	39600
agctgggtt	accttagtgg	tcccccac	gggctgcagg	tggagctgc	cgccgatccc	39660
gcgcctgc	cccttactcc	tcaagccctt	ggcggtcgat	gggacccggc	gtgcccggga	39720
gcacgggggg	gctgttgc	ggggagctgg	gcgcgcgg	agcccacggc	cagggggggg	39780
ctcgccat	gttggatgt	gggtccctac	cttgccttac	gggggggg	ctgacccccc	39840
gcgagaattt	gagccgcgt	ctggactgc	tggggggaccc	ggcgaaacct	ccacagctgc	39900
tggcccccgg	gtctagcccc	tcacccccc	tgggggggg	cgccgaccgg	cttttccgag	39960
agcgaggcc	gtctgagcccc	cgccccccccc	gaacttctcg	tggcccccac	gcgcgcgg	40020
cagcccccgtt	cccccgcgc	cctctccctt	cacacccccc	cacaacccga	gggatccggc	40080
tccggccctcg	gcccaccc	aggatccgg	ctccggccctc	ggccagccca	gaggggggg	40140
tcccaacgggt	cagccgcgg	ctgaagggg	cttgcggcc	ggccaggggg	ggcgccgaga	40200
gcgagccgg	ctgcccgt	gctgttcc	ctcaccatca	ctggcccttgc	ttgcttctacg	40260
gtctgtcaga	cccaacgggc	agtttttcc	agttttttcc	aaacccaggga	gggtttttgt	40320
tttagtttaa	gtcaaggagg	ctgtccccctt	ttcgaggctg	tttggatttt	tttcagcaaa	40380
aactagcaga	agtttttacg	cggaaatcc	tttgcata	taaaagatga	atcccgatag	40440
gtactgtat	gttaccgtt	agggtgtcaac	tttgcatttt	tgagatgtc	cttggatgt	40500
agtgaagcat	tgtttctgg	tgtgtctgt	gggggtgtgc	cagaggagac	tgaaatttga	40560
gtcagtggac	tggagagga	agacccctcc	tccatgttgg	ttggcaccat	ccaaatccgc	40620
gccagccgc	cttcaactaa	gcaggcagaa	gaagggtgg	gaaggtggct	tgtgtgtct	40680
tccacccatca	tcttccttac	atgttgc	cttccttcca	cttccttgc	ccttggacat	40740
cagactacag	gttcttcggc	cttggactt	ttggacttac	accagggtgt	tgccgaaatc	40800
tgtgttttct	gccacagatt	gaagggtgt	ctcttgggtt	ccctactttt	gagggttttg	40860
gactcgggct	gagccactac	tggcttcc	cttccttgc	tttgcagacag	cctatcgaga	40920

acttttgc ttgtatccat tgagtcattt cttccctgata aacccccc ttcatagac 40980
tagatccat aacttctgtc actccggaga accctaataat agttaccaat agaaaacctta 41040
caattttccc tagatttctgc aggtctgggtg gagttccacca ccccttgc ttgaggatca 41100
gtggaggaag aacagaggca ctggggctag cagacaataaggg ggcacaccc cagctccaga 41160
acatctgacc gcatagtttt gagagacccg cgttccacggc tgcccttcgc ctttactctg 41220
tggccctggg cagggtttt aaccctctgaa gctcaagttc cttacacta gaacaggagc 41280
aataatagga cctgcctcat gggtttatgt agaaatacgat agagtgc当地 gtgtgc当地 41340
caaggcccaag cacacagtag gtgtcaatca gtgttcacac ttgtactat cctataggat 41400
ggcccttggg cacacccctt aactttccca gcctcagggt gctccctgtg gagatcaggag 41460
ttataaagat ctgttttca gggggctat gattttgttga gaaatcaggat atctatcaca 41520
ccatcatttca cacaatcatt cattcatgga gccatttattt cttcaatca tttattcaat 41580
cattcatgaa ttatggatt tagtccatca tccatttattt ctccagttt caagggctct 41640
gtgtctggca tggtcaagac accgtccctt ccaatggca gatggtaag cggggccctg 41700
aggaagtgc gggacttgc tcagcaaaacc tctgtccaggat gttggagacag acagagcat 41760
ttttccacca ggaacccctt ggttggagg catcttccatc ttcttgc当地 ccagctcagg 41820
ttctgtccagg ctctgaaccc ttcttcacact ctccacccca cccatcaggat gtcataatggc 41880
agggtgtcgg aggcgtgtga accagagcaa ctccatcttgc aataggagat gggtaaaatg 41940
agggtgaaac ctactgggtt gcatcttccag acagtttgggcatc catctaaggat acagggttgg 42000
ataggaggat gacacaaaat aacaacccata cagacccatc tgataaaaac gtttgc当地 42060
agaagccgg cccaaatcca cccaaaccaa gatggccatc agagtgc当地 ctggcgtct 42120
ttgtgtccac actccacca cggccatgac agtttacaaa tgccatggca atgtcaggaa 42180
gttacccat atgggtttaga aaggggaggc atgaaataatc cggcccttgc tttagatcata 42240
atccagaaaat accataaaaa tggggcaacca gcagccctcg ggtgtctctg tccatggat 42300
agccattttt gtatccctt acttttttca taaaacttgc tgataaaaac gtttgc当地 42360
tgccttgc当地 ttttttcc acggatcaca agagcccttgc ttgggggtt ggttgggac 42420
cccttccgg caacatcttca gtttcttcc tctttttaattt aaattttaaatg ctcatggttt 42480
ttaaagccccc tatcccttgc ctcttccatccc cagttggccat gcttc当地 aacggccctcc 42540
acccttccca gcttttttgc ctgttcaat tcttcatgtt ggttgc当地 atgttcaat 42600
gtatcccttgc attttccaggat tgatggat atgttgc当地 accatcagaatg aaaaatgtc 42660
tcttcatatgg ccccttgc当地 ctcttcaac gagactttaa tggacaagcc accttccag 42720
tatcaccatc tcaactgggtc ctgtttaatc agtgc当地 tttttttttt tttttttttt 42780
ggatttactg ctggccacccg gaaggcacta tgattttgtt gttttttttt tttttttttt 42840
tggagactga gtctacttgc gtccaccagg ctggaggatc gtagcatgat ctcaacttgc 42900
tgcaaccccttcc gcttcccccggg ttcacggat tcttcatcttcc cggcccttccca agtgc当地 42960
attacaggca cacacccacca cagagacagg gtttcatcacttgcacttgc gtttgc当地 43020
acttctgact ctgggtatcc accccgccttgc gcctccaaaat gttttttttt tttttttttt 43080
agccacttgcg gcccggctt gattttttt tttttttttt gttttttttt tttttttttt 43140
tttttttttgc tcttttttgc tccacatttgc cactaatttgc tttttttttt tttttttttt 43200
tttttttttcaat gtttttttgc ttttttttttcaat gtttttttttcaat gtttttttttcaat 43260
gatttttttgc ttttttttttcaat gtttttttttcaat gtttttttttcaat gtttttttttcaat 43320
ccacccacca gctgtcacccttgc tggggacttcc ctcaacttgc cccgggttgc tttttttttt 43380
cttcccttgc ttttttttttcaat gtttttttttcaat gtttttttttcaat gtttttttttcaat 43440
ggttgc当地 aaaaagagac cccccaataatc agaaggatgtt gtttttttttcaat gtttttttttcaat 43500
tcttcttgc当地 caccatcttgc tgtagttggcc taggttgc当地 tgcttgc当地 43560
tttttttttgc ttttttttttcaat gtttttttttcaat gtttttttttcaat gtttttttttcaat 43620
tttgc当地 ttttttttttcaat gtttttttttcaat gtttttttttcaat gtttttttttcaat 43680
aaaaatcaga ccttaacccatc tccatcttgc ttttttttttcaat gtttttttttcaat gtttttttttcaat 43740
cttgc当地 ttttttttttcaat gtttttttttcaat gtttttttttcaat gtttttttttcaat 43800
atttttttttcaat gtttttttttcaat gtttttttttcaat gtttttttttcaat gtttttttttcaat 43860
gcaggactaa caaatttagt acaagatttgc aatcacaatc ttttttttttcaat gtttttttttcaat 43920
ggcttcaaga gtttttttttcaat gtttttttttcaat gtttttttttcaat gtttttttttcaat 43980
cttgc当地 ttttttttttcaat gtttttttttcaat gtttttttttcaat gtttttttttcaat 44040
ccagaccatc aatcttgc当地 aaccatgttcc accatttgc当地 cttaggttgc当地 44100
gaaaaccccttca ttttttttttcaat gtttttttttcaat gtttttttttcaat gtttttttttcaat 44160
cttcccaagc cccttacccacca ctttttttttcaat gtttttttttcaat gtttttttttcaat 44220
aacttcaatc ttttttttttcaat gtttttttttcaat gtttttttttcaat gtttttttttcaat 44280
ggagtttgc当地 accaggcttgc cccatgttcc gtttttttttcaat gtttttttttcaat 44340
tttagccatc atgggttgc当地 gtgttgc当地 cccatgttcc gtttttttttcaat gtttttttttcaat 44400
atcgccgaaac ccaggagggtt ggggttgc当地 gaggttgc当地 gaggttgc当地 cacttccagcc 44460

tgggcgacag	agtgagactc	tgtctccaaa	ttaattaatt	aataaagtta	taattgaaat	44520
taacactctg	atccccgaat	gcttggggag	actgatttga	gtaataaataa	aactccagcc	44580
tccctcacag	ccagctctgc	ataaattacc	ttctccattg	cagttccccc	gtcttgataa	44640
atcggtctcg	tccaggcagt	gggcaagggt	aaccactgg	gtggttacac	tttcagcact	44700
gtgtctacag	tctggccagc	ctttaggatg	ggagggcagg	tgaaagacag	gcttctcccc	44760
tcttacagta	gtgcctggag	cagatcactt	ccattgtctt	cgctgttggc	cccacctggc	44820
tctgggggac	aatccctgtt	ccagataaca	actccaatgc	gacgtacgaa	gggaagggtca	44880
gatgtcagg	acaacccagg	gtccctgcct	catgttttc	cttctttctt	ggtttcggt	44940
tagtggcga	caccctccgc	caacttcccg	agaaatttgc	tttatgtgaa	cgggagccag	45000
tctgaaaact	tcccaacata	ggtccatacc	tttgggtcat	ctccccctac	ggtgacactgg	45060
gcttgcctt	gtgacttgtt	ttggccatcg	agacgcagg	aaatatgaca	caagcagaga	45120
cttgagaggc	agggtgtgcct	tggggcttat	cttactgaca	ctgggggctc	cagtgtcaga	45180
gacattggaa	ccagactgac	tccatcttga	ataggggctg	tgaaaatgta	ggctgagacc	45240
tgctgggtgt	tatcccaagg	aggttaggca	ttcttagtca	acaggagatt	cacagatggg	45300
gaacaagtga	acgatgtta	ccaaacacac	ccggactta	acagatccag	gagatgtcct	45360
gatgtcccg	cacccataga	acaaaagat	tcttagtca	aaaataagt	tggtggctgg	45420
gcgtggggc	tcacacctgt	aatcccgac	cttggggagg	ctgggtggg	cagatcacct	45480
gagggtcagg	gttcaagggc	agccgtacca	acatggtaa	atgcacatct	attaaaata	45540
aaaaaaat	gcaaggatgt	gtggctggc	cctgtatcc	cagctactt	ggaggctgag	45600
gcaggagaag	tgcttgaacc	tgggaggcg	aggttgcagt	gagtggagat	cgcacccattg	45660
cactccagca	ctccagcccg	ggcgacacag	caagactccg	tctaaaaaaa	aaaaaaaaaa	45720
gtttttgtt	taaaggttt	tgcaaaagac	agtagttca	caaagatgaa	caatccctag	45780
tcaccagccc	tagtagcaga	gcacaccc	cccaggattt	tgtggcttt	tcttatatat	45840
gaacaageac	tgtacctaag	gcacatgtgt	tcctcatctt	gcttctggg	acaccgtacg	45900
ctgcctatgg	agtagcaatt	ccttcttgc	tttactgtct	taataaactt	gcttctactt	45960
tactctgtgg	actcgccccc	aattttttt	tgtgcaagaa	caaaaaaccc	tctcttgcgt	46020
ctggatttag	accgctttct	ggtaacaact	ggggcgatc	caggggctggc	ctggggagac	46080
ccgctgggt	agagagatgc	ctgctgtatgg	cattttgtt	gtccttgagcc	aaccacgaaa	46140
cctgtgatgt	aggccgtttt	aaaacattca	tcctcagctc	tgcctcccg	cccacacacg	46200
gaatttgaag	aaatagtcaa	tgtttttact	ctttttttt	taagacacta	aattctggg	46260
tgttttgcata	cacccaaaaa	gctaatttgc	acaaaatttgc	gcatgggtaa	aaagccttca	46320
tttccccctc	acgtgtatc	aatagtttgc	aggggcata	ccagcatttc	aggccccacg	46380
atttttttctt	agagtttgc	agcaggcgtc	ccttccctt	ttgctgtctt	gaagcctgtt	46440
gacatattct	gattctctta	agctatcgat	tacagtgttc	tcaatcttcc	ttagttctga	46500
tcctcaaaagg	gatggccctg	gaagtggta	ggctttccac	cattgcgcgg	ggcactgttag	46560
ttttttttca	tctgcaaaat	tttgcatttc	aggcgatgg	catttttttgc	attttatttc	46620
ctccattttc	tttgcatttc	tcctcatatc	tgtgtctgc	ggccttcttt	aggagggttag	46680
ctttgtttgt	ttttttttat	ttttttttat	ttttttttat	ttagatggag	tcttactctg	46740
tcacccaggg	tggagtgcag	tggcatgatc	tctgtctact	acaagctctg	ccttccgggt	46800
tcaagctatt	tcctctgcctc	agccctcccg	gtagctggg	ttacaggc	gtgccaccac	46860
ccccggctaa	ttttttgtt	tttagtagag	acgggttca	ccatgttggc	cagcttggc	46920
tcaaaactct	gacccatcgat	gtccatcgct	ccttggccctc	ccaaagtgc	gggattaaaca	46980
ggtgtgagcc	accacgcccc	ggccagggtt	tcttttttcc	tcaacatatt	tctttggat	47040
tctttttgtat	atttttttgtt	ctacttccgt	agaaattttcc	tcaaccgtat	tttcaatct	47100
ttgcagagat	tttttttttgc	tttgcatttc	tttgcatttc	tttgcatttc	tttagacttcc	47160
caacgttttc	tttgcatttc	tcttgcattat	tctatcgat	atccattatc	47220	
cgagttttgtt	aaacgggtt	ccacccgttgc	ctgttgcata	agggttgcgc	ttttttttctt	47280
tcctcttgc	ttttttgtt	ttttttgtt	tttttttttgc	cacaggcagg	ctgttgcatttgc	47340
gtgtctggca	ttctgggtgt	tctgtttctt	tcttgcatttgc	tgccctggat	ttttgtgtgc	47400
ctgtggcaga	gtggggatgc	gtgtcaaaact	gccagttcc	cagtttgcgt	ttttgggtgg	47460
gcagtttgc	tttttttttgc	tttttttttgc	tttttttttgc	tttttttttgc	cagggttggag	47520
tgcagtgggt	taatcttggc	tcactgtcaac	ttccaccc	catgttcaag	ccatttcttct	47580
ccctctcagc	tccccgatgt	gtatgtatcc	taggtgcatt	ccacccatgc	tggataatcc	47640
ttgttttttt	agcaacgaca	gggtttccgc	gttttggc	ggcttggatc	aaactccctg	47700
ccacttggtaa	tccggccccc	tttgcatttttcc	aaagtgcgtt	gattacagg	gttggccacc	47760
gtgtctggcc	gtggggatgc	tatctcgagg	gacccatccaa	tgtccaaacc	taggttcttt	47820
ctctccagct	ggccaaatcc	ccagtgatgg	ggccctttaac	tttcccccggg	ttgtgggttgc	47880
gttgggtgt	acctgttctc	agttgtgtc	ctggccgcag	gttttcttgc	ggtccccggc	47940
cccgccagcc	ctcgccacaat	ccctggggaa	tgaacccccc	cccttgcata	gggggtgggag	48000

agggatgctt	gctgaggaag	acattcagaa	aacctcaatt	ttctccccac	cctcagaggt	48060
ccctgggcc	ccagggccca	gagcccttct	gggttctat	gatgcacaaacc	agttgccttg	48120
tggggccccc	cacggggc	ttgggtctg	ctctctcgt	ctctaaagctg	tttccactcc	48180
cccatgtcc	ttcttgcttc	ccatctcaa	ggcacggtc	cagctcccg	tctttgtt	48240
ttgatccctt	ctttgactct	cgagctgtg	ggagcgaggg	tgtttgcatt	gcagtgttga	48300
gcagggttct	ctgggtctt	gcaggggacc	cagtgttgc	cccacatata	cctcgctcag	48360
taagtatgcc	ctaaggactg	tgcaaggc	caggacacg	gtgggtgatg	aatgatggtc	48420
cctgggtctca	catctgtgc	cgtgcagg	ccaggggggcc	ttgggtgtgg	ggaaaggagg	48480
aatcgaggcg	ctcagctcag	gaggcttc	aggagcaaaag	gtgtcacat	tggtttcagg	48540
caggaaagg	tgtgacgac	ggctggaaa	acacacacca	aatgtcacc	ttcccgaggcc	48600
tgagggccca	ccaggtagcc	agaaggc	ggatacagtt	tagtaattaa	gaccttgggg	48660
ctctgcggac	acgtgcctt	gggtcagacc	ctggcccaa	cactcact	tttgtggccat	48720
gagggacttc	cccacccctt	caacgttc	tttccattt	tataaaatgc	gcggaaaaat	48780
cacagaatcc	tcttgatcag	gtggctgtgt	ggatggatga	gtatgtgt	acacagccct	48840
ccgtatagag	ctcgggtgtgt	cctctgtgaa	tactaggaat	gacatggagg	gcaggtcagg	48900
gaggaagcca	ggtcacccag	gttccccc	ccccccgca	agccaaatccc	tggacctagc	48960
ccagtgggtg	gagggtcagg	cgggcaggag	ggtaggtc	ccagggg	ccccggcaag	49020
ccaagcccc	gacccatccc	agtgggtgc	aggaacgtca	ggacccgc	ggctggggag	49080
agatgatc	cggagagatc	caggaggg	aaggatgt	catcatttc	cccagccctc	49140
tcaaggccat	ctctgcctgc	caacgtctg	agcgcagg	ctgggtgtgg	gtgggggccc	49200
atccatgtgt	gcagaccccg	ctggagcagg	ccaagctgc	cttggccagg	ggccagctcc	49260
ccaccactcc	acaggtc	ccctcacac	gectggccc	ctagaacccc	tgctcactac	49320
ctctgcacc	atctggctc	ccctctgc	tctgcagccc	cataaaccac	caccagaaac	49380
tcccagggaa	agagccctac	ccttgcctgc	cataaagaaa	gcaatggat	gccaccagg	49440
ctacaggccc	cgctttgc	cttccctgc	tgctgtgg	ctcccaaggg	cccttgctg	49500
tgagcaggga	aaatccctac	ctaaaggggt	ggcttgc	ccaggacgaa	gtgcccagg	49560
atatgggtc	cctggcgtc	ccatgacaa	tgactgc	ttggggat	taaaagagca	49620
tattttat	tttccatgt	ggaggcaga	ggctgc	ggcctact	gggctgaaac	49680
caagggtgtg	gcagggctgg	ttcctccgg	aaggcccag	gaggatctgt	ttcctgcct	49740
tttccaggtt	ctagaagctg	cctgttgc	tagctgg	gccccctcct	ccatcttcac	49800
atccagcacc	gctggcgtg	tcttcatgtc	atgccttgc	gagcctttt	ctgttgc	49860
agctgtctcc	aatacaacca	ggaacgg	tacacttca	ccggacttgg	tgatttagat	49920
ggtcccat	ggataatttc	catcttc	cagg	ttcatgc	taatcacatc	49980
tgcaagatcc	cagagctg	aattgg	tgtgg	agttgggtt	ggggaggctg	50040
aggctgcagg	atccatcacc	accctggcc	tccgcacat	cctgcactt	ccacccctgg	50100
gttttgaatc	ctgacccctc	cacttataa	ttctacta	ttgggtatca	gttaaattac	50160
ctcatctc	taggcctc	tttccat	tgtacaatgg	gtataacaat	agcaaccccc	50220
atgctctgc	gaaaggat	catgcacca	caatgagaca	ttccctccct	staggggcc	50280
ggtacccatc	agcacac	gactgcggg	ttcagtc	tcaccccaca	gtactgagga	50340
ggagcggcat	gcccctccac	tatgtacaca	cacagtca	gaggatgt	agtggccat	50400
gacgcacatc	cagggaaatgg	ccacccctc	cctgtgtct	ctccctgg	tgtggact	50460
agcgcacatc	aaggccctgc	cagecag	gcaaaatgc	acctgcctc	ctcctgc	50520
acctgaagcc	cagaattccc	ttctgaa	caggagg	gctggctc	aggcagggt	50580
cagggaaacc	caggcgtgc	ttggacactt	accacacac	tctcctgtt	agctcagca	50640
ttgtggcagg	ttgggggggg	cttctctgc	ttctgaa	atccaggtac	ctgtgtgtt	50700
ctctcccccg	caggcgtc	ttctctgg	ccctcagg	ctgtgtgtt	ggagcacttgg	50760
atgaggaggt	atgtgttac	tgtgttgc	cgagctt	tttaacctc	tctgaatcag	50820
tttcctc	tgtatcat	tctcatgg	agttgtgt	tgtgtgg	tcatgtatgg	50880
ctatgcacac	ctgtgc	acaaaaca	acaactatca	ttacggatgt	tcatgtgca	50940
agcaactgtt	tttgca	ccaaat	tttgcctc	ctctcc	acaaaacccat	51000
aagatagg	gtcttatt	ttccat	tcgtgt	ttttttat	ttttttttgt	51060
aagagctgc	tttaggat	gaggg	gaccc	ttttttat	ttttttttgt	51120
aaagcccat	ggcatcccc	ccca	ttttttat	ttttttat	ttttttttgt	51180
ttggactc	aaaaacaaa	cagcatt	ttttttat	ttttttat	ttttttttgt	51240
ttatggaaa	aagctgtat	taacat	ttttttat	ttttttat	ttttttttgt	51300
gagacac	aaaaaaag	aatgcac	ttttttat	ttttttat	ttttttttgt	51360
gacaacttgc	ccaccat	ttttttat	ttttttat	ttttttat	ttttttttgt	51420
tcgtcctc	agaagat	aaaaac	ttttttat	ttttttat	ttttttttgt	51480
tgactatgt	aacggccgt	cattc	ttttttat	ttttttat	ttttttttgt	51540

gttagtccag gagagaaaagc tctggccttc caaaacagact gtgcaaccac agcaggaggt 55140
agacatggaa gcagctggga cagaaaaacca ccaggccctg cttccctcca ggggcccccc 55200
tgccccgagg actccggcga ataaaacaaat atgcatcgcc atagggttcg gggcggacag 55260
tgcgtacgtc caggggctc ctggccctac cgtccccgtc aagaatccat cacaccattt 55320
ctctgtctc cctgtcttca aggagaaggg gttcttgcgg gttggggaggg gggtaatgttc 55380
atccacatac tagaggcag gagagaaaagc acagttctgt gggcctgcgc ccagagggag 55440
ggttttgggg ttggcctct gcagggccct ggagcagctg tgaggtgcaa gttaactggg 55500
gaggaaaggg atgttaacaa aaggcaccat aagaaggttgc cttctgtctaa ggctcttc 55560
ggaggaaatc ctgtttctt ttgaagctg aggtttggctt cctgagggttgc acactgtct 55620
tgcacagaac cagggtatc cttgggtctc cagggggttat gcacagagaa caaaagttca 55680
cactgtgactt ccggcactgc agtcaggggc ttgggtctgt atttctataa gaactgggat 55740
atcccagctc tgccttaccc tgacatgcgc actcttttag caaacaaggga acgcagcccc 55800
acataggctg ttttttttttca ggaaacatggc ttttttttttca aacacccgc 55860
cagggtactt ctcgttttttttca ctttttttttca ttttttttttca tccatgggttgc 55920
tctgtatccat ttttttttttca ctttttttttca ttttttttttca ttttttttttca ttttttttttca 55980
cctggatcttc cccctgttgc gttgttgcatt ttttttttttca ttttttttttca ttttttttttca 56040
ggggcccttc ttttttttttca ttttttttttca ttttttttttca ttttttttttca ttttttttttca 56100
ggcagggttcc ttttttttttca ttttttttttca ttttttttttca ttttttttttca ttttttttttca 56160
cactctcttc ttttttttttca ttttttttttca ttttttttttca ttttttttttca ttttttttttca 56220
tctggatcttc cccctgttgc gttgttgcatt ttttttttttca ttttttttttca ttttttttttca 56280
ggggcccttc ttttttttttca ttttttttttca ttttttttttca ttttttttttca ttttttttttca 56340
ggcagggttcc ttttttttttca ttttttttttca ttttttttttca ttttttttttca ttttttttttca 56400
cactctcttc ttttttttttca ttttttttttca ttttttttttca ttttttttttca ttttttttttca 56460
tctggatcttc cccctgttgc gttgttgcatt ttttttttttca ttttttttttca ttttttttttca 56520
taatccccggc ttttttttttca ttttttttttca ttttttttttca ttttttttttca ttttttttttca 56580
tacttttttttca ttttttttttca ttttttttttca ttttttttttca ttttttttttca ttttttttttca 56640
tgcagcggc ttttttttttca ttttttttttca ttttttttttca ttttttttttca ttttttttttca 56700
ctcttttttttca ttttttttttca ttttttttttca ttttttttttca ttttttttttca ttttttttttca 56760
gtgaaaaaaatggggcaacttgc accacacacag agccaaatccat ttttttttttca ttttttttttca 56820
cacaatccat ttttttttttca ttttttttttca ttttttttttca ttttttttttca ttttttttttca 56880
catctctgttca ggggggggttgc ggttgcgttgc ggataatggaa aaggggaaatg ttttttttttca 56940
atggggaaatggggatggaa gaaaacggcc ggagagaaaaaa aacacggcccttggatccat ttttttttttca 57000
catggggccccc ttttttttttca ttttttttttca ttttttttttca ttttttttttca ttttttttttca 57060
tccccccatcc ttttttttttca ttttttttttca ttttttttttca ttttttttttca ttttttttttca 57120
gagaatccat ttttttttttca ttttttttttca ttttttttttca ttttttttttca ttttttttttca 57180
tggggtaggttca accttttttttca ttttttttttca ttttttttttca ttttttttttca ttttttttttca 57240
cgccacccctt ttttttttttca ttttttttttca ttttttttttca ttttttttttca ttttttttttca 57300
gcccataccat ttttttttttca ttttttttttca ttttttttttca ttttttttttca ttttttttttca 57360
ttccctcaatc ttttttttttca ttttttttttca ttttttttttca ttttttttttca ttttttttttca 57420
gagactgtcttgc gcttccatcc ttttttttttca ttttttttttca ttttttttttca ttttttttttca 57480
ccacccggcagg ttttttttttca ttttttttttca ttttttttttca ttttttttttca ttttttttttca 57540
ggccatccat ttttttttttca ttttttttttca ttttttttttca ttttttttttca ttttttttttca 57600
caactgttcaat ttttttttttca ttttttttttca ttttttttttca ttttttttttca ttttttttttca 57660
aggggggttcc ttttttttttca ttttttttttca ttttttttttca ttttttttttca ttttttttttca 57720
ttcttagaaatccat ttttttttttca ttttttttttca ttttttttttca ttttttttttca ttttttttttca 57780
acccacacatc ttttttttttca ttttttttttca ttttttttttca ttttttttttca ttttttttttca 57840
gggttggatctca tagttggccat ttttttttttca ttttttttttca ttttttttttca ttttttttttca 57900
aggtttccatc ttttttttttca ttttttttttca ttttttttttca ttttttttttca ttttttttttca 57960
cgccggccatc ttttttttttca ttttttttttca ttttttttttca ttttttttttca ttttttttttca 58020
gaccacttgc ttttttttttca ttttttttttca ttttttttttca ttttttttttca ttttttttttca 58080
gcaggacacat ttttttttttca ttttttttttca ttttttttttca ttttttttttca ttttttttttca 58140
tccatgttccat ttttttttttca ttttttttttca ttttttttttca ttttttttttca ttttttttttca 58200
ggggatgttccat ttttttttttca ttttttttttca ttttttttttca ttttttttttca ttttttttttca 58260
gggtgtcttccat ttttttttttca ttttttttttca ttttttttttca ttttttttttca ttttttttttca 58320
cagctgttccat ttttttttttca ttttttttttca ttttttttttca ttttttttttca ttttttttttca 58380
tggcccccttgc ttttttttttca ttttttttttca ttttttttttca ttttttttttca ttttttttttca 58440
ctgggggttccat ttttttttttca ttttttttttca ttttttttttca ttttttttttca ttttttttttca 58500
acaaatccat ttttttttttca ttttttttttca ttttttttttca ttttttttttca ttttttttttca 58560
tgcttcttccat ttttttttttca ttttttttttca ttttttttttca ttttttttttca ttttttttttca 58620

tatgcccaga	gccacagaga	gtcacatgtc	ggcagcttc	acatgaccac	cacagtgc	58680
gccaccctca	gaggctctgg	agagccaga	cctgtcatgt	tgactgatgc	catccacagg	58740
gtggacagcc	ccccaccagg	tgatgccc	gtcaggctgt	ctggctctca	ctccaccc	58800
cttgcccacc	acactggaca	ggactgcggg	gaggagggtga	cagtacatgg	gctcctgaca	58860
ggtgttattc	tgatctagca	gccagtgtag	tctttatctc	cacactgtgt	atcatctgga	58920
gaccacactc	tgaatctggg	cggtggaca	aaggaggatc	ctgtccttga	ggaaggcgt	58980
gttaggacaca	ctgagaggcc	accttc	ttctgagatc	gaaactcaca	gatggagagt	59040
aggcttgcc	atttcagaat	cttacgc	ctggaccc	gagcacaaag	ctgatgtgt	59100
tttggggggc	agaagaggga	tttcccacc	tccagaatgg	aggaagaatc	ccagagaaga	59160
gacacagagg	taaggacca	cggttagagg	tcaggtcagg	agccctgtcc	acagcccc	59220
tgtccatgcc	cgccctggc	tgagccagg	ctaggagac	acaggaaactc	acttctggca	59280
ctggggcgcc	actttccagg	cggtgggg	tgagagac	ctggactgtt	ggatttgtac	59340
aagccctgga	gggtgttagga	gttccaa	gcccctgac	ctcagcggg	ccgagtgggg	59400
tgtcaccagg	aagagaggga	gacagttagt	gtgtatggg	gagggggtgag	tagaccatg	59460
gtcaaagcca	cagggtgtca	gggtgtctc	aggacatata	gtgtgtgtat	gtgtatgtt	59520
accgggtgtc	gggtata	cctccccc	gacaagctgg	gaggggggg	cacatcaccc	59580
gggaccctga	attaactaaa	catgttccca	ctactgc	tagggcagg	gccaacgtgg	59640
cttgtgaggt	cagtgcaga	agatgaaga	tttcatgtcc	tgccttgc	atctgagcgc	59700
tgagagttgg	acctgtctg	gaaaggctgg	gcttcaccca	gacacctgg	ccattgagg	59760
ctgagtagcc	ccatgtctcg	ggtcacccg	atcccaccc	agacccctgc	agggcagaaa	59820
ccctccctad	ggtgagggtg	ggtgccgg	gaggtcagg	cttactgtc	gttcccggtc	59880
caggcacatt	caaacttgc	gaaaatgc	tcgttctcg	acagggaa	gagcttgc	59940
cgaaggtagt	catggac	ctgggataag	ggatgagg	atggacggg	gcgttccgac	60000
catectggcc	cttccacaag	agggtctca	aagagcagc	agggtctgc	tgcctgaca	60060
tggcccageg	cagac	ctcagc	agggtctgaa	tgcctgaca	cagcccgaca	60120
cagccctatc	catctc	gggacccat	gaccaggc	acggctgac	ccgaccgtg	60180
cacagccca	ta	cacccctt	ctcata	cgggggccc	acgaccagg	60240
cetccaccgt	gacac	cccc	aatacagcc	tgctcatctt	atcgggggcc	60300
cacacggctg	ac	ctg	ggggcaga	gacggg	gcaccagg	60360
ctgtgacaaa	cagaac	ctc	acagcac	ggcagg	acctgggg	60420
ctctgccc	cc	atgtgt	gatcttgg	aagtgtat	atctctgt	60480
cttcaaaactt	aa	gtgtata	gaggcga	ctcactgtt	ttctggcatt	60540
caggcctttt	gagg	taat	atctccg	acacagg	gcccgttca	60600
agagggaaacc	cacag	gtt	ccatcc	ccacagc	aggcactg	60660
tcacacagcc	tctaa	aggc	tgaccagg	ccttcc	gattccgt	60720
gagaggggtg	cacccc	cc	cctgtc	ctgtc	cccccacagg	60780
acccgggg	cc	catgt	ggttcc	tgctact	gggggttctt	60840
gcacgggctc	tgcc	ctgg	gtcg	ggatgt	ggacaacagg	60900
tcaacttcca	ggag	ttt	aa	taacaa	caacaa	60960
tgaacgttca	ttt	ctgtgt	gtcgtt	gggca	aggatact	61020
gtgaagacat	ttt	gtgt	agg	tttacat	ttatgtat	61080
ccctccatca	tgt	gggg	ctt	gttcc	aaggctg	61140
acctccctga	ggac	cccc	ttt	ccat	ccatgtat	61200
ccccctgggtc	acc	agg	ttt	ccat	tttgc	61260
ttcccttcaaa	tcc	ccat	ttt	ccat	tttgc	61320
gagccatctg	acta	atat	ttt	ccat	tttgc	61380
agcaggattg	ggagg	aa	ttt	ccat	tttgc	61440
ctgactcccg	ctt	gggg	ttt	ccat	tttgc	61500
ttgccttccc	ctt	gggg	ttt	ccat	tttgc	61560
gtctgtctgg	gacc	ctcg	gg	tttgc	tttgc	61620
tagactgtt	ttt	ggcc	ttt	ccat	tttgc	61680
atgaatggca	gcag	gtt	ttt	ccat	tttgc	61740
ctccttactc	ag	ctt	ttt	ccat	tttgc	61800
ctctggccgt	cact	aa	ttt	ccat	tttgc	61860
aaagactgtc	aat	ctt	ttt	ccat	tttgc	61920
caattgtctt	cca	at	ttt	ccat	tttgc	61980
ggaggcttag	gggat	gggg	ttt	ccat	tttgc	62040
cgccccagc	cc	ttt	ccat	tttgc	tttgc	62100
tcccagccac	tat	gggt	ttt	ccat	tttgc	62160
gccagg	ggacc	catt	ttt	ccat	tttgc	

tcagtcaacc aatgcaaaca gcacctaactc tggccaggc cctggatga tgcagtgacc	65760
agcataaaagc cactgttccct gtgcagccaa catttcctt gcagatacag acaataaaac	65820
taagtggcgc cctccacccg cagggagcag caagtgcgtgg ggaggaagag ccagcaggca	65880
gataggtgcg ctggtagttt aggtgaacag ggctccgtg ggaggtgctg tttgaccaag	65940
gtctgagtga agttggggag agattgggtgg cgatgcgtt agaggggtgt gctggcaga	66000
agggacggca cacgcaaggg ccctgaggca gggacacgccc aaggccgtg caggcagaga	66060
aaggagttagc cagggggaaac agggacgca gggccaccc acggaggatc tcatggcca	66120
cgaggggggg tgaggaagtcc accattaggaa acacggcagg cactgggggt tcagagacag	66180
ggagggatgaa atctgagtc agggaggtagg gaggggcagg caggaggctg gagtccctc	66240
ccgacggagg aaggaagtcc cagcaccccg tggccagggt ctgcagagcc cagggttcac	66300
cattcctgatc ccaggccact gcatgcagg aggtgagggg aggtgagagg aggggggagg	66360
aagctgttta cagggcaggaa aagggttccc acgtttatgt tcatgcctt ggtatcccc	66420
caaataatcag caggcaggac gaggaatgc ccccccaccc ctcttgcagag caaggccctcc	66480
aaacacactgt ctctgaagca gaccctgtaa gctcaggaga tctatatccc tgccttttagc	66540
ctctccacag cctctgttgc gcatggcag cttcaaccc cacacctctg ccctcaaaagc	66600
catggcaactg caccgggtat cctgaggggca ggtggctgct cttccctgatc ctggcgatc	66660
gatcaggaaag gagggggggg gccttagttt tccactataa atggtgtca tattttggaa	66720
ttagaaatgtc atcaggctgg cagggttttgc acggaaactca aaactgacag taggcgcctc	66780
ccttgcagg agcccaaccc acccgccac acggcccccac tccctcaggca tgcgtgcac	66840
ctcaatctcc ctccatcttgc cacagggcgc cccttctcag tggcccgagc tttctctt	66900
ccacaaggc acattgaagg gaggaccga aagaaaatca gcacccatggg aaggaagggt	66960
gaggccgcgc gcagaggagg ctggcggaga acaggctc acgggtctca tccccgagcc	67020
cctctgttgc cttcgaacgc ctccacccctc ctgcgcgtg gcctgcctc tccctacac	67080
aggagccaag ggctcttc aggaaggggc aggaggaggg gttgcagcc aggcctggca	67140
ccaccctggg tacaggcagg gccgcaggca gcaagatgc tgcacagat gaggccatgt	67200
cacgtgcgtgc ag	67212

<210> 2
 <211> 3688
 <212> DNA
 <213> Homo sapiens

<400> 2

gtgcagaagg cgcgcgttagc cggctttca gcagcgagtgc cagattgttc cccggggcc	60
gcagatctcc cgtttgcgcg gcgttcagct gtcggcaac aacttttctg cggcccaaga	120
ggcccccagg cgtcgccagc cgcgtgcgg cccacttcacgc gggccggcagg atggactcca	180
acactgttcc gctggggccc tccctccac accggcccccac acggcccccac ccccgaggc	240
gtttccact caatgcaca gctctgttgg agcaggagag gagcggaaagg ccccgaggcac	300
ccggacccca ggctggccct ggccctgttgc tttagagacgc acggcccccac gttgaaaccc	360
aggcccccac tccaggcaggc cggggaaaggag tagacggcac cggggccatgg aagggagaca	420
tggaaatccc ttttgaagaa gtcctggaga gggcccaaggc cggggccatgg aagggccatgg	480
ctgggggggg gaagactac tgcgttgg cccggcgcacac ggatgaagaa ctcaacagct	540
gcaccgcgtt ggactggctg tccctcgccg cgaaggcaggc cgcgtgcgcg gctgtgaagc	600
tgcctcgccg gtgttggcg gacagaaggag gcatcgcacgc cggaaacggaa cggggagggt	660
ggcagcttc ctccggagacc gacatggaga gggccgtgcg cggggccatgg cttggatgt	720
actggaaatcc caaccccaag aagaaggaaac aggtggccgt ggcggaggctg ctggggatgt	780
tggccagggt caacgcgcac gatgggggggg cgcggccagg cccctgtccca aagtccctgc	840
agaaggcaggag gggatgtcg gagggcttgc tcaaggcgcga gtccaaagaa tacatcgcc	900
tggatgactt tgcggagatc actaaggaaatc acggccaaaggc cgtccatcccc agcggccctgt	960
tccctgcggaga cgcggaggatc gatggcggggaa gggccgtgcg gacatggccac	1020
tgcgtctgaa ggtggcgtcaac tccctgtgc acggccatcat gggatcaag gagtacatgt	1080
ttgacatggc ctccaggggca ggcgtgcact ggcgtgtccac catccatcccc acgcaccacca	1140
tcaacgcgtt catcttttcc ttcatcatca gcaacccatc catcgacttc ttcgccttct	1200
tcatccccgtt ggtcatcttc tacatgttccatcatccat ggtgtatgtc accctcaagg	1260
tgttccaggaa cgcggaggcc tggggaaact tccggccatcc caccggccatc ctggcgct	1320
tgcggccca cttggatgtcg gacggggccgg aggttaactt cggctggaaac caccctggagc	1380
cctatggccca ttctctgttc tctgtttctt tgcgtcatctt ctccatcccc atgcggcagca	1440
aggactgtcat cccctgttcgc gagatggctg tcatcaccgg ctcttttacc gtgaccatgt	1500

acctgagccct	gaggcaccat	gcagagccct	acacgcgcag	ggccctggcc	accgaggctca	1560
ccgcggccct	gctatcgctg	ctgccttcca	tgcccttgaa	ttggccctac	ctgaaggctcc	1620
ttggccagac	cttcataacc	gtgcctgtcg	gccccctgg	cgtccat	gtcagcgctcc	1680
cgtgcctgtct	ctatgtctac	ctgccttata	tcttcgttccg	catggcacag	ctgaggaatt	1740
tcaagggcac	ctactgtctac	cttgccttcc	acccgtgtgt	cttcatgtgg	tgtgagctct	1800
ccgtgggtcat	cttcgtgtgg	ttccacggcc	tgccgggtgt	ccgcgcctcc	atcggtact	1860
tccttccttc	ctttgccttc	ccccatctgg	ttccggggcc	ggccctgggt	ggcggtgtgc	1920
agttcgcccg	gtgggttcaag	tcttcgtggc	tcaccaagat	cgcaatcacc	gtggcggtct	1980
gtatgtgtcc	cctgtgttgc	caactgggtgg	ccaaaggccag	tttctctgtg	gtggggatgg	2040
tgaagttccct	gacgcggagc	tcacatgtca	agtcatactt	ggtgtggctc	acggccatcg	2100
tgtgtttctat	ctgggttctat	gtgttaccgt	caggaggccat	gaagggttctac	aactccacac	2160
tgacgttgc	gcacatgtgt	ggcgtgtcg	ggccacgcgc	ctggaggag	accaacatgg	2220
cgccgcacccca	gatccatcg	agccatctgg	aggggccacag	ggtcacgtgg	accggccgct	2280
tcaagttacgt	ccgcgtgact	gacatcgaca	acagcgccga	gtctgcattc	aacatgtcc	2340
cgttcttcat	cgggactctgg	atgcgtgtcc	tctacggcga	ggccatccct	gcctgcagcc	2400
ctggcaacac	ctccacgcgc	gaggaggcc	tctgtccgc	taagtcgt	gccaagcacc	2460
cctggccacat	caagaatcc	gaccgtaca	agtttgcgt	taccgtggcc	atgcattca	2520
gcagcggcgc	tgacggctcg	cgccggccgc	aggaggacga	cgtaacaaag	gacatgtgc	2580
tgccggcccg	cagcgagttc	aaaagcgatc	tgttcgttgc	gcccggggc	agcctcatcg	2640
agttcagcac	cattctggag	ggccggcttg	ggcggacatgt	gcctgttttc	gagtcgaaagg	2700
ccatcagctg	cctcaactgc	atggccac	tctcgccac	caggggccac	gtgaagatcg	2760
agcacactg	gcccggcc	gtcgatggc	ccgtggatgt	ccgccttc	ttcttttt	2820
tccatcttc	gtcgccggcc	tgaggatgtt	ccgcccacag	gagtttccag	tgcattgtgc	2880
catgaggccc	ttccccatgt	tgcccccacg	ccgacaggca	tgcaccatgt	ccgtctgtgc	2940
ccacgtgtgc	agactgtggc	tgccagacacc	tccggccat	gtgttagattt	catggacccc	3000
gacaaaggaa	aggtgtgtgt	gtatgttgc	ccactgttgc	taccaatgt	gttggaaatt	3060
gcatggccat	tcacatctga	gcctgttgc	tctgtgtgc	atgggtgtgc	caggctagac	3120
taggaggttc	ccgtgtctgg	aaaagcactt	tacagatgt	atcccttc	ctccccccacc	3180
ttcaagcacc	ctgttcttc	tttctttctt	tttgttgg	tttgtttaaa	aaccaataaa	3240
gcatctgtgt	aaacctccaca	gtacatgttgc	ttatgttgc	ggtcactgt	acaccatggc	3300
agtttcttccc	ttttctggg	ggatgtgcac	ggcagatgt	gcctgtca	tggcaaggc	3360
ccggcccccatt	cagaggctgg	ggggggccgc	acatggcag	tgtgtcacac	tgagctggc	3420
accacaggct	gcctcatgc	cctccatcc	aggaggatgt	gggtgaatgt	gtgaaggct	3480
tgcctgttgc	catcaggact	tggaaaacag	agaaccctgt	gggggttgc	gtgggggagg	3540
tccctggccag	tttttagaaag	ggccatgtgt	tgttcgtgc	cttggagcag	aaagccagg	3600
tcctgtgttgc	ctgaaataaa	agccatctgg	ggaaacatcg	aaaaaaaaaa	aaaaaaaaaa	3660
aaaaaaaaaaa	aaaaagaaaa	aaaaataaa				3688

<210> 3
 <211> 3512
 <212> DNA
 <213> *Mus musculus*

<400> 3						
cggtttcgga	gcaacttcgc	ggcgggctgg	gaggcccagc	actgcggccg	gcaagatgaa	60
ctcaggcacc	ccacatctga	gccccctctgg	ccacatcttc	ccacccgcac	cacagccccca	120
ggcccgccccc	cggtcaatg	ccacccgc	actggagcag	gacaagatgt	aaccgcctcg	180
tgcctccaga	cctcaggctg	acccatgtc	tggacgt	gtctggggaa	cagccgcctcc	240
ggagcctctgg	gccccatcaaa	ccggcagccg	ggaaagaaaacg	gacagatgt	gtcccatgaa	300
ggcagatgtg	gagatccct	ttgaaatgt	ccctggagaaa	gcctaggctg	gagacccaa	360
agcacagact	gagggtggca	aaacatctt	acgccttgc	aacgtatgc	atgaagaact	420
caacatgtgc	tcagccatgt	cctggctaat	cctggcagcc	aaggccggca	ggcgggaggc	480
cgtgaagctg	ctgaggccgt	gcctatgt	ccggaaaaggc	atcaatctgt	agaacgaggc	540
tgaggtgttgc	cagctatctt	ctgagacccg	cctggaaaagg	gtgtgcgc	aggctggcc	600
ggtcatgtac	tggaaaactca	accccaagaa	gaagaagcag	gtggctgtgt	ccgatgtct	660
ggagaatgtt	ggacaggatc	acggcagg	tgagggggt	cagccaggcc	cagtcccaa	720
gtccctgtc	aaggcaggcc	gcatgttgc	gcgcctcg	agcagtgtat	ccaagaacta	780
cattgttgc	gacgatgttgc	tggagctcac	caagaatgtac	gccaaggcc	tcattccac	840
caacatgttc	ctgcaaggatgt	aggatgttgc	tgaggacag	ctggcagg	agagccccga	900

ggacctgcga	ctacgcaga	aggtgtgaa	gtacccctta	cacgcacatca	tggagatcaa	960
agagtacctg	attgacgtag	cctccaaggc	ccgcacatgcac	tggctctcca	ccattgtacc	1020
caccatcac	atcaacgccc	tcatcttctt	cttcatcatc	agcaaccta	ccatcgactt	1080
cttgccttc	ttcatcccc	tgggtgtt	ctatctgtcc	tttgtgtcca	ttgtcatctg	1140
cacgcgtcaag	gtgtccagg	acagcaaggc	ctgggagaa	ttccgtactc	tcaccgcac	1200
gtgtgcgc	ttcgagccca	acctagacgt	ggagcaggcc	gaagtgaact	tcggctggaa	1260
ccacctggag	ccctacatcc	acttctact	gtcagtcgtc	tttgtcatct	tctccctccc	1320
gtgtgcgcagc	aaggactgca	tccctgtc	ggagctggcc	gtcatctcca	ccttcattc	1380
ggtgcacccgt	tacatgagcc	tgagcagtc	tgtgtgccc	tataccaggc	gtgcctgg	1440
cacggagggt	gtgcggct	tgctgtccct	tctggccccc	gtgcctgtgg	actggcgtt	1500
cctgaaagta	ctcggccaga	ctttcttac	tgtggccgtt	ggccacttca	tcatcctcaa	1560
cgtcagccctc	cctgcgttgc	tctatgtcta	tctctttac	ctttttttcc	gcatggccca	1620
gtgtgaggaa	ttcaaggggc	cttattgtca	ctctgggtgg	tacctgggtt	gtttcatgtg	1680
gtgtgtacttgc	ttcgtgttca	tcctgttcca	gtctaccggc	ctgggcttgg	tccggccctc	1740
catcggtacat	ttcttcttcc	tctttggccc	ccccatcttg	gtggctggcc	tcggcttgat	1800
gggcacgggt	cagtttgc	gatgggttct	gtcgcgtggac	ctcacaaga	tcatggtcac	1860
cacgggtatc	tgcggtgtac	ccctgttttt	ccgttgggtgg	accaaggcca	acttctcagt	1920
gtatggggat	gtcaagtccc	tgacgaagag	ctccatgttg	aagcttattc	ttgtgtggct	1980
aacggccatc	tcgtctttct	getgttttca	ctgttacccgc	tcagaaggca	tgaaggctta	2040
caactccaca	ctcacctggc	agaatatacg	tttccatgtt	ggggccccgg	cctggaaagg	2100
aactaaacatg	gccccggaccc	agatctgtg	cagccacatc	gaggggccaca	gggtcacgtg	2160
gacaggccgc	ttcaagtatg	tccgagtgtac	cgagatcgac	aacagtgtcg	agtcggccat	2220
caacatgttc	ccgttcttcc	tggggatgtt	gtatcgctgc	ctgtatggcg	aggccatcccc	2280
atcttgcgt	tctggtaaca	ctgttacccgc	agaggaggag	ctctggccgt	tcacagact	2340
ggcaagcac	ccctggccaca	tcagaagatt	tgaccgtac	aaatttgaga	tcacagtg	2400
catgcccctt	ggcaccacg	gcaaccgcgg	ccatgaagag	gacgacatca	ccaaggacat	2460
tgttctccgt	gccaaggacgc	agttcaagga	ctgtgtgtc	aacctgtgtc	agggggagct	2520
catagagttc	agcaccatcc	tccggggccg	cttgggttagc	aagtggcccg	tcttcgtatgt	2580
caaggccatc	agctgttca	actgtatgtac	gcacatgtca	cttggccgg	ggcacgtgaa	2640
gatcgacacag	gactggcgta	gcacagtgtac	cggtgccttc	aagtttgtt	tcgacttctt	2700
cttcttccca	ttctgtctg	ccgcctgagg	agcggtccgc	gttggaggag	gttttgggtc	2760
atgttgtctgt	gaagtccccc	cgtgtggcca	cccgatggcc	tggagcagca	ctgtggccgt	2820
tgtgtgtgt	tgtgtgtgt	tgtgtgtgt	tgtatgtgt	ttctgtctc	gtgtgtttag	2880
atccccaggct	ctctgttca	ctgtatgtatcg	cgatgttgc	ggagggttgg	ttctctttag	2940
cactgtccac	tttgaatgtcc	gatgtgtatca	agaaaatttgc	tgctatctt	actcacaatc	3000
ctgccccttc	ctcacagagc	ttggaaacttca	agccctggccc	caaagaccc	ccatcacgaa	3060
gagcaacttta	caaaaaaaa	tcttcttccc	cagttcttca	tgcccttctt	ctggcccttcc	3120
cttactttgt	gttggatgtt	ttttccaaat	atgtgtgtat	gtagacttca	ttgttagtgg	3180
tcttattttat	tttgggtgtc	ctaaagcccttgc	acatgtgttc	accttcttgg	gtctgttccca	3240
gtggtcacgt	cttgccttgc	ttcttacttgc	ggtatacgat	gtccaaactg	ggctctgaac	3300
actacagcct	gccttggagc	tggcctatct	ctgggggtgt	tagagagtt	gtggggatct	3360
ctttctgtat	ccccaggact	tggaaataat	tgcacagatgt	tcccttttgc	tacataggtt	3420
agcttggct	tgttcaat	ggcagagccaa	aaagcccaatg	tctaaggcc	ccgaaataaaa	3480
aaaggcttggaa	acctaaaaaa	aaaaaaaaaa	aa			3512

<210> 4
<211> 890
<212> PRT
<213> *Homo sapiens*

<400> 4
 Met Asp Ser Asn Thr Ala Pro Leu Gly Pro Ser Cys Pro Gln Pro Pro
 1 5 10 15
 Pro Ala Pro Gln Pro Gln Ala Arg Ser Arg Leu Asn Ala Thr Ala Ser
 20 25 30
 Leu Glu Gln Glu Arg Ser Glu Arg Pro Arg Ala Pro Gly Pro Gln Ala
 35 40 45
 Gly Pro Gly Pro Gly Val Arg Asp Ala Ala Ala Pro Ala Glu Pro Gln
 50 55 60

Ala Gln His Thr Arg Ser Arg Glu Arg Ala Asp Gly Thr Gly Pro Thr
 65 70 75 80
 Lys Gly Asp Met Glu Ile Pro Phe Glu Glu Val Leu Glu Arg Ala Lys
 85 90 95
 Ala Gly Asp Pro Lys Ala Gln Thr Glu Val Gly Lys His Tyr Leu Gln
 100 105 110
 Leu Ala Gly Asp Thr Asp Glu Glu Leu Asn Ser Cys Thr Ala Val Asp
 115 120 125
 Trp Leu Val Leu Ala Ala Lys Gln Gly Arg Arg Glu Ala Val Lys Leu
 130 135 140
 Leu Arg Arg Cys Leu Ala Asp Arg Arg Gly Ile Thr Ser Glu Asn Glu
 145 150 155 160
 Arg Glu Val Arg Gln Leu Ser Ser Glu Thr Asp Leu Glu Arg Ala Val
 165 170 175
 Arg Lys Ala Ala Leu Val Met Tyr Trp Lys Leu Asn Pro Lys Lys Lys
 180 185 190
 Lys Gln Val Ala Val Ala Glu Leu Leu Glu Asn Val Gly Gln Val Asn
 195 200 205
 Glu His Asp Gly Gly Ala Gln Pro Gly Pro Val Pro Lys Ser Leu Gln
 210 215 220
 Lys Gln Arg Arg Met Leu Glu Arg Leu Val Ser Glu Ser Lys Asn
 225 230 235 240
 Tyr Ile Ala Leu Asp Asp Phe Val Glu Ile Thr Lys Lys Tyr Ala Lys
 245 250 255
 Gly Val Ile Pro Ser Ser Leu Phe Leu Gln Asp Asp Glu Asp Asp Asp
 260 265 270
 Glu Leu Ala Gly Lys Ser Pro Glu Asp Leu Pro Leu Arg Leu Lys Val
 275 280 285
 Val Lys Tyr Pro Leu His Ala Ile Met Glu Ile Lys Glu Tyr Leu Ile
 290 295 300
 Asp Met Ala Ser Arg Ala Gly Met His Trp Leu Ser Thr Ile Ile Pro
 305 310 315 320
 Thr His His Ile Asn Ala Leu Ile Phe Phe Ile Ile Ser Asn Leu
 325 330 335
 Thr Ile Asp Phe Ala Phe Ile Pro Leu Val Ile Phe Tyr Leu
 340 345 350
 Ser Phe Ile Ser Met Val Ile Cys Thr Leu Lys Val Phe Gln Asp Ser
 355 360 365
 Lys Ala Trp Glu Asn Phe Arg Thr Leu Thr Asp Leu Leu Arg Phe
 370 375 380
 Glu Pro Asn Leu Asp Val Glu Gln Ala Glu Val Asn Phe Gly Trp Asn
 385 390 395 400
 His Leu Glu Pro Tyr Ala His Phe Leu Leu Ser Val Phe Phe Val Ile
 405 410 415
 Phe Ser Phe Pro Ile Ala Ser Lys Asp Cys Ile Pro Cys Ser Glu Leu
 420 425 430
 Ala Val Ile Thr Gly Phe Phe Thr Val Thr Ser Tyr Leu Ser Leu Ser
 435 440 445
 Thr His Ala Glu Pro Tyr Thr Arg Arg Ala Leu Ala Thr Glu Val Thr
 450 455 460
 Ala Gly Leu Leu Ser Leu Leu Pro Ser Met Pro Leu Asn Trp Pro Tyr
 465 470 475 480
 Leu Lys Val Leu Gly Gln Thr Phe Ile Thr Val Pro Val Gly His Leu
 485 490 495
 Val Val Leu Asn Val Ser Val Pro Cys Leu Leu Tyr Val Tyr Leu Leu
 500 505 510
 Tyr Leu Phe Phe Arg Met Ala Gln Leu Arg Asn Phe Lys Gly Thr Tyr
 515 520 525
 Cys Tyr Leu Val Pro Tyr Leu Val Cys Phe Met Trp Cys Glu Leu Ser

530	535	540
Val Val Ile Leu Leu Glu Ser Thr Gly Leu Gly Leu Leu Arg Ala Ser		
545	550	555
Ile Gly Tyr Phe Leu Phe Ala Leu Pro Ile Leu Val Ala Gly		560
565	570	575
Leu Ala Leu Val Gly Val Leu Gln Phe Ala Arg Trp Phe Thr Ser Leu		
580	585	590
Glu Leu Thr Lys Ile Ala Val Thr Val Ala Val Cys Ser Val Pro Leu		
595	600	605
Leu Leu His Trp Trp Thr Lys Ala Ser Phe Ser Val Val Gly Met Val		
610	615	620
Lys Ser Leu Thr Arg Ser Ser Met Val Lys Leu Ile Leu Val Trp Leu		
625	630	635
Thr Ala Ile Val Leu Phe Cys Trp Phe Tyr Val Tyr Arg Ser Glu Gly		640
645	650	655
Met Lys Val Tyr Asn Ser Thr Leu Thr Trp Gln Gln Tyr Gly Ala Leu		
660	665	670
Cys Gly Pro Arg Ala Trp Lys Glu Thr Asn Met Ala Arg Thr Gln Ile		
675	680	685
Leu Cys Ser His Leu Glu Gly His Arg Val Thr Trp Thr Gly Arg Phe		
690	695	700
Lys Tyr Val Arg Val Thr Asp Ile Asp Asn Ser Ala Glu Ser Ala Ile		
705	710	715
Asn Met Leu Pro Phe Phe Ile Gly Asp Trp Met Arg Cys Leu Tyr Gly		720
725	730	735
Glu Ala Tyr Pro Ala Cys Ser Pro Gly Asn Thr Ser Thr Ala Glu Glu		
740	745	750
Glu Leu Cys Arg Leu Lys Leu Leu Ala Lys His Pro Cys His Ile Lys		
755	760	765
Lys Phe Asp Arg Tyr Lys Phe Glu Ile Thr Val Gly Met Pro Phe Ser		
770	775	780
Ser Gly Ala Asp Gly Ser Arg Ser Arg Glu Glu Asp Asp Val Thr Lys		
785	790	795
Asp Ile Val Leu Arg Ala Ser Ser Glu Phe Lys Ser Val Leu Leu Ser		800
805	810	815
Leu Arg Gln Gly Ser Leu Ile Glu Phe Ser Thr Ile Leu Glu Gly Arg		
820	825	830
Leu Gly Ser Lys Trp Pro Val Phe Glu Leu Lys Ala Ile Ser Cys Leu		
835	840	845
Asn Cys Met Ala Gln Leu Ser Pro Thr Arg Arg His Val Lys Ile Glu		
850	855	860
His Asp Trp Arg Ser Thr Val His Gly Ala Val Lys Phe Ala Phe Asp		
865	870	875
Phe Phe Phe Pro Phe Leu Ser Ala Ala		880
885	890	890

<210> 5
 <211> 890
 <212> PRT
 <213> Mus musculus

<400> 5			
Met Asn Ser Gly Thr Pro Pro Pro Ser Pro Ser Gly Pro Pro Pro Pro			
1	5	10	15
Pro Ala Pro Gln Pro Gln Ala Arg Ala Arg Leu Asn Ala Thr Ala Ser			
20	25	30	
Leu Glu Gln Asp Lys Ile Glu Pro Pro Arg Ala Pro Arg Pro Gln Ala			
35	40	45	
Asp Pro Ser Ala Gly Arg Ser Ala Gly Glu Ala Ala Ala Pro Glu Pro			

50	55	60
Arg Ala Pro Gln Thr Gly Ser Arg Glu Glu Thr Asp Arg Ala Gly Pro		
65	70	75
Met Lys Ala Asp Val Glu Ile Pro Phe Glu Glu Val Leu Glu Lys Ala		80
85	90	95
Lys Ala Gly Asp Pro Lys Ala Gln Thr Glu Val Gly Lys His Tyr Leu		
100	105	110
Arg Leu Ala Asn Asp Ala Asp Glu Glu Leu Asn Ser Cys Ser Ala Val		
115	120	125
Ala Trp Leu Ile Leu Ala Ala Lys Gln Gly Arg Arg Glu Ala Val Lys		
130	135	140
Leu Leu Arg Arg Cys Leu Ala Asp Arg Lys Gly Ile Thr Ser Glu Asn		
145	150	155
Glu Ala Glu Val Lys Gln Leu Ser Ser Glu Thr Asp Leu Glu Arg Ala		160
165	170	175
Val Arg Lys Ala Ala Leu Val Met Tyr Trp Lys Leu Asn Pro Lys Lys		
180	185	190
Lys Lys Gln Val Ala Val Ser Glu Leu Leu Glu Asn Val Gly Gln Val		
195	200	205
Asn Glu Gln Asp Gly Gly Val Gln Pro Gly Pro Val Pro Lys Ser Leu		
210	215	220
Gln Lys Gln Arg Arg Met Leu Glu Arg Leu Val Ser Ser Glu Ser Lys		
225	230	235
Asn Tyr Ile Ala Leu Asp Asp Phe Val Glu Leu Thr Lys Lys Tyr Ala		240
245	250	255
Lys Gly Ile Ile Pro Thr Asn Leu Phe Leu Gln Asp Glu Asp Glu Asp		
260	265	270
Glu Asp Glu Leu Ala Gly Lys Ser Pro Glu Asp Leu Pro Leu Arg Gln		
275	280	285
Lys Val Val Lys Tyr Pro Leu His Ala Ile Met Glu Ile Lys Glu Tyr		
290	295	300
Leu Ile Asp Val Ala Ser Lys Ala Gly Met His Trp Leu Ser Thr Ile		
305	310	315
Val Pro Thr His His Ile Asn Ala Leu Ile Phe Phe Phe Ile Ile Ser		320
325	330	335
Asn Leu Thr Ile Asp Phe Phe Ala Phe Ile Pro Leu Val Val Phe		
340	345	350
Tyr Leu Ser Phe Val Ser Met Val Ile Cys Thr Leu Lys Val Phe Gln		
355	360	365
Asp Ser Lys Ala Trp Glu Asn Phe Arg Thr Leu Thr Asp Leu Leu Leu		
370	375	380
Arg Phe Glu Pro Asn Leu Asp Val Glu Gln Ala Glu Val Asn Phe Gly		
385	390	395
Trp Asn His Leu Glu Pro Tyr Ile His Phe Leu Leu Ser Val Val Phe		400
405	410	415
Val Ile Phe Ser Phe Pro Leu Ala Ser Lys Asp Cys Ile Pro Cys Ser		
420	425	430
Glu Leu Ala Val Ile Ser Thr Phe Phe Thr Val Thr Ser Tyr Met Ser		
435	440	445
Leu Ser Ser Ser Ala Glu Pro Tyr Thr Arg Arg Ala Leu Val Thr Glu		
450	455	460
Val Ala Ala Gly Leu Leu Ser Leu Leu Pro Thr Val Pro Val Asp Trp		
465	470	475
Arg Phe Leu Lys Val Leu Gly Gln Thr Phe Phe Thr Val Pro Val Gly		480
485	490	495
His Phe Ile Ile Leu Asn Val Ser Leu Pro Cys Leu Leu Tyr Val Tyr		
500	505	510
Leu Phe Tyr Leu Phe Phe Arg Met Ala Gln Leu Arg Asn Phe Lys Gly		
515	520	525

Thr Tyr Cys Tyr Leu Val Pro Tyr Leu Val Cys Phe Met Trp Cys Glu
 530 535 540
 Leu Ser Val Val Ile Leu Leu Gln Ser Thr Gly Leu Gly Leu Val Arg
 545 550 555 560
 Ala Ser Ile Gly Tyr Phe Leu Phe Ala Leu Pro Ile Leu Val
 565 570 575
 Ala Gly Leu Ala Leu Met Gly Thr Val Gln Phe Ala Arg Trp Phe Leu
 580 585 590
 Ser Leu Asp Leu Thr Lys Ile Met Val Thr Thr Val Ile Cys Gly Val
 595 600 605
 Pro Leu Leu Phe Arg Trp Trp Thr Lys Ala Asn Phe Ser Val Met Gly
 610 615 620
 Met Val Lys Ser Leu Thr Lys Ser Ser Met Val Lys Leu Ile Leu Val
 625 630 635 640
 Trp Leu Thr Ala Ile Leu Leu Phe Cys Trp Phe Tyr Val Tyr Arg Ser
 645 650 655
 Glu Gly Met Lys Val Tyr Asn Ser Thr Leu Thr Trp Gln Gln Tyr Gly
 660 665 670
 Phe Leu Cys Gly Pro Arg Ala Trp Lys Glu Thr Asn Met Ala Arg Thr
 675 680 685
 Gln Ile Leu Cys Ser His Leu Glu Gly His Arg Val Thr Trp Thr Gly
 690 695 700
 Arg Phe Lys Tyr Val Arg Val Thr Glu Ile Asp Asn Ser Ala Glu Ser
 705 710 715 720
 Ala Ile Asn Met Leu Pro Phe Phe Leu Gly Asp Trp Met Arg Cys Leu
 725 730 735
 Tyr Gly Glu Ala Tyr Pro Ser Cys Ser Ser Gly Asn Thr Ser Thr Ala
 740 745 750
 Glu Glu Glu Leu Cys Arg Leu Lys Gln Leu Ala Lys His Pro Cys His
 755 760 765
 Ile Lys Lys Phe Asp Arg Tyr Lys Phe Glu Ile Thr Val Gly Met Pro
 770 775 780
 Phe Gly Thr Asn Gly Asn Arg Gly His Glu Glu Asp Asp Ile Thr Lys
 785 790 795 800
 Asp Ile Val Leu Arg Ala Ser Ser Glu Phe Lys Asp Val Leu Leu Asn
 805 810 815
 Leu Arg Gln Gly Ser Leu Ile Glu Phe Ser Thr Ile Leu Glu Gly Arg
 820 825 830
 Leu Gly Ser Lys Trp Pro Val Phe Glu Leu Lys Ala Ile Ser Cys Leu
 835 840 845
 Asn Cys Met Thr Gln Leu Ser Pro Ala Arg Arg His Val Lys Ile Glu
 850 855 860
 Gln Asp Trp Arg Ser Thr Val His Gly Ala Leu Lys Phe Ala Phe Asp
 865 870 875 880
 Phe Phe Phe Pro Phe Leu Ser Ala Ala
 885 890

<210> 6
 <211> 38
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> /note= "synthetic construct - primer"

<400> 6

tgtaaaacgca cggccagtcg cgtgcagaag gccgcgt

<210> 7

<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<223> /note= "synthetic construct - primer"

<400> 7
caggaaacag ctagaccgc ccacagccac cgccac 38

<210> 8
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<223> /note= "synthetic construct - primer"

<400> 8
tgtaaaacga cggccagtcgt ctctccagca gacactaa 38

<210> 9
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<223> /note= "synthetic construct - primer"

<400> 9
caggaaacag ctagaccac caatgctgaa ctgcagag 38

<210> 10
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<223> /note= "synthetic construct - primer"

<400> 10
tgtaaaacga cggccagtcgt gaagaccctc atgccttg 38

<210> 11
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<223> /note= "synthetic construct - primer"

<400> 11
caggaaacag ctagaccac acttctctgt gggctgtg 38

<210> 12
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<223> /note= "synthetic construct - primer"

<400> 12
tgtaaaacga cggccagttc ggagaatctg gaggctga 38

<210> 13
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<223> /note= "synthetic construct - primer"

<400> 13
caggaaacag ctatgaccca ttacaagctg ctcaaccc 38

<210> 14
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<223> /note= "synthetic construct - primer"

<400> 14
tgtaaaacga cggccagtcg aaagccttcc aggcagag 38

<210> 15
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<223> /note= "synthetic construct - primer"

<400> 15
caggaaacag ctatgaccct atgggaaggt cctggctc 38

<210> 16
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<223> /note= "synthetic construct - primer"

<400> 16
tgtaaaacga cggccagttc aggaacagtg cgccagtt 38

<210> 17
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<223> /note= "synthetic construct - primer"

<400> 17

caggaaacag ctatgaccat ggagtcgcac aggaagga 38

<210> 18
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<223> /note= "synthetic construct - primer"

<400> 18
tgtaaaacga cggccagtc ccatgctgtt ttctctca 38

<210> 19
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<223> /note= "synthetic construct - primer"

<400> 19
caggaaacag ctatgacccc gaggacacat ccttatga 38

<210> 20
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<223> /note= "synthetic construct - primer"

<400> 20
tgtaaaacga cggccagtc tcgttccac gtaccatc 38

<210> 21
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<223> /note= "synthetic construct - primer"

<400> 21
caggaaacag ctatgaccgt agcagtaggt gcccttga 38

<210> 22
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<223> /note= "synthetic construct - primer"

<400> 22
tgtaaaacga cggccagtc tggtcgtcct caatgtca 38

<210> 23
<211> 38

<212> DNA
<213> Artificial Sequence

<220>
<223> /note= "synthetic construct - primer"

<400> 23
cagggaaacag ctatgaccca tagaaaccaggc agaacaggc 38

<210> 24
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<223> /note= "synthetic construct - primer"

<400> 24
tgtaaaaacgca cggccagttg gttcacgtct ctggagct 38

<210> 25
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<223> /note= "synthetic construct - primer"

<400> 25
cagggaaacag ctatgaccga gttgttagacc ttcatgcc 38

<210> 26
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<223> /note= "synthetic construct - primer"

<400> 26
tgtaaaaacgca cggccagtgg gcatgaaggt ctacaact 38

<210> 27
<211> 38
<212> DNA
<213> Artificial Sequence

<220>
<223> /note= "synthetic construct - primer"

<400> 27
cagggaaacag ctatgaccga acttcttgat gtggcagg 38

<210> 28
<211> 38
<212> DNA
<213> Artificial Sequence

<220>

<223> /note= "synthetic construct - primer"

<400> 28

tgtaaaaacga cggccagtcg ggatgcgctg cctctacg

38

<210> 29

<211> 38

<212> DNA

<213> Artificial Sequence

<220>

<223> /note= "synthetic construct - primer"

<400> 29

caggaaacag ctatgacctc aggccgccga caggaatg

38

<210> 30

<211> 38

<212> DNA

<213> Artificial Sequence

<220>

<223> /note= "synthetic construct - primer"

<400> 30

tgtaaaaacga cggccagttc gccttcgact tcttttc

38

<210> 31

<211> 38

<212> DNA

<213> Artificial Sequence

<220>

<223> /note= "synthetic construct - primer"

<400> 31

caggaaacag ctatgacccc aaacaaataa gaaatgct

38

<210> 32

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> /note= "synthetic construct - primer"

<400> 32

gcccgagctct cggccaccag

20

<210> 33

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> /note= "synthetic construct - primer"

<400> 33

tcaggccgccc gacaggaatg

20

<210> 34
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> /note= "synthetic construct - primer"

<400> 34
cctggtcgtc ctcaatgtca 20

<210> 35
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> /note= "synthetic construct - primer"

<400> 35
ggtagggcac aaggtagcag 20

<210> 36
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> /note= "synthetic construct - primer"

<400> 36
gggcatgaag gtctacaact cca 23

<210> 37
<211> 36
<212> DNA
<213> Artificial Sequence

<220>
<223> /note= "synthetic construct - primer"

<400> 37
ccgttagaggc agcgcatcca gtcgccgacc tagaac 36

<210> 38
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> /note= "synthetic construct - primer"

<400> 38
gagggcatga aggtctacaa 20

<210> 39
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> /note= "synthetic construct - primer"

<400> 39
cccacggtaa tctcaaactt 20

<210> 40
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> /note= "synthetic construct - primer"

<400> 40
tagtgtgccc ctgctgttgc 20

<210> 41
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> /note= "synthetic construct - primer"

<400> 41
cccacggtaa tctcaaactt 20

<210> 42
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> /note= "synthetic construct - primer"

<400> 42
cggtttcgga gcaacttcgc 20

<210> 43
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> /note= "synthetic construct - primer"

<400> 43
cacctcagcc tcgttctcag 20

INTERNATIONAL SEARCH REPORT

International application No. PCT/US99/12429

A. CLASSIFICATION OF SUBJECT MATTER		
IPC(7) :C07H 21/04; C07K 14/46, 16/28; C12Q 1/68; C12P 19/34 US CL :536/23.5, 24.31; 530/350, 387.9; 433/6, 91.5 According to International Patent Classification (IPC) or to both national classification and IPC		
II. FIELDS SEARCHED		
Minimum documentation searched (classification system followed by classification symbols) U.S. : 536/23.5, 24.31; 530/350, 387.9; 433/6, 91.5		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched		
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) APS, MEDLINE search terms:wolfram syndrome		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
T,E	HARDY et al. Clinical and molecular genetic analysis of 19 Wolfram syndrome kindreds demonstrating a wide spectrum of mutations in WFS1. American Journal of Human Genetics. November 1999, Vol. 65, No. 5, pages 1279-1290.	1-17
A	COLLIER et al. Linkage of Wolfram syndrome to chromosome 4p16.1 and evidence for heterogeneity. American Journal of Human Genetics. October 1996, Vol. 59, No. 4, pages 855-863.	1-17
<input checked="" type="checkbox"/> Further documents are listed in the continuation of Box C. <input type="checkbox"/> See patent family annex.		
* Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "B" earlier document published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reasons (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed		
Date of the actual completion of the international search 29 JANUARY 2000	Date of mailing of the international search report 11 FEB 2000	
Name and mailing address of the ISA/US Commissioner of Patents and Trademarks Box PCT Washington, D.C. 20231 Facsimile No. (703) 305-3230	Authorized officer  DAVID S. ROMEO Telephone No. (703) 308-0196	

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US99/22429

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P, X	STROM et al. Diabetes insipidus, diabetes mellitus, optic atrophy and deafness (DIDMOAD) caused by mutations in a novel gene (wolframin) coding for a predicted transmembrane protein. Human Molecular Genetics. December 1998, Vol. 7, No. 13, pages 2021-2028, see entire document.	1-17
P, X	INOUE et al. A gene encoding a transmembrane protein is mutated in patients with diabetes mellitus and optic atrophy (Wolfram syndrome). Nature Genetics, October 1998, Vol. 20, No. 2, pages 143-148, see entire document.	1-17
X	US 5,578,444 A (EDWARDS et al.) 26 November 1996, columns 115-118, SEQ ID NO:36.	6-8

Form PCT/ISA/210 (continuation of second sheet)(July 1992)*